



**SUITABLE FOR LOOSE PRELIMINARY PLANNING PURPOSES ONLY. ALL LOTS WILL REQUIRE APPROVAL BY THE COUNTY HEALTH DEPARTMENT ON A LOT BY LOT BASIS. THIS MAP SHOULD BE USED AS A GENERAL GUIDE, SOME ADJUSTMENTS WILL BE NECESSARY IN THE FIELD DUE TO SOIL VARIABILITY AND TOPOGRAPHIC IRREGULARITIES. THIS MAP ONLY REFLECTS EXISTING SOIL SUITABILITY FOR ON-SITE SEPTIC TANK SYSTEMS. SOME OTHER CONSIDERATIONS THAT AFFECT SITE SUITABILITY THAT SHOULD BE CONSIDERED IN DEVELOPMENT DESIGN ARE:

- 1) 10' SETBACK FROM PROPERTY LINE
- 2) 100' SETBACK FROM ANY WELL
- 3) 50' SETBACK FROM STREAMS, PONDS OR LAKES.

See accompanying S&EC report.

**PRELIMINARY SOIL/SITE EVALUATION. SOIL LINES WERE DELINEATED IN THE FIELD BY S&EC PERSONNEL. THE SOIL LINES WERE SKETCHED ONTO THE MAP BASED ON TOPOGRAPHY AND OTHER SITE FEATURES.

**NOT A SURVEY.