


GPS'd areas contain soils with 24 to 30 or more inches of useable material and have potential for LLP (Low Pressure Pipe) and/or conventional septic systems.



Property boundary not recently surveyed.

**SUITABLE FOR PRELIMINARY PLANNING PURPOSES ONLY. ALL LOTS WILL REQUIRE APPROVAL BY THE COUNTY HEALTH DEPARTMENT ON A LOT BY LOT BASIS. THIS MAP SHOULD BE USED AS A GENERAL GUIDE. SOME ADJUSTMENTS WILL BE NECESSARY IN THE FIELD DUE TO SOIL VARIABILITY AND TOPOGRAPHIC IRREGULARITIES. THIS MAP ONLY REFLECTS EXISTING SOIL SUITABILITY FOR ON-SITE SEPTIC TANK SYSTEMS. SOME OTHER CONSIDERATIONS THAT AFFECT SITE SUITABILITY THAT SHOULD BE CONSIDERED IN DEVELOPMENT DESIGN ARE:

- 1) 10' SETBACK FROM PROPERTY LINE
- 2) 50' SETBACK FROM WELLS, POND OR LAKE
- 3) 50' SETBACK FROM STREAMS, PONDS OR LAKES.

See accompanying S&EC report.

**DETAILED SOILS EVALUATION. SOIL LINES WERE DELINEATED AND FLAGGED IN THE FIELD BY GPS. GPS POSITIONS WERE ESTABLISHED USING GPS RECEIVERS. NOT A SURVEY. NOT A SURVEY.

