# CHATHAM COUNTY MAJOR SUBDIVISION REVIEW CHECKLIST

Subdivision Name: The Bluffs, Phase 1A

Review For: [ ] Sketch

Sketch [ ] Prelim

[X] Final

Attach all supporting documentation regarding these approvals. If approvals are still pending, attach applications for approval

SKETCH DESIGN REVIEW.	APPROVAL DATE
[ ] 25 Copies of Plat with topo along with one (1) 8-1/2 x 11 copy	
[ ] Application w/Complete Adjacent Owner Addresses	********
[ ] Soil Scientist Report and soil map	
( ) 1 electronic copy of all items above (see Digital Document Requirements)	
PRELIMINARY PLAT REVIEW	
] 25 Copies of Plat along with one (1) 8-1/2 x 11 copy	
] Application w/ Complete Adjacent Owner Addresses	
] Detailed Soils Map and Letter of explanation or D.E.M. approval	
(see Requirements for soil scientist report)	
] NCDOT Approval (if public roads) N/A	
] DOT Comm. Driveway Permit	
] Erosion Control Plan Approval (if new roads or one acre disturbed)	
] U.S. Army Corps of Engineers Permit (if appl)	
] Road Name Request Form	
] County Public Water Approval (if applicable)	
] State Public Water Approval (if applicable)	
] Chatham Co. Schools' Road Comments (if new roads)	
] Stormwater Management Plan Approval (if appl)	
] Economic & Environmental Impact Study (if appl)	
] Water / Sewer Impact Statement (if appl)	
} 1 electronic copy of all items above (see Digital Document Requirements)	
FINAL PLAT REVIEW	
X ] 25 Copies of Plat	
X ] Application	
X } 1 electronic copy of all items above (see Digital Document Requirements)	10/12/07
X ] Chatham County Environmental Health Division septic improvement permits or ICDWQ septic permits for each lot.	10/26/06
X ] Road Completion Certificate or Financial Guarantee	10/8/07
X ] Utilities Completion Cert. or Financial Guarantee	10/8/07
omment	

Chatham County Planning Department P.O. Box 54 Pittsboro, NC 27312 Tel: (919) 542-8204 Fax: (919) 542-2698 MAJOR SUBDIVISION APPLICA		Type of Review [ ] Sketch [ ] Preliminary [X] Final	
Name of Subdivision: <u>The Bluffs, Pha</u> Subdivision Applicant:	<u>se 1A</u> Subdivision C	)wner:	
Name: Roanoke Investments, LLC	Name: <u>Chatha</u> <u>LLC</u>	Name: <u>Chatham Partners LLC and Polk-Sullivar LLC</u>	
Address: P. O. Box 5684  Cary, NC 27512  Phone:(W)(919) 469-8674  Phone:(H) Fax: (919) 469  E-Mail  Township: Hadley Zoning:RA-4  Flood Map #9735 Zone: X and Watershed: WS-IV PA/River Corridor	Phone:(W) Phone:(H) E-Mail P. I. N. # XA Parcel #10919 Existing Acces	Fax:ss Road: S.R. #1520 and 547 Taham Road and Rock Rest Road	
Total Acreage: <u>597.52</u>	Total # of Lots: <u>115</u>	Min. Lot Size: 2.53 ac.	
Ph. IA Acreage 54.29	Ph. IA # of lots 12	(Phase 1A) <b>Max. Lot Size</b> : 6,22 ac.	
Ph. II Acreage.	Ph. II # of lots		
Ph. III Acreage	Ph. III # of lots	(Phase 1A) –	
Name and date of contact with Chatha	am County Historical Asso	ciation:	
<b>Type of new road</b> : [X] Private/ Length	<u>+/- 2,151 l.f.</u> [ ] Pub	olic/ Length	
Road Surface: [X ] paved [ ] gravel	Water System: [ ] individual wells [ ] community wells [ X] public system name Heater Utilities, Inc.	Sewer System: [ ] septic systems [ ] community system [X ] public system name Heater Utilities, Inc.	
List other facilities: commercial, recrea	ation, etc., and the approxim	ate acreage or square footage:	

ROANOKE INVESTMENTS, LLC	
BY:Signature of Applicant	Date
BY: Signature of Owner	Date <u>/8//0/</u> 87
POLK-SULLIVAN LLC	
BY:	Date
For Office Use Only: Notes:	
Approved by County Comm	nissioners: Sketch Preliminary Final
Payment: Date / / Amount: \$	

BY: Signature of Applicant	Date
CHATHAM PARTNERS LLC  BY: Signature of Owner	Date
BY: Signature of Owner	Date10/(z/07
For Office Use Only:  Notes:  Approved by County Commission	oners: Sketch
Payment: Date / / Amount: \$	Preliminary Final

#### LANDOWNER INFORMATION

Chatham Partners LLC 1000 St. Albans Drive Suite 400 Raleigh, NC 27609

Phone: 919-785-4413 Fax: 919-785-4401

Polk-Sullivan LLC P. O. Box 5689 Cary, NC 27512 Phone: 919-469-8674 Fax: 919-469-4778



Michael F. Easley, Governor

William G. Ross Jr., Secretary North Carolina Dearment of Environment and Natural Resources

> Alm W. Klimek, P.E., Director Division of Water Quality

October 26, 2006

Fax: 9197330719

 Michael J. Myers Manager, Engineering and Compliance Heater Utilities, Inc. 202 MacKenan Court Cary, NC 27511

> Subject: Permit No. WQ0030640 The Bluffs - Phase 1 Pressure Sewer Extension Chatham County

Dear Mr. Myers:

In accordance with your permit application received August 10, 2006, and subsequent additional information received October 24, 2006, we are forwarding rerewith Permit No. WQ0030640 dated October 26, 2006, to Heater Utilities, Inc. for the construction and continued operation of the subject wastewater collection extension. This permit shall be effective from the date of issuance until rescinded, and shall be subject to the conditions and limitations as specified therein.

Please pay particular attention to Permit Condition 3, which requires that the wastewater collection facilities be properly operated and maintained in accordance with 15A NCAC 2H .0227 or any individual system-wide collection system permit issued to the Permittee.

Permitting of this project does not constitute an acceptance of dhy part of the project that does not meet 15A NCAC 2H .0200; the Division of Water Quality's (Division) Gravity Sewer Minimum Design Criteria adopted February 12, 1996 as applicable; and the Division's Minimum Design Criteria for the Fast-Track Permitting of Pump Stations and Force Mains adopted June 1, 2000 as applicable, unless specifically mentioned herein. Division approval is based on acceptance of the certification provided by a North Carolina-licensed Professional Engineer in the application. It shall be the Permittee's responsibility to ensure that the as-constructed project meets the appropriate design criteria and rules. Failure to comply may result in penalties in accordance with North Carolina General Statute §143-215.6A through §143-215.6C, construction of additional or replacement wastewater collection facilities, and/or referral of the North Carolina-licensed Professional Engineer to the licensing board.

If any parts, requirements, or limitations contained in this permit are unacceptable, you have the right to request an adjudicatory hearing upon written request within \$\ \mathbf{a}\ \text{ days following receipt of this} permit. This request must be in the form of a written petition, conforming to Chapter 150B of North Carolina General Statutes, and filed with the Office of Administrative Helprings, 6714 Mail Service Center, Raleigh, NC 27699-6714. Unless such demands are made this permit shall be final and binding.

Note that the Division was reorganized in 2004. All sewer related matters are handled through the Pretreatment, Emergency Response and Collection Systems Unit under the Point Source Branch EXCEPT FOR FAST-TRACK SEWER PERMITTING WHICH CONTINUES TO BE ADMINISTERED THROUGH OUR REGIONAL OFFICES. The Unit is located on the 13th floor of the Archdal building in downtown Raleigh. Please ensure the letterhead information is used for all correspondence to ensure timely delivery.

Michael J. Myers October 26, 2006 Page 2

One set of approved plans and specifications is being forwarded to you. If you need additional information concerning this matter, please contact Deborah Gore at (91) 733-5083 extension 593.

Sincerely

Álan W. Klimek, P. E.

cc: Chatham County Health Department
Raleigh Regional Office, Water Quality Section (Permit WQ0022870)
Mike Zaccardo, P.E., CE Group, 11000 Regency Parkway, Suite 410, Cary, NC. 27511
Water Quality Central Files
PERCS (formerly NDPU) Files

2

6:54

#### **NORTH CAROLINA**

### ENVIRONMENTAL MANAGEMENT COMMISSION

## DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES

#### **RALEIGH**

#### WASTEWATER COLLECTION PERMIT

In accordance with the provisions of Article 21 of Chapter 143, General Statutes of North Carolina as amended, and other applicable Laws, Rules, and Regulations

PERMISSION IS HEREBY GRANTED TO

# HEATER UTILITIES, INC CHATHAM COUNTY

#### FOR THE

construction and continued operation of a pressure sewer collection system consisting of 9 – 2.4 HP pump stations with simplex pumps, 19 – 3.5 HP pump stations with simplex pumps, 8 – 6.7 HP pump stations with simplex pumps, on-site audible and visual high water alarms and approximately 4,709 linear feet of 2-inch pressure sewer, approximately 2,999 linear feet of 6-inch pressure sewer, approximately 1,870 linear feet of 8-inch pressure sewer, to serve The Bluffs - Phase 1, and the discharge of 9,000 GPD of collected wastewater into the Buck Mountain Reclaimed WWTF's existing sewerage system, pursuant to the application received August 10, 2006, and subsequent additional information received by the Division, and in conformity with the project plans, specifications and other supporting data subsequently filed and approved by the Department of Environment and Natural Resources and considered a part of this permit.

This permit shall be effective from the date of issuance until rescinded, and shall be subject to the following specified conditions and limitations:

- This permit shall become revocable unless the wastewater collection facilities are constructed in accordance with the conditions of this permit; 15A NCAC 2H .020% the Division of Water Quality's (Division) Gravity Sewer Minimum Design Criteria adopted February 12, 1996 as applicable; the Division's Minimum Design Criteria for the Fast-Track Permitting of Trump Stations and Force Mains adopted June 1, 2000 as applicable; and other supporting materials unless specifically mentioned herein.
- 2. This permit is effective only with respect to the nature and volume of wastes described in the application and other supporting data.
- 3. The wastewater collection facilities shall be properly maintained and operated at all times. The Permittee shall maintain compliance with an individual system-wide collection system permit for the operation and maintenance of these facilities as required by 1.5A JCAC 2H .0227. If an individual permit is not required, the following performance criteria shall be met as provided in 1.5A NCAC 2H .0227:
  - a. The sewer system shall be effectively maintained and operated at all times to prevent discharge to land or surface waters, and any contravention of the groundwater standards in 15A NCAC 2L .0200 or the surface water standards in 15A NCAC 2B .0200.

- b. A map of the sewer system shall be developed and shall be actively maintained.
- c. An operation and maintenance plan shall be developed and implemented.
- d. Pump stations that are not connected to a telemetry system shall be inspected every day (i.e. 365 days per year). Pump stations that are connected to a telemetry system shall be inspected at least once per week. This requirement does not apply to pump stations serving a single building associated with a properly permitted pressure server system.
- e. High-priority sewer lines shall be inspected at least once per every six-month period of time.
- f. A general observation of the entire sewer system shall be conducted at least once per year.
- g. Inspection and maintenance records shall be maintained for a period of at least three years.
- h. Overflows and bypasses shall be reported to the appropriate Division regional office in accordance with 15A NCAC 2B .0506(a), and public notice shall be provided as required by North Carolina General Statute §143-215.1C.
- 4. The sewage and wastewater collected by this system shall be reated in the Buck Mountain Reclaimed WWTF Wastewater Treatment Facility (Non-Discharge Permit No. WQ0022870) prior to being land applied by spray irrigation.
- 5. This permit is not transferable. In the event there is a desire for the facilities to change ownership, or there is a name change of the Permittee, a formal permit request must be submitted to the Division of Water Quality (Division) accompanied by documentation from the parties involved and other supporting materials as may be appropriate. The approval of this request will be considered on its merits and may or may not be approved.
- Construction of the sewers, pump station(s) and force main shall be cheduled so as not to interrupt service by the existing utilities nor result in an overflow or bypass a scharge of wastewater to the surface waters of the State.
- 7. Per 15A NCAC 2H .0220, upon completion of construction and <u>prior to operation</u> of these permitted facilities, the completed Engineering Certification form attached to this permit shall be submitted with the required supporting documents to the address provided on the form. A complete certification is one where the form is fully executed and the supporting documents are provided as applicable.
- 8. A copy of the approved plans and specifications shall be maintained on file by the Permittee for the life of the wastewater collection facilities.
- 9. Fallure to abide by the conditions and limitations contained in this permit; 15A NCAC 2H .0200; the Division's Gravity Sewer Design Criteria adopted February 12, 1996 as applicable; the Division's Minimum Design Criteria for the Fast-Track Permitting of Pump Station and Force Mains adopted June 1, 2000 as applicable; and other supporting materials may subject the Permittee to an enforcement action by the Division, in accordance with North Carolina General Statutes §143-215.6A through §143-215.6C.
- 10. The issuance of this permit does not exempt the Permittee from complying with any and all statutes, rules, regulations, or ordinances that may be imposed by other government agencies (i.e., local, state, and federal) having jurisdiction, including but not limited to applicable river buffer rules in 15A NCAC 2B .0200, soil erosion and sedimentation control requirements in 15A NCAC Chapter 4 and under the Division's General Permit NCG010000, and any requirements pertaining to wetlands under 15A NCAC 2B .0200 and 15A NCAC 2H .0500.

#### 11. The Permittee shall provide the following Items for the pressure sewer system:

- a. Pump on/off elevations located so that 2-8 pumping cycles may be achieved per hour in any centralized pump station serving more than one building.
- b. At least 24 hours of storage capacity above the pump-on activation level for any simplex pump station serving a single family residence.
- a. An air relief valve located at all high points along the force main
- d. A screened vent for the wet well.
- e. Fillets located in the wet well(s) at the intersection of the flooring and side walls.
- Three feet of cover (minimum) over the force main or the use of ferrous material where three feet cannot be maintained.
- g. Sufficient devices, which will protect the pump station from vancible.
- h. Flood protection if the pump station is located below the 100-year flood elevation.
- Adherence with the following minimum separations:
  - Storm sewers (vertical) 12 inches
  - Water mains (vertical-water over sewer) 18 inches or (horizontal) 10 feet
  - In benched trenches (vertical) 18 inches (iii)
  - (iv) Any private or public water supply source, including any WS-I waters or Class I or Class II impounded reservoirs used as a source of drinking water 100 feet
  - Waters classified WS (other than WS-I), B, SA, ORW, HQWI or SB [from normal high water (or tide elevation)] 50 feet
  - Any other stream, lake or impoundment 10 feet
  - (vii) Any building foundation 5 feet
  - (viii) Any basement 10 feet
  - (ix) Top slope of embankment or cuts of 2 feet or more vertical height 10 feet
  - Drainage systems
    - Interceptor drains 5 feet
    - Ground water lowering and surface drainage ditches 10 feet
  - (xi) Any swimming pool 10 feet
  - (xii) Ferrous sewer pipe with joints equivalent to water main standards shall be used where these minimum separations cannot be maintained. The minimum separation shall however not be less than 25 feet from a private well or 50 feet from a public water supply well;
- 12. In the event that the facilities fail to perform satisfactorily, including the creation of nuisance conditions, the Permittee shall take immediate corrective action, including those that may be required by this Division, such as the construction of additional or replacement wastewater collection facilities.

### 13. Noncompliance Notification:

The Permittee shall verbally report to a water quality staff member at the Raleigh Regional Office, telephone number (919) 791-4200, as soon as possible, but in no case more than 24 hours or on the next working day following the occurrence or first knowledge of the occurrence of either of the following:

- a. Any process unit failure, due to known or unknown reasons, that render the facility incapable of adequate wastewater transport such as mechanical or electrical failures of pumps, line blockage or breakage, etc.
- b. Any failure of a pumping station or sewer line resulting in a by-bass directly to receiving waters without treatment of all or any portion of the influent to such station or facility:

Voice mail messages or faxed information is permissible but this shall not be considered as the initial verbal report. Overflows and spills occurring outside normal business hours may also be reported to the Division of Emergency Management at telephone number (800) 858-0368 or (919) 733-3300. Persons reporting any of the above occurrences shall file a spill report by completing Part I of Form CS-SSO (or the most current Division approved form), within five days following first knowledge of the occurrence. This report shall outline the actions taken or proposed to ensure that the problem does not recur. Per Condition I(2), Part II of Form CS-SSO (or the most current Division approved form) can also be completed to show that the SSO was beyond control.

- 14. The Permittee shall maintain on hand for immediate installation a supply of spare, fully operational pump units of each type used in the pressure sewer system. The number of pumps on hand shall not be less than 10 percent of the number of installed units or one unit, whichever is greater.
- 15. Each pump station shall be clearly and conspicuously posted with the telephone number of the owner/operator of the pressure sewer system and instructions to call the number in the event of high water alarm activation.

Fax: 9197330719

Permit issued this the 26th day of October 2006

NORTH CAROLINA ENVIRONMENTAL MANAGEMENT COMMISSION

in W. Klimek, P. E., Director

Division of Water Quality

By Authority of the Environmental Management Commission

Permit Number WQ0030640



October 8, 2007

Ms. Lynn Richardson c/o Chatham County Planning Department P.O. Box 87 Pittsboro, NC 27312

RE: The Bluffs Subdivision Phase 1A Final Plat Infrastructure Costs Chatham County, NC

Dear Ms. Richardson:

Below is a list of the Construction Contract Values, Costs to date, Remaining Costs, and Letter of Credit Amounts required for the Phase 1A improvements for The Bluffs Subdivision. This Final Plat submittal is for Phase 1A which consists of 12 residential lots.

A 40% contingency has been added to each item per County requirements.

TYPE OF IMPROVEMENT	CONTRACT	COMPLETED TO DATE	REMAINING AMT.	LOC AMOUNT
Clearing/Grubbing	\$121,113	\$109,002	\$12,111	\$16,955
Street Grading	\$52,158	\$52,158	\$0	\$0
Sanitary Sewer (on-site)	\$56,465	<b>\$</b> 56,465	\$0	\$0
Sanitary Sewer (off-site)	\$80,047	\$70,618	\$9,429	\$13,201
Water (on-site)	\$101,809	\$99,526	\$2,283	\$3,196
Water (off-site)	\$92,052	\$87,563	\$4,489	\$6,285
Storm Drainage	\$28,482	\$28,482	\$0	\$0
Street Construction	\$97,370	\$40,124	\$57,246	\$80,144
Old Graham Rd Turn Lanes	\$209,078	\$47,388	\$161,690	\$226,366
Total =	\$838,574	\$591,326 (71%)	\$247 <b>,24</b> 8	\$346,147

Total Letter of Credit Value: \$346,147

All roadway construction within The Bluffs Ph 1A will be built to NCDOT construction standards. The roads will be turned over to NCDOT once completed. The Water system construction shall meet all Heater Utilities Inc. Water System standards and specifications as well as the State Public Water Supply Standards. The Sanitary Sewerage system for the project will be handled by low pressure sewers in accordance with Heater Utility, Inc. and NCDENR standards and specifications.

I would anticipate that these costs will be valid for 1 year from this date.

Please contact us if you have any questions for need any additional information.

Respectfully submitted,

Michael V. Zaccardo, PE

CE Group, Inc.



# FAITHFUL PERFORMANCE BOND FOR INSTALLING AND COMPLETING SUBDIVISION IMPROVEMENTS

#### **BOND AMOUNT \$**

#### Subdivision known as

WHEREAS, as Owner and as Developer (hereafter jointly referred to as "Principal") have applied to Chatham County to record a final subdivision plat for ("Subdivision"), which is shown on the Final Plat submitted for approval, a copy of which was attached as Exhibit "A"; and

WHEREAS, a portion of the Improvements to the Subdivision have not been completed at this time, and the Principal desires to provide a Faithful Performance Bond as allowed by § 3.1 of the Chatham County Subdivision Ordinance, guaranteeing to Chatham County as Beneficiary the installation and completion of the required Improvements;

# NOW, THEREFORE, KNOW ALL MEN BY THESE PRESENTS:

That and are held and firmly bound as Principal unto Chatham County, North Carolina as Beneficiary in the just and full sum of \$ for the payment whereof, well and truly to be made, and said Principal binds itself, its successors and assigns, jointly and severally.

The condition of the foregoing obligation is such that:

- 1. The Principal, on or before , 200 will make and complete all Improvements to the Subdivision. The term "Improvements" shall be defined as those matters which are: a). as shown on the Final Plat; b). as required by any local, state or federal agency; c). as required by any permit for Conditional Use or Special Use; and d). as required by any Developer Agreement duly made between the Principal and Chatham County. The matters referenced above shall be incorporated herein by reference and shall be a part of this Faithful Performance Bond as if fully set forth herein. The Improvements shall be done and performed in accordance with the aforesaid documents listed above. Substitutions to or deviations from the Improvements shall not be made without prior written approval from Chatham County.
- 2. If the Principal, as bound, shall fully and faithfully perform all work specified to be constructed and performed for the Subdivision within the time prescribed above, then this obligation shall be terminated provided that the Principal delivers to Chatham County a certifying statement from the Principal's Engineer of Record verifying and certifying that the Improvements have been completed to the satisfaction of the Engineer. The process for cancelling, releasing and terminating the Faithful Performance Bond is provided in ¶ 5 below.
- 3. Failure to complete the Improvements or to submit a certifying statement or to obtain a notification of cancellation from the Planning Director shall not void this bond, and it shall remain in full force and effect. It is understood and agreed that liability of the Surety for any and all claims hereunder shall in no event exceed the amount of this obligation as herein stated.

Improvements as referred to herein, the fifteen (15) days' written notice to the late over and assume completion of standby Letter of Credit No.	then Cha Principal such Sub ued by	n default under its obligation to install the tham County as Beneficiary will, after giving during which time the default is not remedied, odivision using the funds transferred from the to Chatham County, North Carolina in the pay for such Improvements.
work by Chatham County, the Principal Chatham County. The Principal shall of the Engineer of Record verifying the sat and investigation of such certifying stahis/her designee) shall issue a not	may app leliver to lisfactory atement, ice of c	d Improvements and upon acceptance of such ly in writing for a release of the funds given to Chatham County the certifying statement from completion of the Improvements. Upon receipt the Planning Director of Chatham County (or ancellation and termination of the Faithful the Principal may be entitled to receive, within a
Signed, sealed and dated this _	day o	f, 2007.
		, Owner
	Ву: _	
ATTEST:	-	(print name & title)
(print name & title)		
		, Developer
	Ву: _	<u> </u>
ATTEST:	-	(print name & title)
(print name & title)		
NORTH CAROLINA COUNTY		

hereby certify that personally appeared before me this day and acknowledged that he/she is (officer title) of (corporate name) and that by authority duly given and as the act of the company, the foregoing instrument was signed in its name by its (officer title) as the act and deed of said company.
WITNESS my hand and Notarial Seal, this day of, 2007.
Notary Public My Commission Expires:
NORTH CAROLINA COUNTY
I,, a Notary Public of the County and State aforesaid, do hereby certify that personally appeared before me this day and acknowledged that he/she is (officer title) of (corporate name) and that by authority duly given and as the act of the company, the foregoing instrument was signed in its name by its (officer title) as the act and deed of said company.
WITNESS my hand and Notarial Seal, this day of, 2007.
Notary Public My Commission Expires:
NORTH CAROLINA COUNTY
I,, a Notary Public of the County and State aforesaid, do hereby certify that and (individual owners' names) personally appeared before me this day and acknowledged the execution of the foregoing instrument.
WITNESS my hand and Notarial Seal, this day of, 2007.
Notary Public My Commission Expires:

Remote ID:

O Pao

Date: 9/6/2007 9:42:57 AM

#### BRANCH BANKING AND TRUST COMPANY

PHONE NUMBER: COM	NTACT NAME:	<u> </u>
IRREVOCABLE STANDBY LETTER OF CREDIT	LETTER OF CREDIT NO.	
ADVISING BANK	AP	PLICANT
65NEFCIARY		AMOUNT
		ļ
		EXPRY DATE
		POR FRESENTATION AT OUR COUNTERS!
ENTLEMEN:		I ALCOH CODNITAZI
e Hereby establish our traevocable standby letter of credit in your f.	AVOR	
VAILABLE BY YOUR DRAFT(5)		
NAWN DN: BRANCH BANKING & TRUST CO."		
IAFTISI MUST BE MARKED - "DRAWN UNDER BRANCH BANKING AND TRUST COM	PANY CREDIT NO.	<u>-</u>
HICH MUST BE ACCOMPANIED BY THIS LETTER AND THE FOLLOWING DOCUMENT	ATION	
	•	
	•	•
•		
	•	
•		•
	•	
	·	
ECIAL INSTRUCTIONS	•	
	•	
HIS CREDIT IS SUBJECT TO THE UNIFORM CUSTOMS AND PRACTICE	FOR DOCUMENTARY CREDITS (1983 REVISION)	INTERNATIONAL CHAMBER O
rdmmerce publication ng. 500. Ve Hereby Engage with Beneficiary that drafts presented in	CONFORMITY WITH THE TERMS OF THIS CREDI	T WILL BE DULY HONORED OF
RESENTATION AT OUR COUNTERS AND THAT DRAFTS ACCEPTED WI	THIN THE TERMS OF THIS CREDIT WILL BE DULY	HONORED AT MATURITY.
ERY TRULY YOURS		

ACCOUNT# / NOTE#

From: unknown

Remote ID:

Page: 3

Date: 9/6/2007 9:42:57 AM

# BENEFICIARY'S DRAWS UNDER THIS LETTER OF CREDIT;

<u>DATE</u>	<u>AMOUNT</u>		SIGNATURE OF BANK OFFICER APPROVING DRAW
·			·
	<u> </u>		
	· 		
•			
		·	
		•	
,			