

BOULDERY SURFACE Areas contain soils with 30 inches or more of useable material and have potential for conventional type septic systems.

May include areas of 24 to 30 inches of soil suitable for LPP or ultra-shallow conventional.

BOULDERY SURFACE
Areas contain soils with 24 inches or
more of marginal material and have potential
for modified conventional or LPP type
septic systems. MARGINAL SOILS.

NOTE: This site contains highly variable soils, marginal soils, and a bouldery to extremely bouldery surface. Evaluation with a backhoe is necessary to accurately determine suitability. Bouldery surfaces may also have implications regarding septic system installation costs. See S&EC Report.

EXTREMELY BOULDERY — NOT EVALUATED

Not evaluated due to an extremely

bouldery surface.

UNS

UNSUITABLE

SHEET TITLE

Preliminary Soil/Site Evaluation PROJECT NAME: 15ac Andrews Store Rd.

Edward Shenkman Chatham County, NC May 2006



Soil and Environmental Consultants, PA

3817-E Lawndale Drive, Greensboro, North Carolina 27455 Phono (336) 540-8234 Fax (336) 540-8235 Web Page www.SandEC.com REVISIONS:

4-1633.31

PROJECTINGS:
ES
DRAWN
JI
FIELD WORK
JI, ES
SCALE
1"= 200'
FILE
gboroledfile/4-1633
prelinasolimap.dwg