



CITY OF WASILLA

290 E. HERNING AVE.
WASILLA, ALASKA 99687
PHONE: (907) 373-9050
FAX: (907) 373-0788

COUNCIL MEMORANDUM NO. 91-29

FROM: Mayor Stein

DATE: May 9, 1991

SUBJECT: Sewage Treatment Facility


The City Council appears not to be working in unison towards a solution to the limited capacity of our sewerage treatment facility. The dissent among the Council concerning our present approach is evident by proposed resolutions.

There are at least two related issues concerning the sewer treatment facility on which the Council should make a prompt decision and preferably in unanimous agreement. We believe that the full Council would benefit and be able to make a more informed decision after an open and frank discussion of the issues.

The issues are:

1. What direction, or method, is the Council going to pursue in order to increase treatment capacity?
 - a. more drainfields;
 - b. discharge treated wastewater into the creek; or
 - c. nothing.
2. In the interim, or the indefinite future:
 - a. stop new connections to the system;
 - b. continue allowing new connections; or
 - c. other options?

These issues can best be discussed in a worksession. Recommend that action on the sewer treatment facility resolutions be delayed until May 29, 1991 and that a worksession for these discussions be scheduled for 6:00 p.m., May 29, 1991.



John C. Stein, Mayor

JCS:REH/mdh