

CITY OF MANHATTAN BEACH DEPARTMENT OF COMMUNITY DEVELOPMENT MEMORANDUM

DATE: February 23, 2022

TO: Planning Commission

FROM: Carrie Tai, AICP, Director of Community Development

THROUGH: Talyn Mirzakhanian, Planning Manager

BY: Dana Murray, Environmental Sustainability Manager

SUBJECT: Planning Commission Study Session for Proposed Local Coastal Program

Amendment - Coastal Hazards and Sea Level Rise Chapter

BACKGROUND

This Planning Commission staff report serves to introduce the Planning Commission to a proposed amendment of the City's Local Coastal Program (LCP). The amendment is aimed at addressing sea level rise, in accordance with City Council direction and State guidance. This Planning Commission study session provides an opportunity for open discussion and public engagement in the amendment effort. At a future meeting, the Planning Commission will conduct a public hearing and make a recommendation on the proposed LCP amendment to the City Council for consideration.

Local Coastal Program Background

Pursuant to the California Coastal Act of 1976, all development within the state's Coastal Zone must conform to the public access and coastal resource protection policies of the Coastal Act. The Coastal Act requires all local governments located within the Coastal Zone to prepare a LCP, which is defined as "a local government's land use plans, zoning ordinances, zoning district maps, and, within sensitive coastal resources areas, other implementing actions, which, when taken together, meet the requirements of, and implement the provisions and policies of the Coastal Act at the local level." In addition, the LCP serves as the standard of review for Coastal Development Permits (CDPs) under the City's jurisdiction within the Coastal Zone. Under the Coastal Act, "development" is broadly defined and includes, among other things, activities such as: demolition, construction, replacement, or changes to the size of a structure; divisions of land; and activities that change the intensity of use of

land or public access to coastal waters. All LCPs and any subsequent amendments to LCPs must not only be approved by local governments, but must also be certified by the California Coastal Commission (CCC).

Manhattan Beach prepared its first LCP in the early 1980s. The Manhattan Beach LCP is the basic planning tool used by the City of Manhattan Beach to guide development in the Coastal Zone. The City's LCP consists of a Coastal Land Use Plan (Phase II LUP), originally certified by the CCC in January 1994, and an Implementation Plan (Phase III IP) that was originally certified on May 24, 1994 and amended in 2004 (available at https://www.manhattanbeach.gov/departments/community-development/planning-zoning/coastal-permit-procedures and in the Community Development Office at 1400 Highland Avenue).

The Phase II LUP designates land uses and includes planning policies and programs that implement the Coastal Act's overarching goals: protection, enhancement, and balanced use of coastal resources; maximization of public access to the coast; and prioritization of coastal-dependent and coastal-related uses. The Phase III IP includes detailed zoning and implementing ordinances found in the Municipal Code and other guidelines that carry out the policies of the Coastal LUP. Together, these serve as the standard of review for CDPs and development in the Coastal Zone in Manhattan Beach.

The CCC unanimously adopted the State's Sea Level Rise Policy Guidance in 2015, updated in 2018, which outlines the need for planning, the resources available, and the steps for cities to update their LCPs to incorporate sea level rise assessments and adaptation planning. The guidance recommends that LCPs address sea level rise vulnerability and adaptation strategies, and that proposed development be evaluated for sea level rise impacts. The guidance recognizes that the Coastal Act supports: (1) using best available science to guide decisions; (2) minimizing coastal hazards through planning and development standards; (3) maximizing protection of coastal resources, including public access and recreation, coastal habitats, Environmentally Sensitive Habitat Areas and wetlands, water quality and supply, archaeology and paleontological resources, and scenic and visual coastal resources; and (4) maximizing agency coordination and public participation.

Local Coastal Program Update - Addressing Climate Change

In 2018, the City initiated an update to the LCP to address climate change, specifically sea level rise. Pursuant to the City's adopted Environmental Work Plan priorities, adopted Strategic Plan goals, and in compliance with State and General Plan mandates, the City has created a Climate Resiliency Program called Climate Ready Manhattan Beach (Climate Ready MB). In 2017, the California State Lands Commission sent notices to the City highlighting the City's responsibility to complete a sea level rise assessment. California Senate Bill 379 requires a climate change vulnerability assessment (including flood risk), measures to address vulnerabilities, and a comprehensive hazard mitigation and emergency response strategy in the City's Local Hazards Mitigation Plan (LHMP). In addition, adaptation and resilience are required in the safety element and may be addressed in other sections. In Assembly Bill 2140, the general plan safety element is incentivized to contain hazard and risk reduction strategies that are complementary with the LHMP. The City's LCP update will be integrated with an update to the City's General Plan Safety Element and LHMP to ensure consistency and further

put the City into compliance. The primary objectives and phases of the overall major work effort include:

- 1. Create the City's First Sea Level Rise Vulnerability Assessment (VA): The objective for the VA was to use best available science and cutting-edge sea level rise models (such as CoSMoS) to assess the City's physical, societal, economic, and ecosystem vulnerability to help assess and adapt to climate change. The VA was completed as part of the first phase of work in the Climate Ready MB program and highlights existing conditions and future vulnerability of the City of Manhattan Beach to projected sea level rise, coastal flooding, and erosion. The City's Sea Level Rise Vulnerability Analysis was completed and posted on the City's website in June 2021, and is available as a reference document for Planning Commission. (See Attachment A Final Sea Level Rise Vulnerability Assessment)
- 2. Create the City's First Sea Level Rise Adaptation Plan: The findings of the VA were used to develop the Sea Level Rise Adaptation Plan, which provides a variety of adaptation strategies to help Manhattan Beach plan for and address sea level rise, coastal storm flooding, and beach erosion. It provides a framework for the City to plan for sea level rise in phases through monitoring of impacts, tracking of new information, regular evaluations of options, and implementation of adaptation strategies once specified thresholds for action are reached. The City's Sea Level Rise Adaptation Plan was completed and posted on the City's website in November 2021, and is available as a reference document for Planning Commission. (See Attachment B Final Sea Level Rise Adaptation Plan)
- 3. Update the City's Local Coastal Plan to Address Sea Level Rise: The objective of the LCP update is to incorporate findings and strategies from the VA and Adaptation Plan into a new Chapter of the LCP (see Attachment D DRAFT Coastal Hazards Local Coastal Program Chapter) referred to as the Coastal Hazards chapter, which is the subject of this study session. A public hearing before the Planning Commission must be held and Planning Commission's action is forwarded to the City Council as a recommendation.

DISCUSSION

Upon completion of the Vulnerability Assessment and Adaptation Plan in 2021, staff initiated a work effort to update the City's LCP, specifically to incorporate sea level rise findings and strategies from the Vulnerability Assessment and Adaptation Plan into a new Coastal Hazards chapter of the LCP, pursuant to State guidance.

Environmental Setting

Manhattan Beach's coastline is largely urbanized, developed by residential and commercial properties. Much of this development is located on what was once large sand dunes; there are some sand dunes remaining, such as Sand Dune Park. Currently, the City is collaborating with Los Angeles County Beaches and Harbors and The Bay Foundation to restore and enhance beach dunes along the coast. Other important coastal features include the 928-foot long Manhattan Beach Pier. Manhattan Beach coastal amenities also include the Marvin Braude Bike Trail, The Strand pedestrian

walkway, parking, restrooms, lifeguard towers, beach volleyball courts, stormwater outfalls, and concession stands.

LCP Coastal Hazards Chapter

The LCP Coastal Hazards chapter documents coastal hazards present in Manhattan Beach and establishes a set of policies that address the safety of community members and mitigates potential impacts from natural and man-made hazards. In addition, it discusses the types of shoreline protective devices currently in place within the coastal zone and policies for maintaining, rebuilding, or installing new devices. The following discussion is an overall summary of the subsections contained in the Draft Coastal Hazards chapter of the City's LCP.

I. Introduction

The Introduction to the LCP Coastal Hazards chapter summarizes the content of the chapter and establishes the context for why this new chapter is important. Manhattan Beach has experienced numerous coastal storm events over the past few decades that caused flooding and erosion damage. In the late fall and winter of 1982/1983, California experienced an El Niño that produced significant precipitation, strong winds, and high surf in Southern California. The storms damaged coastal structures and eroded beaches. Waves reached the Pier deck and damaged the iconic Pier. The Pier deck, Roundhouse Aquarium, and lifeguard station at the beginning of the Pier had to be completely replaced. Other notable El Niño seasons occurred in 1998 and 2010. In 2017, surf reached 15 feet at El Porto Beach in North Manhattan Beach.

It is this context that establishes the need for policies that address the safety of community members from the potential impacts from natural and man-made hazards, and policies to guide the maintenance, rebuilding, and/or installing of new shoreline protective devices.

II. Setting

This section of the LCP Coastal Hazards chapter provides the setting, with information summarized from the Vulnerability Assessment. It documents specific coastal hazards present in Manhattan Beach, including flooding, extreme rainfall, groundwater hazards and shoreline hazards. This section also presents adaptation strategies that are used by adjacent jurisdictions, such as building seasonal sand berms, beach nourishment, and wetlands restoration. The following provides a brief summary from the chapter describing each coastal hazard impacting Manhattan Beach.

Tidal Inundation And Coastal Storm Flooding Hazards

Future sea level rise is expected to create a permanent rise in ocean water levels that would shift the water's edge landward. If no action is taken, higher water levels would increase erosion of the beach, cause a loss of sand, and result in a narrower beach. Additionally, the combination of higher ocean water levels and beach erosion would result in greater flooding and damage during coastal storms and high tide events. With

future climate change and sea level rise, the City of Manhattan Beach's current vulnerabilities are projected to increase in both frequency and intensity. However, it's notable that the City's vulnerabilities are relatively limited, compared to other jurisdictions statewide, and centered around public assets and not private development.

Extreme Rainfall Hazards

With rising sea levels, Manhattan Beach may experience increased flooding from rainfall events due to the blockage of the outfalls by higher-than-normal coastal water levels moving up into the storm drain system. In this situation, reduced outflow capacity at the ocean outlet may propagate through the system leading to extensive flooding inland. Model results for existing conditions (i.e., current climate conditions) show that the stormwater system can pass the current 25-year rainfall event with limited flooding, but that the 50- and 100-year rainfall events would result in widespread flooding even without a higher coastal water level.

Beach Erosion Hazards

The Manhattan Beach coastline is characterized by sandy beach. The Coastal Zone within the City of Manhattan Beach slopes up from the beach with elevations quickly rising out of the flood zone behind the beach. In general, historic erosion rates in Manhattan Beach show net accretion over time (i.e., beach widening), likely due to the extensive beach nourishment historically in Santa Monica Bay and the construction of sand retention structures downcoast of the City. The Sea Level Rise Vulnerability Assessment illustrates that the total beach width by 2100 is expected to be 200 feet, resulting in a 47% loss.

Groundwater Hazards

Rising sea levels can impact coastal groundwater both by increasing groundwater levels and by the intrusion of salt water into coastal aquifers. Higher sea levels cause inland intrusion of denser salt water, which can raise unconfined salt water tables and also force overlying freshwater to rise up. As the water table rises, it can rise above the ground surface, flooding low-lying areas or it can infiltrate and damage shallow infrastructure, such as basements, building foundations, and gas lines. Additionally, the intrusion of salt water can impact drinking water supplies. The depth to groundwater with increasing sea levels was evaluated across Manhattan Beach. Because the land slopes up quickly from the beach, the groundwater under most of the city is deep and there is limited risk to inland flooding. While there is not expected to be any emergence of groundwater leading to backshore ponding in Manhattan Beach, it is possible that groundwater could impact underground infrastructure, such as sewer and electrical lines, but not likely until after 9.8 feet of sea level rise.

Adaptation Strategies

Approximately 23% of the Manhattan Beach coastline is protected by coastal armoring structures such as rock revetments (north end of El Porto Beach) and concrete sea walls (El Porto Beach and near the Pier). While sea walls and revetments provide protection to existing shoreline development, these structures can contribute to beach erosion and accelerate beach loss. Beach dune restoration is recognized as a natural way of mitigating backshore erosion, as well as maintaining a wider beach by creating an additional source of sand at the back of the beach, while increasing local sand retention. When dunes are allowed to form and create natural features they provide a cost-effective buffer of protection from sea level rise and storm erosion. The Manhattan Beach Dune Restoration Project¹ recently started and will enhance approximately three acres of existing dunes in Manhattan Beach from 36th Street to 23rd Street. There are other adaptation strategies used by adjacent jurisdictions, such as building seasonal sand berms, beach nourishment, and wetlands restoration. The Adaptation Plan provides a framework for the City to monitor effects of coastal erosion and flooding with sea level rise and prepare for identified vulnerabilities by choosing from a toolbox of adaptation measures. As a guidance document, the Adaptation Plan provides flexibility for the City to choose appropriate adaptation measures over time, as specified thresholds for action are reached.

III. Coastal Hazards and Adaptation Policies

This section of the LCP Coastal Hazards chapter contains policies to address each of Manhattan Beach's coastal hazards, as summarized above. Descriptions of each new policy subsection within the chapter that respond to each hazard identified are presented as follows, including a policy sample for each section:

A. Natural Management of Coastal Hazards

The Natural Management of Coastal Hazards policies call for non-structural adaptation strategies, such as a beach dune restoration program, winter sand berms, establishment of off-shore eel grass and kelp beds, and managed retreat (accepting a narrower beach). Policies address maximizing natural shoreline values and processes and minimizing the perpetuation of shoreline armoring. Any beach nourishment project shall protect water quality and minimize and mitigate potential adverse biological and recreational resource impacts. Policies also call for implementing a beach dune restoration program, supporting giant kelp reforestation programs, and implementing eelgrass restoration. For example, the current beach dune restoration project in north Manhattan Beach would comply with these policies.

Policy Sample: Policy IV.A.1 - Maximize natural shoreline values and processes; minimize the perpetuation of shoreline armoring.

¹ https://www.santamonicabay.org/what-we-do/projects/manhattan-beach-dune-restoration-project/

B. Shoreline Protection Devices

The Shoreline Protection Devices policies relate to engineered structural protective devices, such as groins, seawalls, or rock revetments. Examples of these existing shoreline protection devices in the City include the seawalls at the El Porto parking lot and Pier. Policies call for limiting shoreline protective devices, and requiring that they be designed to blend visually with the natural shoreline, provide for and protect public recreational access, and coastal resources.

Policy Sample: Policy IV.B.3 - When allowed, shoreline protection devices shall be designed to blend visually with the natural shoreline, and provide for public recreational access.

C. Shoreline Redevelopment and New Development

The Shoreline Development policies address both redevelopment of existing buildings/facilities along the coast and new coastal development. An example of this would be public restrooms on the beach, or stormwater outfalls along the shore. The policies are intended to guide future development in a manner that minimizes hazard risk and while adapting to future shoreline conditions without the need for protection.

Policy Sample: Policy IV.C.5 - Monitor the frequency of maintenance required for storm drains to identify when further improvements and adaptation actions (including shortening the outfalls) are needed due to vulnerabilities from beach erosion and sand blockage with sea level rise.

D. Public Access, Recreation, and Sensitive Coastal Resources

The Public Access, Recreation, and Sensitive Coastal Resources policies aim to protect public access, recreation, and sensitive coastal resources, which are identified by the CCC as necessary considerations in plans addressing sea level rise in the coastal zone. An example of this would be maintaining dedicated public pathways between beach dunes to ensure public access while protecting coastal resources. Policies call for avoiding impacts to beach dune habitat when designing and siting recreation areas, maximizing coastal access and developing and siting access facilities to be adaptable, limiting impacts to coastal resources, and avoiding hazard areas.

Policy Sample: Policy IV.D.I: Avoid impacts to beach dune habitat when designing and siting recreation areas, and direct public access to use well-defined footpaths and the Strand rather than over dune habitat areas through symbolic/protective fencing, signage, and similar methods.

E. Decision-Making, Coordination, And Participation

The Decision-making, Coordination, and Participation policies relate to decision making, coordination, and participation in planning for sea level rise, which are identified by the CCC as key principles for addressing sea level rise in the Coastal Zone. Policies call for

using the best available science to determine locally relevant and context-specific sea level rise projections for all stages of planning, design, and reviews; maximizing public participation in the decision-making process; and creating a Shoreline Monitoring Program. For example, the City collaborated with experts from local and state agencies, as well as utilized state agency guidance documents to develop the Sea Level Rise Adaptation Plan.

Policy Sample: Policy IV.E.1 - Use the best available science to determine locally relevant and context-specific sea level rise projections for all stages of planning, design, and reviews.

City staff has worked diligently and collaboratively with CCC staff to update the LCP to include a new coastal hazards chapter that addresses the CCC's 2018 Sea Level Rise Policy Guidance (See Attachment C DRAFT Coastal Hazards Local Coastal Program Chapter CCC Comments). On November 11, 2021, CCC staff provided extensive written comments on the Preliminary Draft LCP Coastal Hazards Chapter, including significant comments in the following issue areas, all of which have been addressed:

- Specification and clarification regarding assets that are vulnerable to sea level rise hazards
- Clarification of how the Coastal Hazards chapter will incorporate Coastal Act policies
- Clarifications regarding sea level rise mapping
- Updates to specific policy language including: natural management of coastal hazards, shoreline protection devices, shoreline redevelopment and new development, public access, recreation, and sensitive coastal resources, and decision making, coordination, and participation
- Formatting specifications

Additionally, throughout the LCP Update process, Environmental Sustainability staff collaborated with City staff from other Divisions and Departments to ensure that the proposed policies and CCC staff's suggested edits were supportable throughout the City organization.

PUBLIC OUTREACH

From February through June of 2021, as part of the planning process, the City conducted nine public meetings (six workshops and three focus groups) on sea level rise, coastal adaptation strategies, the dune restoration pilot project, and climate action and adaptation strategies. Over 200 members of the public participated, providing over 380 comments and questions related to sea level rise, climate action, and adaptation strategies. Recordings of the Climate Ready MB workshops are available at: https://www.manhattanbeach.gov/ClimateReadyMB.

In advance of this Planning Commission meeting, staff shared information with the public about the LCP Study Session via newspaper ads, social media, the City's website, verbal announcements at City Council, and via email with stakeholders.

ENVIRONMENTAL REVIEW

Pursuant to the California Environmental Quality Act (CEQA), specifically Section 21080.5 of the California Public Resources Code, local governments are exempt from the requirement of preparing an environmental impact report (EIR) in connection with its activities and approvals necessary for the preparation and adoption of LCPs and LCP amendments. Instead, the CEQA responsibilities are assigned to the CCC; however, the CCC's LCP review and approval program has been found by the Secretary of the Natural Resources Agency to be functionally equivalent to the EIR process. Thus, under CEQA Section 21080.5, the CCC is relieved of the responsibility to prepare an EIR for each LCP or LCP amendment action.

NEXT STEPS

Subsequent to this study session, the Coastal Hazards Local Coastal Program Chapter will be provided to the Planning Commission and City Council for consideration during the noticed public hearings. Pending Planning Commission's recommendation and City Council's adoption, the amendment will be submitted to the CCC. If the CCC approves the language as submitted, the amended LCP will be certified. If the CCC requests revisions, the amendment will return to the Planning Commission and City Council for further review. Once adopted, the amendment will be incorporated into the City's LCP.

RECOMMENDATION

Staff recommends that the Planning Commission facilitate an open forum, question-and-answer session to give the Commissioners and the public an opportunity to ask questions and provide input on the policy effort.

ATTACHMENTS:

- A. Final Sea Level Rise Vulnerability Assessment
- B. Final Sea Level Rise Adaptation Plan
- C. DRAFT Coastal Hazards Local Coastal Program Chapter CCC Comments
- D. DRAFT Coastal Hazards Local Coastal Program Chapter

THIS PAGE

INTENTIONALLY

LEFT BLANK

FINAL

Sea Level Rise Risk, Hazards, and Vulnerability Assessment, City of Manhattan Beach

Prepared for City of Manhattan Beach May 2021











FINAL

Sea Level Rise Risk, Hazards, and Vulnerability Assessment, City of Manhattan Beach

Prepared for City of Manhattan Beach May 2021

626 Wilshire Blvd Suite 1100 Los Angeles, CA 90017 619.719.4200 www.esassoc.com

Bend Oakland San Francisco Camarillo Orlando Santa Monica Delray Beach Pasadena Sarasota Destin Petaluma Seattle Portland Sunrise Irvine Los Angeles Sacramento Tampa Miami San Diego

160871



The Manhattan Beach LCP Update and Sea Level Rise Planning project is part of California Climate Investments, a statewide program that puts billions of Cap-and-Trade dollars to work reducing GHG emissions, strengthening the economy, and improving public health and the environment, particularly in disadvantaged communities. The Cap-and-Trade program also creates a financial incentive for industries to invest in clean technologies and develop innovative ways to reduce pollution. California Climate Investments projects include affordable housing, renewable energy, public transportation, zero-emission vehicles, environmental restoration, more sustainable agriculture, recycling, and much more. At least 35 percent of these investments are located within and benefiting residents of disadvantaged communities, low-income communities, and low-income households across California. For more information, visit the California Climate Investments website at:www.caclimateinvestments.ca.gov.

TABLE OF CONTENTS

| | <u> </u> | <u>'age</u> |
|---------|--|--------------------|
| Section | I Introduction | . 1-1 |
| 1.1 | Study Area | 1-2 |
| 1.2 | Key Terms and Definitions | 1-3 |
| 1.3 | Existing Coastal Hazards | 1-3 |
| | I.3.1 Coastal Storms | 1-3 |
| | 1.3.2 King Tides | |
| | 1.3.3 Existing Adaptation Strategies | 1-5 |
| Section | 2 Sea level Rise Projections | . 2-1 |
| 2.1 | Sea Level Rise | |
| 2.2 | Regional Sea Level Rise Projections | |
| 2.3 | State Planning Guidance | |
| 2.4 | CoSMoS Modeling Scenarios | 2-5 |
| Section | 3 Potential Future Hazards | |
| 3.1 | Tidal Inundation and Coastal Storm Flooding | |
| 3.2 | Extreme Rainfall Events | |
| | 3.2.1 Existing Conditions | |
| | 3.2.2 Future Conditions | |
| 3.3 | Beach Erosion | |
| 3.4 | Groundwater Hazards | .3-21 |
| Section | 4 Vulnerability Assessment | |
| 4.1 | Beaches and Associated Facilities and Events | |
| | 4.1.1 Hazards and Consequences | |
| | 4.1.2 Sensitivity | |
| | 4.1.3 Adaptive Capacity | |
| | 4.1.4 Vulnerability Summary | |
| 4.2 | Storm Drain System | |
| | 4.2.1 Hazards and Consequences | |
| | 4.2.2 Sensitivity | |
| | 4.2.3 Adaptive Capacity | |
| | 4.2.4 Vulnerability Summary | |
| 4.3 | South Bay Cities' Main Sewer Trunk Line | |
| | 4.3.1 Hazards and Consequences | |
| | 4.3.2 Sensitivity | |
| | 4.3.3 Adaptive Capacity | |
| 4 4 | , , | |
| 4.4 | Coastal Structures | |
| | 4.4.1 Hazards and Consequences | . 4 -10 |

| | | <u>Page</u> | | | |
|---------------------------|--|--|--|--|--|
| | 4.4.2 | Sensitivity4-11 | | | |
| | 4.4.3 | Adaptive Capacity4-11 | | | |
| | 4.4.4 | Vulnerability Summary4-11 | | | |
| 4.5 | Socioe 4.5.1 | conomic Impacts and Environmental Justice Analysis4-11 Elderly4-12 | | | |
| | 4.5.2 | Visitors and Seasonal Residents 4-12 | | | |
| | 4.5.3 | Unemployed/Underemployed4-12 | | | |
| | 4.5.4 | People with Disabilities4-13 | | | |
| | 4.5.5 | Low Income4-13 | | | |
| | 4.5.6 4.5.7 | Low-Income Homeowner Housing Burden4-13 Homeless4-13 | | | |
| | 4.5.8 | Renters 4-14 | | | |
| | 4.5.9 | Single Heads of Household4-14 | | | |
| | | Children4-14 | | | |
| | | Linguistically Isolated Households4-14 | | | |
| | | People Lacking Health Insurance4-14 SB 535 and AB1550 Disadvantaged and Low-Income | | | |
| | 4.5.13 | Communities4-15 | | | |
| | 4.5.14 | Proposition 68 Disadvantaged Communities4-15 | | | |
| Section | 5 Con | clusions 5-1 | | | |
| Section | 6 List | of Preparers 6-1 | | | |
| | | | | | |
| | | | | | |
| Append | dices | | | | |
| Appendix | κA | Multi-Hazard Confluence Modeling of Manhattan Beach's | | | |
| | | Stormwater Infrastructure | | | |
| Appendix | κВ | Shoreline Evolution Model | | | |
| Appendix | ¢ C | Manhattan Beach Sea Level Rise Driven Groundwater Impacts | | | |
| | | on Infrastructure (to be completed) | | | |
| | | | | | |
| | | | | | |
| List of Fi | gures | | | | |
| 1-1. | | otos from the 1982/83 El Nino showing the huge waves | | | |
| | | he Manhattan Beach PierI-4 | | | |
| I-2. | | we watchers attend an Urban Tides Beach Walk to view | | | |
| | | document a King Tide along Manhattan Beach, 2020I-5 | | | |
| I-3. | | g Tide Combined with Stormwater Outflow Flood | | | |
| | | ler the Manhattan Beach Municipal Pier on January 17, 91-5 | | | |
| 1-4. | _ | sting Rock Revetment at North End of El Porto Beach | | | |
| 1- 4 . 1-5. | | sting Seawall at El Porto Beach1-6 | | | |
| 1-3. 1-6. | | sting Seawall at the Pier | | | |
| 1-0. 1-7 | | oreline Armoring Locations | | | |
| | | : Water Intrusion and Barrier Wells1-10 | | | |
| | -o. Sait Tratel life usion and Dalliel Trens | | | | |

| | <u>Pa</u> | <u>ge</u> |
|---------|---|-----------|
| 3-1. | Conceptual Shoreline Cross-Section Showing Tidal Inundation and Coastal Storm Flood Hazards | 3-7 |
| 3-2. | Tidal Inundation with Sea Level Rise in North Manhattan Beach | |
| 3-3. | Tidal Inundation with Sea Level Rise in South Manhattan Beach3- | -10 |
| 3-4. | Coastal Storm Flooding with Sea Level Rise in North Manhattan Beach3- | -11 |
| 3-5. | Coastal Storm Flooding with Sea Level Rise in South Manhattan Beach | -12 |
| 3-6. | Stormwater Flooding from Backed Up Drainage System3- | -13 |
| 3-7. | Stormwater Outfalls onto the Beach that Drain Higher Areas of the City3- | -17 |
| 3-8. | Shoreline Erosion with Sea Level Rise in North Manhattan | |
| | Beach3- | -19 |
| 3-9. | Shoreline Erosion with Sea Level Rise in South Manhattan Beach3- | -20 |
| 3-10. | Changes to the Groundwater Table with Sea Level Rise3- | -2 I |
| 4-1. | Storm Drain Pipe Capacity and Maintenance Hole (Node) Flooding Rates Under the 25-year Compound Scenario with | 4 7 |
| 4-2. | 9.2 feet of Sea Level Rise Stormwater Outfall Locations4 | |
| List of | Tables | |
| 2-1. | Sea Level Rise Projections for Santa Monica Bay | |
| 3-1. | Manhattan Beach Co-Occurrence Hazard Scenarios3- | |
| 3-2. | Manhattan Beach Future Rainfall | |
| 3-3. | Beach Width Evolution | -21 |
| 4-1. | Beach Facility Hazards, Consequences, Sensitivity and Adaptive Capacity | 4_3 |
| 5-1. | Manhattan Beach Vulnerability Summary | |

Section 1

INTRODUCTION

Future sea level rise is expected to create a permanent rise in ocean water levels that would shift the water's edge landward. If no action is taken, higher water levels would increase erosion of the beach, cause a loss of sand, and result in a narrower beach. Additionally, the combination of higher ocean water levels and beach erosion could result in greater flooding and damage during coastal storms.

The City of Manhattan Beach is updating its Local Coastal Program (LCP), a planning document that regulates development in the City's coastal zone and establishes a long-range vision for the community. The California Coastal Act, passed in 1976, provides for coastal jurisdictions to adopt an LCP to ensure local implementation of the resource-protection policies of Coastal Act. The City of Manhattan Beach's current LCP Land Use Plan (LUP) was certified by the California Coastal Commission (CCC) in 1981 and amended in 1992-1994. In 2019, this study was commissioned as part of the City's comprehensive update to its LCP to address anticipated sea level rise and its effects on coastal erosion and flooding. The first phase of work includes this Sea Level Rise Risk, Hazards, and Vulnerability Assessment (Vulnerability Assessment) that highlights existing conditions and future vulnerability of the City of Manhattan Beach to projected sea level rise, coastal flooding, and erosion. The findings of this Vulnerability Assessment will be used to develop a range of potential adaptation strategies that address the potential future impacts from sea level rise and storms. The second phase of work will include development and analysis of a sea level rise adaptation plan and policies that the City will ultimately include in the Climate Action and Adaptation Plan (CAAP), Local Hazards Mitigation Plan, and LCP-LUP update.

This Vulnerability Assessment is a planning-level assessment that will inform the development of the CAAP and related LCP-LUP policies to be developed in the second project phase. The Vulnerability Assessment utilizes available coastal hazard mapping products and site-specific analysis discussed in Section 2.3 and Section 3. This Vulnerability Assessment relies on reasonable assumptions and engineering judgement to simplify the analysis where needed. It builds on previous studies, including the prior regional Vulnerability Assessment developed by the South Bay Cities Council of Governments (2019) and the Los Angeles County Public Beach Facilities Sea-Level Rise Vulnerability Assessment (Noble Consultants – G.E.C. Inc. 2016).

1.1 STUDY AREA

The Vulnerability Assessment study area consists of Manhattan Beach's 2.1-mile shoreline, extending from 45th Street to 1st Street. The geography in the study area consists of low-lying sandy beaches and backshore areas¹.

The beach is 300 to over 400 feet wide in places; however, it has not always been so wide. In 1938, Dockweiler Beach was nourished with approximately 1.8 million cubic yards of sand from the construction of the Hyperion Sewage Treatment Plant on sand dunes. Multiple beach nourishments followed, adding over 30 million cubic yards of sand to upcoast beaches, including Dockweiler Beach, Venice Beach, and El Segundo. Sand nourishment of upcoast beaches combined with a net southward sediment transport caused by waves and currents towards Manhattan Beach deposited enough sand to widen the beach by approximately 250 feet from the 1940s to the 1970s. The construction of numerous breakwaters, groins, and jetties in Santa Monica Bay has reduced sediment transport. Specifically, the groin at El Segundo Marine Terminal reduces sediment transport southward towards Manhattan Beach, limiting deposition on the beach. But King Harbor at Redondo Beach, south of Manhattan Beach, limits sediment transport from leaving the city's shoreline, where it would otherwise be lost to the Redondo Submarine Canyon. This allows Manhattan Beach to retain sand on the beach.

Today, Manhattan Beach's coastline is largely urbanized, developed by residential and commercial properties. Much of this development is located on what was once large sand dunes. There are some sand dunes remaining, including at Sand Dune Park at the northern end of Manhattan Beach, and planning for the restoration of dunes north and south of Bruce's Beach with Los Angeles County Beaches and Harbors and The Bay Foundation will help improve this habitat. Other habitats include sandy beach, which support unique ecological communities, including invertebrate communities, shorebirds, and pinnipeds, and provides essential ecosystem functions such as food webs that are prey for birds and fish. Two species of concern use the sandy beach: The California Grunion uses the beach for spawning and the Western Snowy Plover overwinters at the beach (Ryan et al. 2014).

Other important coastal features include the 928-foot long Manhattan Beach Pier (Pier). The Pier was built in 1920 and is a state historic landmark, as it is the oldest concrete pier on the West Coast (Manhattan Beach Historical Society). Manhattan Beach coastal amenities also include the Marvin Braude Bike Trail, The Strand pedestrian walkway, parking, restrooms, lifeguard towers, beach volleyball courts, stormwater outfalls, and concession stands.

¹ Backshore areas are areas of a beach that extend inland from the limit of high water to the extreme inland limits of the beach, including dunes that are in the coastal floodplain now or may be in the future based on erosion and sea level rise. Backshore areas are typically only affected by waves during exceptional high tides or severe storms.

1.2 KEY TERMS AND DEFINITIONS

The following terms are used throughout the document based on the definitions included in this section:

Coastal flooding refers to flooding due to waves and high water levels originating from the ocean.

Coastal storm events impact the shoreline through higher water levels due to storm surge, large waves, and/or elevated river flows, all of which are commonly associated with low-pressure weather systems. Planning and analysis often occurs for the "100-year storm," which is the storm estimated to have a 1% chance of occurring in any given year.

Coastal storm flooding refers to coastal flooding that occurs during coastal storm events.

Tidal inundation refers to coastal flooding during regular high tides under non-storm conditions.

Coastal erosion refers to loss of sandy beaches, dunes, and the low-lying backshore along the shoreline through natural processes such as waves, wind, or tides.

Rainfall events impact the City through flooding originating from precipitation.

1.3 EXISTING COASTAL HAZARDS

Manhattan Beach is currently vulnerable to storm flooding, wave impact, and erosion. In the past, extreme coastal flood events have caused significant damage along the coastline. This section describes significant extreme coastal events that have occurred since the 1980s, as well as recent King Tides and erosion events. Events are characterized based on news and technical reports. In the future, coastal impacts from these types of events will increase in intensity and frequency due to sea level rise and climate change.

1.3.1 Coastal Storms

Manhattan Beach has experienced numerous coastal storm events over the past few decades that caused flooding and erosion damage. In the late fall and winter of 1982/1983, California experienced an El Niño that produced significant precipitation, strong winds, and high surf along southern California. The storms damaged coastal structures and eroded beaches. Waves reached the Pier deck and damaged the iconic Pier (Figure 1-1). The Pier deck, Roundhouse Aquarium, and lifeguard station at the beginning of the Pier were completely replaced (Manhattan Beach Historical Society). Other notable El Nino seasons occurred in 1998 and 2010. In 2017, surf reached 15 feet at El Porto Beach in North Manhattan Beach (Daily Breeze 2017).



Source: Manhattan Beach Historical Society

Figure 1-1. Photos from the 1982/83 El Nino showing the huge waves at the Manhattan Beach Pier

1.3.2 King Tides

King Tides refer to the highest tides of the year, which occur naturally and predictably when the gravitational pull of the sun and moon align. King Tides provide a preview of future conditions with sea level rise. The California King Tides Project² is an initiative that has documented recent King Tides around the country. As a part of a larger statewide effort to document King Tides and a changing coastline, in 2020, the University of Southern California (USC) Sea Grant³ hosted two Urban Tides Beach Walk events in Manhattan Beach as part of the Urban Tides Project. Photos of King Tides captured by the public, such as those taken at the Urban Tides Beach Walk, can be shared with the California King Tides Project and uploaded to its California King Tides Map. The goal of these ongoing projects is to create a comprehensive record of coastal change and sea level rise, and demonstrate to the public what the coast will look like during average daily tides in the coming decades. **Figures 1-2** and **1-3** below show King Tide conditions in 2020.

² Learn about the California King Tides Project at https://www.coastal.ca.gov/kingtides/learn.html

³ Learn about USC Sea Grant at https://dornsife.usc.edu/uscseagrant/directors-welcome/





Source: The Beach Reporter 2020

Figure 1-2. Wave watchers attend an Urban Tides Beach Walk to view and document a King Tide along Manhattan Beach, 2020



Source: Juliette Finzi Hart 2019

Figure 1-3. King Tide Combined with Stormwater Outflow Flood under the Manhattan Beach Municipal Pier on January 17, 2019

1.3.3 Existing Adaptation Strategies

Some adaptation strategies have already been implemented in Manhattan Beach to reduce vulnerabilities to coastal hazards along the City's shoreline. There are also other adaptation strategies used by adjacent jurisdictions, such as building seasonal sand berms, beach nourishment, and wetlands restoration. A full suite of potential adaptation strategies will be presented in the Adaptation Plan.

Shoreline Armoring

Approximately 23% of the Manhattan Beach coastline is protected by coastal armoring structures such as rock revetments (north end of El Porto Beach, **Figure 1-4**) and concrete sea walls (El Porto Beach and near the Pier, **Figures 1-5** and **1-6**). While sea walls and revetments provide protection to existing shoreline development, these structures can contribute to beach

erosion and accelerate beach loss. Seawall and revetment construction is regulated by the Coastal Act (Section 30235) and the policies and regulations of the Manhattan Beach LCP-LUP. The permit application process for shoreline protection devices is complex and lengthy.

An inventory of shoreline protective devices was developed in 2005 by NOAA for the entire California coastline, which ESA updated for this study by interpreting aerial imagery and oblique shoreline photography from the California Coastal Records project⁴. **Figure 1-7** shows the location of existing shoreline protective devices in Manhattan Beach.



Source: Eric Hecht, February 2020, Google Streetview

Figure 1-4. Existing Rock Revetment at North End of El Porto Beach



Source: Google Streetview

Figure 1-5. Existing Seawall at El Porto Beach

⁴ Access the CA Coastal Records project at https://www.californiacoastline.org/




Source: Google Streetview, Mosa Al Sadiq, April 2019

Figure 1-6. Existing Seawall at the Pier



SOURCE: California Coastal Commission 2015

Manhattan Beach Vulnerability Assessment





Beach Dune Restoration

Dune restoration is recognized as a natural way of mitigating backshore erosion, as well as maintaining a wider beach by creating an additional source of sand at the back of the beach, while increasing local sand retention. When dunes are allowed to form and create natural features, away from recreation areas, they provide a cost-effective buffer of protection from sea level rise and storm erosion. The Manhattan Beach Dune Restoration Project⁵, led by The Bay Foundation in partnership with Los Angeles County Department of Beaches and Harbors, City of Manhattan Beach, and California State Coastal Conservancy, is currently finalizing the planning stage for restoring dunes at Bruce's Beach (as of January 2021). The project, expected to be implemented beginning in fall 2021, will enhance and expand approximately three acres of existing dunes from 36th Street to 23rd Street. The goal of this dune restoration project is to increase the resiliency of the beach through the restoration of sandy beach and foredune habitat, implement nature-based protection measures against sea level rise and coastal storms, and increase engagement of the community through enhanced beach experiences. The restoration project will include removing non-native plants and seeding and planting native vegetation, which will increase sand retention while building dunes over time. The project will also include strategic installation of various types of fencing and installation of educational features like interpretive signage. This demonstration site will serve as a model for the region, showing that heavy recreational use of beaches and meaningful habitat restoration are not incompatible goals.

Groundwater Injection


Manhattan Beach has two active groundwater wells used for drinking water: Well IIA and Well I5. Well IIA is located on the southwest corner of Manhattan Beach Boulevard and Green Lane and has a design capacity of 1,800 gallons per minute (AKM Consulting 2010). Well 15 is located on the southwest corner of Manhattan Beach and Vail Avenue and has a design capacity of 1,600 gallons per minute (AKM Consulting 2010). Both wells pull from the deep aguifer rather than the shallow groundwater table.

As a result of pumping out large amounts of fresh groundwater along the coast, salt water from the ocean began to intrude into the spaces left by removal of the groundwater, moving salt water into the groundwater basin in the 1940s (Figure 1-8). In the early 1950s, the West Coast Basin Barrier Project (WCBBP) was constructed to prevent ocean water from intruding into the underlying aquifers of the West Coast Groundwater Basin, which spans from just south of Ballona Creek through Long Beach. As shown in Figure 1-8, the WCBBP injects mostly recycled water into the groundwater basin to push salt water back towards the ocean. In Manhattan Beach, the injection wells are

⁵ https://www.santamonicabay.org/explore/beaches-dunes-bluffs/beachrestoration/manhattan-beach-dune-restoration-project/manhattan-beach-dunerestoration-project-fag/

located between Valley Drive and North Ardmore Avenue. The WCBBP is operated by the West Basin Municipal Water District.

As sea levels rise, the higher water levels will drive more salt water into the groundwater table, moving salt water further inland and increasing groundwater levels. If salt water moves too far inland, it could impact the water quality of the water pumped out of the wells. To avoid this, increased injection pumping could be required to maintain the water supply.



Source: West Basin Municipal Water District

Figure 1-8. Salt Water Intrusion and Barrier Wells

Section 2

SEA LEVEL RISE PROJECTIONS


Information on current science and state guidance on sea level rise is discussed in the following sections.

2.1 SEA LEVEL RISE

The two major climate change processes that result in sea level rise are melting of land-based ice (e.g., glaciers and ice sheets) and thermal expansion caused by warming of the ocean (i.e., warmer water molecules take up more space than cooler water molecules). Additionally, vertical land motion can impact the relative amount of sea level rise at the coast. For example, if the land is moving up due to plate tectonics or other geological processes, sea level rise will appear to be less than in other places where the land is stable or moving down, (e.g., like the land subsidence in coastal Louisiana).

Sea levels at the Santa Monica Pier tide gage, which is the closest NOAA tide gauge to Manhattan Beach, have increased by 0.51 feet in the last 100 years (NOAA Tides and Currents Station #9410840). However, the rate of sea level rise is expected to increase over time due to the effects of climate change and global warming.

Sea level rise not only increases typical tidal water levels, but it also raises storm water levels. The flood extent due to storm surge and waves is made worse by sea level rise and flooding can occur further inland. Additionally, higher sea levels combined with riverine flooding or water coming from a stormwater outfall can increase flooding by backing up water into the channel or pipe.



2.2 REGIONAL SEA LEVEL RISE PROJECTIONS⁶

In 2018, the California Ocean Protection Council (CA OPC) updated the State of California Sea Level Rise Guidance (CA OPC 2018), which includes projections for sea level rise at various locations along the coast of California through 2150. The guidance is based on the science update prepared by the CA OPC and the California Natural Resources Agency, in collaboration with the Governor's Office of Planning and Research, the California Energy Commission, and the California Ocean Science Trust (Griggs et al. 2017). The CA OPC Guidance presents different sea level rise values based on two global greenhouse gas emissions scenarios:

High Emissions Scenario – This scenario assumes a future where there are no significant local or global efforts to limit or reduce emissions. This scenario assumes "high population and relatively slow income growth with modest rates of technological change and energy intensity improvements, leading in the long-term to high energy demand and GHG emissions" (Riahi et. al 2011).

Low Emissions Scenario – This scenario assumes more aggressive emissions reduction actions corresponding to the aspirational goals of the 2015 Paris Agreement, which calls for limiting mean global warming to less than 2 degrees Celsius and achieving net-zero greenhouse gas emissions in the second half of the century. This scenario is considered challenging to achieve and would include updated climate policies, concerted action by all countries, and a shift to a lower emissions service and information economy. The low emissions scenario is not possible through 2050 based on the current global emissions trajectory.

The 2018 CA OPC Guidance provides a range of probabilistic projections of sea level rise, which was an update specifically designed to help inform decision-makers. However, these projections may underestimate the likelihood of extreme sea level rise, particularly under high-emissions scenarios, so an extreme scenario, called the H++ scenario, was also included in the guidance. The H++ scenario assumes rapid ice sheet loss on Antarctica, which could drive rates of sea level rise 30-40 times faster than the sea level rise experienced over the last century. The updated guidance also identified different risk aversion projections that correspond to different levels of risk tolerance. These levels are represented as low, medium-high, and extreme risk aversion:

- The low risk aversion projection is appropriate for adaptive, lower consequence projects (e.g., unpaved coastal trail).
- The medium-high risk aversion projection is appropriate as a precautionary projection that can be used for less adaptive, more vulnerable projects or populations that will experience medium to high

-

⁶ A sea level rise projection is a scientific estimate of how much sea level rise is expected to occur over time based on varying assumptions.

consequences as a result of underestimating sea level rise (e.g., coastal housing development).

The extreme risk aversion projection is appropriate for high consequence projects with little to no adaptive capacity and which could have considerable public health, public safety, or environmental impacts (e.g., coastal power plant, wastewater treatment plant, etc.).

Table 2-1 shows the CA OPC 2018 projections for Santa Monica Bay with the risk scenarios identified in the blue boxes. Available sea level rise projections use the year 2000 as a baseline. Since 2000, sea levels are estimated to have increased by just over an inch⁷, but sea level rise is expected to accelerate in the coming decades.

While the CA OPC Guidance provides projections through 2150, it is important to note that sea level rise is expected to continue for centuries, because the earth's climate, cryosphere⁸, and ocean systems will require time to respond to the emissions that have already been released to the atmosphere. Although sea level rise is typically presented as a range in the amount of sea level rise that will occur by a certain date (e.g., 1-2 feet of sea level rise by 2050), it can also be presented as a range of time during which a certain amount of sea level rise is projected to occur (e.g., 1.5 feet of sea level rise between 2040 and 2070). Even if emissions are reduced to levels consistent with the low-emissions-based projections, sea level will continue to rise to higher levels, just at a later date.

-

⁷ This estimate is based on applying the rate of historic sea-level rise of 1.55 mm/yr published by NOAA Tides and Currents at Station #9410840 over a 20-year period (2000 to 2020).

⁸ The cryosphere is the portions of the Earth's surface where water is in solid form, like glaciers and ice caps.

Table 2-1. Sea Level Rise Projections for Santa Monica Bay

| | | Probabilistic Projections (in feet) (based on Kopp et al. 2014) | | | | | | |
|----------------|-------|---|---|-------|-------------------------|--|--|---|
| | | MEDIAN | 66% probability sea-level rise is between | | ANGE | 1-IN-20 CHANCE | 1-IN-200 CHANCE | H++ scenario (Sweet et al. 2017) *Single scenario |
| | | 50% probability sea-level rise meets or exceeds | | | rise | 5% probability sea-level rise meets or exceeds | 0.5% probability sea-level rise meets or exceeds | |
| | | | | | Low Risk Aversion | | Medium - High Risk Aversion | Extreme Risk Aversion |
| High emissions | 2030 | 0.4 | 0.3 | | 0.5 | 0.6 | 0.8 | 1 |
| | 2040 | 0,6 | 0.4 | - | 0.8 | 0,9 | 1.2 | 1.7 |
| | 2050 | 0.8 | 0.6 | (7.1) | 1,1 | 1.3 | 1.9 | 2.6 |
| Low emissions | 2060 | 0.9 | 0.6 | - | 1.2 | 1.5 | 2.3 | |
| High emissions | 2060 | 1.1 | 0.8 | :77 | 1.4 | 1.8 | 2.6 | 3.8 |
| Low emissions | 2070 | 1.0 | 0.7 | - | 1.4 | 1.9 | 3.0 | |
| High emissions | 2070 | 1.3 | 1.0 | -70 | 1.8 | 2.3 | 3.4 | 5.1 |
| Low emissions | 2080 | 1.2 | 0.8 | - | 1.7 | 2.3 | 3.8 | |
| High emissions | 2080 | 1.7 | 1.1 | - | 2.3 | 2.9 | 4.4 | 6.5 |
| Low emissions | 2090 | 1.3 | 0.8 | w | 2.0 | 2.7 | 4.6 | |
| High emissions | 2090 | 2.0 | 1.3 | | 2.8 | 3.5 | 5.5 | 8.1 |
| Low emissions | 2100 | 1.5 | 0.9 | - | 2.3 | 3.1 | 5.5 | |
| High emissions | 2100 | 2.3 | 1.5 | - | 3.3 | 4.3 | 6.8 | 10.0 |
| Low emissions | 2110* | 1.6 | 1.0 | 170 | 2.4 | 3.3 | 6.1 | |
| High emissions | 2110* | 2.5 | 1.8 | - | 3.5 | 4.5 | 7.2 | 11.7 |
| Low emissions | 2120 | 1.7 | 1.0 | :74 | 2.7 | 3.8 | 7.3 | |
| High emissions | 2120 | 2.9 | 2.0 | - | 4.0 | 5.2 | 8.5 | 14.0 |
| Low emissions | 2130 | 1.9 | 1.1 | | 3.0 | 4.2 | 8.3 | |
| High emissions | 2130 | 3.2 | 2.2 | w | 4.5 | 5.9 | 9.8 | 16.3 |
| Low emissions | 2140 | 2.0 | 1.1 | - | 3.2 | 4.7 | 9.4 | |
| High emissions | 2140 | 3.5 | 2.4 | - | 5.1 | 6.7 | 11.3 | 18.9 |
| Low emissions | 2150 | 2.2 | 1.1 | - 20 | 3.6 | 5.3 | 10.8 | |
| High emissions | 2150 | 3.9 | 2.6 | 120 | 5.7 | 7.6 | 12.9 | 21.7 |


SOURCE: CA OPC 2018

2.3 STATE PLANNING GUIDANCE

The CCC updated their Sea Level Rise Policy Guidance in 2018 (CCC 2018). The guidance recommends using the CA OPC sea level rise projections at various planning horizons to assess vulnerability and conduct adaptation planning. The guidance provides a step-by-step process for addressing sea level rise and adaptation planning in updated LCPs (CCC 2018).

State planning guidance calls for considering a range of scenarios (CA OPC 2018; CCC 2018) to bracket the range of likely impacts. Scenario-based analysis promotes the understanding of impacts from a range of potential outcomes and identifies the amount of sea level rise that would cause these impacts.

The CCC Guidance recommends that long-term, community-wide planning efforts evaluate, at a minimum, the "medium-high risk aversion" projection.



The extreme risk aversion projection is to be used to evaluate critical facilities. As part of the CCC funding for this study, the City is required to consider both the medium-high and extreme risk aversion projections.

Additionally, Senate Bill 379 requires that Cities update the safety elements of their general plans to include climate adaptation and resiliency strategies. According to the Office of Planning and Research (OPR) General Plan Guidelines, jurisdictions must identify a set of adaptation and resilience goals, policies, and objectives, based on the information analyzed in the vulnerability assessment. The requirements of Senate Bill 379 have five distinct steps, including reviewing existing plans, conducting a vulnerability assessment, developing adaptation goals, creating implementation measures, and updating the safety element with adaptation and resilience considerations.

2.4 CoSMoS Modeling Scenarios

The Coastal Storm Modeling System (CoSMoS)⁹ was developed by the United States Geologic Survey (USGS) with state funding for use in sea level rise planning. The interactive tool is available through the Our Coast Our Future platform (ourcoastourfuture.org, click 'flood map'). The modeling effort focused on evaluating flood hazards associated with sea level rise and various storm conditions, as well as shoreline and bluff erosion. Coastal hazards were mapped for the Manhattan Beach coastline at a high resolution with CoSMoS 3.0 in 2016. A total of 40 scenarios were run combining sea level rise and storm type: ten sea level rise amounts (0 to 2 meters at 0.25 meter increments and 5 meters) were modeled with four coastal storm conditions (100-year, 20year, and I-year events and no storm) and two management scenarios ("hold the line", where existing structures remain intact rather than erode, and "let it go", where no management actions are taken and erosion progresses beyond existing structures). Model results can be viewed through the Our Coast Our Future platform linked above. Hazard modeling outputs include the extent of inundation, flooding, wave run-up, and long-term erosion (see photo box to the left). GIS data for these outputs were downloaded¹⁰ for Manhattan Beach and processed for use in the vulnerability assessment.

 $^{^{\}rm 9}$ Details on the USGS CoSMoS model are accessible online at: https://www.usgs.gov/cosmos

¹⁰ CoSMoS hazard maps are accessible online at: https://www.sciencebase.gov/catalog/item/5633fea2e4b048076347f1cf

Section 3


POTENTIAL FUTURE HAZARDS

A small storm today may cause limited damage, but with higher sea levels in the future, the same storm event could potentially have a much larger impact.

Future sea level rise is expected to create a permanent rise in ocean water levels that will shift the water's edge landward. Higher water levels will increase erosion of beaches and result in a narrower beach, if no action is taken. Additionally, the combination of higher ocean water levels and beach erosion would mean that coastal storms will potentially cause greater and more frequent flooding and damage, because reduced beach width is less effective at reducing wave energy, and waves positioned at a higher elevation allow for a deeper reach landward. For example, a small storm event under today's sea levels may not reach the backshore nor cause any damage, but with higher sea levels, the same event could potentially reach further inland and have a much larger impact. Higher water levels at the coast also impact the storm drain system during extreme rainfall events, by backing up water into the system or delaying drainage until low tide. Sea level rise can also increase groundwater levels and the salinity of groundwater, which can cause flooding during rain events or impact drinking water resources. This section identifies five future hazards: tidal inundation, storm flooding, extreme rainfall events, beach erosion, and groundwater hazards associated with sea level rise. This section also discusses the underlying data sets and assumptions associated with the processes for each hazard and methods used to map or analyze each hazard.

3.1 TIDAL INUNDATION AND COASTAL STORM FLOODING

Coastal storm flooding refers to potential impacts from a coastal storm that happens infrequently, whereas tidal inundation refers to the extents of regular tides that occur day-to-day (Figure 3-1). As sea levels rise, the extent of tidal inundation will gradually increase with infrequent, extreme events causing more dramatic flooding. These events include higher water levels due to storm surge and ocean waves and are commonly associated with low-pressure weather systems. For example, the probability of an extreme El Niño event occurring could increase from roughly once every 20 years to once every 10 years by 2100 (Cai et al. 2014, South Bay Cities Council of Governments 2019).



NOTE: Sea, tide, and storm surge levels are for illustrative purposes only and do not depict actual or projected levels.

Figure 3-1. Conceptual Shoreline Cross-Section Showing Tidal Inundation and Coastal Storm Flood Hazards

Coastal inundation and storm flooding and erosion results from the USGS CoSMoS model were used to determine potential impacts of sea level rise in Manhattan Beach for typical tides and extreme storm conditions. The USGS modeled and mapped future daily inundation and episodic coastal storm flooding extents for four storm scenarios:

- No flood (regular inundation from the average daily high tide)
- I-year coastal storm flood event (on average occurs every year)
- 20-year coastal storm flood event (5% chance of occurring each year)
- 100-year coastal storm flood event (1% chance of occurring each year)

These four storm scenarios were analyzed with CoSMoS under ten sea level rise scenarios, including existing sea level:

0 meters (existing sea level)
 I.25 meters

0.25 meters
 1.50 meters

0.50 meters
 1.75 meters

• 0.75 meters • 2.0 meters

I.0 meters5.0 meters


Five sea level rise scenarios, in addition to existing conditions, were mapped for Manhattan Beach (0, 0.75, 1.25, 1.75, 2.0, and 3.0 meters) for the "let it go" scenario where no management actions would be taken and erosion can progress beyond existing structures. These sea level scenarios were evaluated considering the "no flood" (i.e., typical tidal inundation) and "1% annual chance coastal storm flood" scenarios (100-year event). Note that the 3.0-meter sea level rise scenario was only modeled in CoSMoS for tidal inundation and not

for any of the coastal storm events, so the 1% annual chance coastal storm flood event is not mapped for 3.0 meters of sea level rise.

The tidal inundation scenario was used to map areas where inundation is a regular event to depict how daily inundation could potentially change in the future with sea level rise (Figures 3-2 and 3-3). The 1% annual coastal flood event was chosen to represent the potential impacts from an extreme coastal storm. Figures 3-4 and 3-5 show the maximum modeled flood extent (i.e., the upper range of the CoSMoS uncertainty bounds, which includes uncertainty due to vertical land motion changes, model performance and elevation measurements) to understand the full range of potential exposure. For context, FEMA flood mapping through the National Flood Insurance Program also provides coastal flooding extent and floodwater elevations for a 1% annual chance coastal storm event under current conditions without future sea level rise. FEMA does not model or map coastal storm events with sea level rise, so this Coastal Vulnerability Assessment does not use FEMA flood hazard data.










Higher sea levels could increase inland flooding, because higher ocean water levels will limit the storm drain system from draining to the ocean. This could result in water backing up into the drains.

3.2 EXTREME RAINFALL EVENTS

Stormwater infrastructure in coastal cities is usually designed to drain rainfall based on a fixed ocean water level (i.e., the design usually assumes sea water levels are low enough to allow full drainage from the pipes). However, the co-occurrence of extreme rainfall and high ocean water levels can lead to increased flood risk. With rising sea levels, Manhattan Beach may experience increased flooding from rainfall events due to the blockage of the outfalls by higher-thannormal coastal water levels moving up into the storm drain system. In this situation, reduced outflow capacity at the ocean outlet may propagate through the system leading to extensive flooding inland (**Figure 3-6**).



Source: NOAA

Figure 3-6. Stormwater Flooding from Backed Up Drainage System

3.2.1 Existing Conditions

A hybrid hydrologic-hydraulic model was developed to determine the vulnerable parts of the Manhattan Beach storm drain system. The hydrologic model simulated extreme rainfall events and the associated stormwater runoff generated overland. The generated runoff was then routed through the drainage system and via the storm drain outfalls to the beach and Pacific Ocean

in the hydraulic model. Appendix A provides additional details on the model set up.

When two variables, such as ocean water levels and rainfall, are considered, the return period for a combined scenario is different than the return period for each variable. For example, the chance that the 100-year ocean water level (i.e., the water level with a 1% chance of occurring each year, including storm surge) occurs at the same time as the 100-year rainfall event is less than 1%. Additionally, there are a variety of combinations of ocean water level and rainfall amount that will result in a 1% chance event. For example, a typical ocean water level with an extreme amount of rainfall could result in a 100-year event or an extreme ocean water level with a typical amount of rainfall could result in a 100-year event. **Table 3-1** provides various combinations of ocean water level and 2-hr rainfall that could result in a 100-year event for Manhattan Beach (see Appendix A for additional information on this analysis). The different combinations were modeled in the hybrid hydrologic-hydraulic model to determine how vulnerable the city is under the different scenarios.

Table 3-1. Manhattan Beach Co-Occurrence Hazard Scenarios

| Return Period | Scenario | 2-hr Rainfall (in/hr) | Ocean Water Level (ft above typical high water) |
|------------------|-----------------------------|--------------------------|---|
| 100-year event | Most likely combo | 1.0 | 1.1 |
| | Rainfall dominated | 1.1 | 0.2 |
| | Ocean water level dominated | 0 | 1.2 |

Model results for existing conditions (i.e., current climate conditions) showed that the stormwater system can pass the current 25-year rainfall event with limited flooding, but that the 50- and 100-year rainfall events would result in widespread flooding even without a higher coastal water level. Figure 3-7 shows an example of the stormwater drainage system and reported flooding during a storm in 2004. During these events, water is expected to back up into the system and flood through maintenance holes because the pipes cannot move the water to the ocean quickly enough.




Figure 3-7. Manhattan Beach Storm Drain System and Reported Flooding During a 2004 Rainfall Event

Without sea level rise, for the extreme coastal storm events, the model showed no flooding through the storm drain system since the city elevations increase rapidly from the coast. The most-likely compound flooding scenario (i.e., the scenario during which a relatively high rainfall event coincides with an above-average coastal water level) showed similar results to the extreme coastal water level event (e.g., no flooding) due to sharp increase in land elevations moving away from the coast.

3.2.2 Future Conditions

Section 2 discusses the expected increases in sea level rise in the future. Climate change not only alters ocean water levels, but also alters climate patterns, resulting in changes to precipitation. Multiple studies have been conducted to estimate the potential impact of climate change on rainfall. Various models suggest modest changes to overall precipitation by the end of the century (Feng et al., 2019; Polade et al., 2017; Swain et al., 2018), but with the possibility of seasonal variation, (i.e., wetter in winter and drier in fall and spring) (Polade et al., 2017). In particular, atmospheric rivers (corridors in the atmosphere that transport water vapor and are the most significant driver of extreme rainfall events in California) are projected to increase by most current climate models (Gershunov et al. 2013, Dettinger 2011). This increase in atmospheric river frequency is expected to change rainfall frequency, intensity, and timing depending on the season and location. Table 3-2 shows how the rainfall in the scenarios in Table 3-1 is expected to change by 2100 (see Appendix A for further details). In 2100, the 2-hour rainfall event is expected to be 0.3 in/hr greater than the current 2-hour rainfall event for the most likely rainfall/sea water level combination and 0.4 in/hr higher for the rainfall dominated scenario.

Table 3-2. Manhattan Beach Future Rainfall

| Return Period | Scenario | Current 2-hr Rainfall | Future (2100) 2-hr Rainfall (in/hr) | |
|------------------|--------------------|--------------------------|-------------------------------------|--|
| i ciiou | | (in/hr) | | |
| 100-year event | Most likely combo | 1.0 | 1.3 | |
| | Rainfall dominated | 1.1 | 1.5 | |

The hybrid hydrologic-hydraulic model was used to evaluate how an increase in sea level and rainfall would result in an increase to the vulnerability of the storm drain system. The model results showed that future sea levels without a rainfall event are not expected to lead to substantial flooding of the stormwater system, primarily because the storm drain system is elevated enough above the outfalls. **Figure 3-8** shows two outfalls from which stormwater drains into the ocean. The upward slope away from the coast limits the penetration of ocean water level into the stormwater system.

However, the flooding caused by the co-occurrence of high ocean water levels and increased intensity of rainfall storms is expected to get worse in the future. As an example, at the ocean end of the system, the maximum flood rate coming out of a flooded maintenance hole under the current most likely 25-yr compound scenario is estimated at 19.7 cubic feet per second (cfs). The model estimates this would increase to 28.5 cfs in combination with 4.2 feet of sea level rise. In combination with 9.2 feet of sea level rise, the maximum flood rate increases to 41.2 cfs, indicating that both the flood frequency and magnitude will increase.









Figure 3-8. Stormwater Outfalls onto the Beach that Drain Higher Areas of the City

3.3 BEACH EROSION

Without action, sea level rise is expected to erode beaches, squeezing them against existing infrastructure on the backshore (Vitousek et al., 2017). The CoSMoS shoreline erosion projections are shown in Figures 3-9 and 3-10. Since beaches are a major recreational asset for the City, they were analyzed in additional detail. A two-line shoreline evolution model was used to track shoreline and backshore erosion (the two "lines"), and thus beach width, through time. This model will also be used as a tool to analyze potential adaptation strategies in the Adaptation Plan, which is something CoSMoS does not provide. Details on the shoreline evolution modeling are discussed in Appendix B.

The existing beach widths were determined in Google Earth by measuring the distance between development and the water line along the CoSMoS model transects11. This estimate was then compared to the distance measured between the mean high water¹² (MHW) shoreline and the backshore location based on the profiles¹³ used in the CoSMoS model. The historic erosion rates from CoSMoS were used as the baseline for the two-line modeling. In general, historic erosion rates in Manhattan Beach show net accretion over time (i.e., beach widening), likely due to the extensive beach nourishment in Santa Monica Bay and the construction of sand retention structures downcoast of the City. To estimate conservatively high future erosion, the baseline historic erosion rate was set to zero erosion in the two-line model (i.e., historic beach widening was not projected forward and the beach width was assumed to be stable without sea level rise). Table 3-3 presents the beach erosion over time, if no action is taken.

¹¹ The model transects are lines perpendicular to the shoreline that were used to model wave runup and erosion.

¹² The average of the two high tides each day from 1983 to 2001.

¹³ The model profiles are a cross-section of the beach (i.e., elevations and distance inland) at each of the model transects.



SOURCE: USGS





SOURCE: USGS







Table 3-3. Beach Width Evolution

| Year | Total Beach Width (ft) | % Loss |
|------|------------------------|--------|
| 2020 | 370 | 0% |
| 2030 | 360 | 2% |
| 2040 | 350 | 5% |
| 2050 | 330 | 11% |
| 2060 | 310 | 16% |
| 2070 | 290 | 22% |
| 2080 | 260 | 29% |
| 2090 | 230 | 37% |
| 2100 | 200 | 47% |

Note, Table 3-3 provides the average beach width over time and does not account for erosion during episodic storm events. Typical seasonal oscillations of the shoreline are around 30 feet in Southern California and large coastal storm events can erode the beach by as much as 100 feet.

3.4 GROUNDWATER HAZARDS

Rising sea levels can impact coastal groundwater both by increasing groundwater levels and the intrusion of salt water into coastal aquifers (**Figure 3-11**). Higher sea levels cause inland intrusion of denser salt water, which can raise unconfined salt water tables and also force overlying freshwater to rise up. As the water table rises, it can rise above the ground surface, flooding low-lying areas or it can infiltrate and damage shallow infrastructure, such as basements, building foundations, and gas lines. Additionally, the intrusion of salt water can impact the drinking water supply.



Source: Befus et al. 2020

Figure 3-11. Changes to the Groundwater Table with Sea Level Rise

Higher groundwater can damage buried infrastructure and building foundations, flood basements and other below-ground structures, and flood low-lying areas. A conservative way to estimate the rise in groundwater is to assume it rises linearly with sea level rise. In areas with streams and rivers, this approach is overly conservative because the groundwater can drain out along the low-lying stream or river bed, lowering the total amount of rise in groundwater elevation, as shown in Figure 3-11.

Using the data from Befus et al. 2020, the depth to groundwater was evaluated across Manhattan Beach. While there is not expected to be any emergence of groundwater leading to backshore ponding in Manhattan Beach, it is possible that groundwater could impact underground infrastructure, such as sewer and electrical lines. Under existing conditions, the model results showed that the groundwater table is 5-20 feet below the beach, except at the edge of the water, where the groundwater table is closer than five feet to the surface. With 3.3 feet (I meter) of sea level rise, the model showed groundwater levels under the beach would increase 3.2 feet. With 6.6 feet (2 meters) of sea level rise, the groundwater would increase 6.4 feet and with 9.8 feet (3 meters) of sea level rise, it would increase 9.6 feet. The model showed that the groundwater in Manhattan Beach would increase slightly less than the amount of sea level rise (e.g., 9.8 feet of sea level rise translates to 9.6 feet of rise in the groundwater). Because the land slopes up quickly from the beach, the groundwater under most of the city is deep and there is limited risk to inland flooding.

Section 4

VULNERABILITY ASSESSMENT

Understanding the risk of not taking action is the first step in planning for sea level rise.

This section uses the future hazards described in Section 3 to identify the assets (e.g., beaches, stormwater outfalls, etc.) and communities potentially at risk from sea level rise. To develop an effective adaptation plan and policies to address sea level rise vulnerability, the risk of not taking action must be understood first. For this reason, this Vulnerability Assessment includes a "do nothing" or "no action" scenario in which the City or other asset managers do not respond to sea level rise. This scenario assumes the existing armoring would not be maintained, per the "let it go" scenario. In reality, the City will likely take action (and already has, see Section 1.233). As a next step, the City will develop adaptation measures to reduce future and current vulnerabilities and assess these measures in an Adaptation Plan.

Each asset was analyzed to determine the potential exposure to the different hazards and consequences, and the sensitivity and adaptive capacity of the asset to the potential hazard, as per the CCC guidelines. The following boxes describe in further detail the information contained within this section. The CCC guidelines also recommend consideration of land use constraints (e.g., how land use patterns may impact potential sea level rise vulnerability), which will be analyzed and presented in the Adaptation Plan.

Exposure to hazard and the consequences are evaluated based on the type of hazard an asset would potentially be subject to under future conditions and the timing at which this hazard is expected to potentially occur. An example of low consequence would be infrequent storm flooding of a parking lot. An example of high consequence would be tidal inundation of an emergency response facility.

Sensitivity to hazard is defined as the asset's level of impairment if flooded temporarily or permanently, or if affected by erosion or waves. Highly sensitive assets would lose their primary function if exposed to any degree of flood or erosion whatsoever. Assets with low sensitivity would not be majorly impacted by inundation or erosion.

Adaptive Capacity is the asset's ability to change and respond to a hazard. Low adaptive capacity assets would take a long time to be operational, once impacted. High adaptive capacity assets would bounce back more quickly.

An asset's vulnerability depends on its potential exposure to hazards and the consequences of that exposure (higher exposure or consequences results in higher vulnerability), the sensitivity of the asset (higher sensitivity results in higher vulnerability), and the adaptive capacity of the asset (lower adaptive capacity results in higher vulnerability).

The final Section 4.5 discusses socioeconomic impacts and analyzes environmental justice as it relates to sea level rise in Manhattan Beach.

4.1 BEACHES AND ASSOCIATED FACILITIES AND EVENTS

Beaches, their associated facilities, and events on the beach are at risk for tidal inundation, coastal storm flooding, and erosion. Beaches are a major recreational asset of Manhattan Beach and the region. Associated facilities include the Marvin Braude Trail, parking lots, public restrooms, concession stands and beach rentals, beach access points, and lifeguard towers. Additionally, major events, such as beach volleyball tournaments, are held on the beach throughout the year. Access to sandy beach would become more limited with rising sea levels, affecting not only beach activities, but also beach access, safety logistics (lifeguards, fire), management practices (trash, grooming, etc.) and sandy beach habitat.

4.1.1 Hazards and Consequences

As discussed in Section 3.3, 60 feet of beach is expected to be lost by 2060 with just under half of the beach width lost by 2100 (Table 3-3). Additionally, episodic storm events could damage infrastructure even sooner. Events that depend on the beach, such as volleyball tournaments, will be compromised by beach erosion over time. For example, the City used to have four volleyball courts east to west near the Pier, but due to recent erosion, now only has three. With 6.6 feet of sea level rise, daily wave runup is expected to reach the courts closest to the ocean. The current site plans for the Manhattan Beach Open and the Charlie Saikley 6-person volleyball tournaments would need to

be updated before 6.6 feet of sea level rise to maintain the emergency vehicle lane between the ocean and the courts.

Currently, development along the beach only rarely, if ever, experiences wave damage during coastal storm events. **Table 4-1** presents the beach facility hazards and the amount of sea level rise expected for the hazard to occur.

Table 4-1. Beach Facility Hazards, Consequences, Sensitivity and Adaptive Capacity

| Asset | Wave Runup Flooding during a I 00-yr event ¹ | Coastal Storm Inundation during a 100- yr event | Tidal Inundation during a typical day | Consequences | Sensitivity | Adaptive Capacity |
|---|--|---|--|--------------|-------------|----------------------|
| Marvin Braude Trail through El Porto Beach | 4.9-6.6 ft of SLR | Some spots with 4.9-5.7 ft of SLR | n/a | Low | Low | High |
| Public restroom building between 43 rd and 42 nd St. | 4.9-6.6 ft of SLR | 4.9-5.7 ft of SLR | n/a | Medium | Low | Medium |
| Food stand and beach rental building at El Porto Beach | Now | 3.3-4.1 ft of SLR | 6.6-9.8 ft of SLR | Medium | Medium | Medium |
| Public restroom and maintenance building at the end of Rosecrans Ave. | 0-1.6 ft of SLR | 3.3-4.1 ft of SLR | 6.6-9.8 ft of SLR | Medium | Low | Medium |
| Marvin Braude Trail in places from 32 nd to 17 th St. | 4.9-6.6 ft of SLR | n/a | n/a | Low | Low | High |
| Beach access using the steps from the Pier down to the beach | Now | Now | 6.6-9.8 ft of SLR | Low | Low | High |
| Public restrooms at the Pier | 1.6-3.3 ft of SLR | 3.3-4.1 ft of SLR | n/a | Medium | Low | Medium |
| Lower Pier parking lot | 4.9-6.6 ft of SLR | n/a | n/a | Low | Low | High |
| Marvin Braude Trail near 10 th St. | 4.9-6.6 ft of SLR | n/a | n/a | Low | Low | High |
| Lifeguard towers | Now | Some now, some with 3.3- 4.1 ft of SLR | 6.6-9.8 ft of SLR | High | Low | High |

SLR = sea level rise

n/a = no flooding through 9.8 ft of SLR

^{1.} This represents wave flooding above the coastal storm inundation. See sidebar in Section 2.3 for photo examples.

The consequences of the Marvin Braude Trail or parking lots flooding during a storm are low. Pedestrian and bicyclists within the coastal zone would lose mobility due to inundation of segments of existing trails and parking would decrease under flooded conditions. However, once dry, these facilities would provide public access again. During a more dramatic storm event, the trail or parking lots could experience impacts such as cracking or potholes which could require repair and a longer impact to access.

The increased frequency of flooding for the restroom and food stand and rental buildings during storm events could lead to water damage and other flood related damages, as well as disrupted access to and from the buildings, so they would have medium consequences as a result of flooding. Some of these buildings could experience daily inundation between 6.6 and 9.8 feet of sea level rise, which would have higher consequences.

The consequences of the lifeguard towers flooding would be high, since they are needed for public safety. Flooding and erosion could impact emergency response capabilities and response time. Additionally, decreased sandy beach area could impact emergency response routes and transportation (i.e., driving on the beach).

The consequences of the beach access from the Pier flooding are low since there is additional beach access in the vicinity. However, increased flooding of any magnitude in this area could pose a safety hazard to the community.

The Manhattan Beach Municipal Pier is specifically designed and intentionally located to be in the potential hazard zones. However, over time, the exposure of the structure to waves and large storm events will increase. Additionally, the assets at the pier (e.g., Roundhouse Aquarium) will experience more frequent wave overtopping with sea level rise.

Beaches, which are dynamic ecosystems already subject to dramatic cycles of erosion and accretion, tend to be resilient to coastal storm events. However, sea level rise will lead to long-term erosive trends. The consequence of the beach flooding is low, but erosion, which would cause a narrowing of the beach, would be of high consequence and could lead to impacts to biodiversity, community composition, ecological function, and wildlife populations. Additionally, the narrower beach could lead to impacts to sand accumulation, wrack retention, and nutrient cycling. A smaller beach would also reduce the area for mobile intertidal animals that spend most of their time in the lower intertidal zone, but move during high waves and storm conditions.

4.1.2 Sensitivity

The sensitivity of the Marvin Braude Trail or parking lots flooding are low because access would be temporarily impaired, but the damage would be low compared to other types of development. The restroom facilities are expected to have low sensitivity to occasional flooding since access would be impacted, but flooding is not expected to cause major damage. Because flood levels in the restrooms would be low, impacts to mechanical or plumbing systems are not expected.

The food stands and rentals buildings are expected to have medium sensitivity since long-term operational interruptions could occur if mechanical or plumbing systems are flooded.

The sensitivity of the lifeguard towers flooding would also be low, as they are designed to be above the water and can be relocated.

The sensitivity of the beach access from the Pier to flooding is low since access would be temporarily impaired, but damage would be minimal. The Pier would have low sensitivity as access from the beach would cease during flood events, but access from the road would maintain operations on a short-term basis.

Events on the beach would have high sensitivity to flooding or erosion because the event could not be held without dry beach space.

The beach habitat would have low sensitivity to flooding, which is typical for a dynamic ecosystem, but would have high sensitivity to erosion, if the sensitive upper intertidal zone were lost. Loss of beach width would result in smaller upper intertidal zones, which would strongly reduce intertidal biodiversity, decrease the prey available for birds and fish and eliminate nesting habitat for species of concern (California Grunion and Western Snowy Plover) (Myers et al. 2019).

4.1.3 Adaptive Capacity

The Marvin Braude Trail and parking lots are expected to have high adaptive capacity, meaning they could return to normal operations very quickly after a periodic or temporary flood event. A more extreme event could lead to the need for repairs, but this is expected to be infrequent. The restrooms and food stand and rentals building, on the other hand, would have medium adaptive capacity as it could take some time to restore access and operations and the facilities cannot be easily relocated.

The lifeguard towers would have high adaptive capacity because they could be easily relocated to prevent future flooding.

The adaptive capacity of the beach access from the Pier is high since access would be temporarily impaired, but would allow for access once waters recede. The Pier would have medium adaptive capacity as damage from waves and flooding could disrupt operations until repairs are made.

Events on the beach would have high adaptive capacity because they could be relocated prior to the event.

The beach habitat would have high adaptive capacity since Manhattan Beach has a wide beach that is expected to remain, although narrower. The beach is expected to maintain some upper intertidal zone habitat through 2100, which

will help maintain biodiversity and ecosystem functions. Dune restoration will increase the adaptive capacity of the beach, while also reducing the hazard exposure for coastal infrastructure, such as the Marvin Braude Trail.

4.1.4 Vulnerability Summary

The most vulnerable assets among the beach and associated facilities include:

- Food stand and beach rental building at El Porto Beach, because the building is threatened under existing conditions and could experience tidal inundation between 6.6 and 9.8 feet of sea level rise, water damage could disrupt operations, and the facilities cannot be easily relocated.
- The Manhattan Beach Municipal Pier, because it is threatened under existing conditions, flooding and wave damage could disrupt operations and require long-term repair, and it is intentionally located over the water, which puts it in a hazard zone.

Lower vulnerability assets that should still be considered in future adaptation planning include:

- Public restrooms (specifically the restrooms at Rosecrans Avenue. which
 are expected to be vulnerable to storm waves by 1.6 feet of sea level rise,
 storm flooding by 4.1 feet of sea level rise, and tidal inundation by 9.8 feet
 of sea level rise),
- Marvin Braude Trail (vulnerable to storm waves between 4.9 and 6.6 feet of sea level rise),
- Lifeguard towers (vulnerable to storm waves now and tidal inundation by 9.8 feet of sea level rise), and
- Major beach events (vulnerable to daily wave run up by 6.6 feet of sea level rise).


4.2 STORM DRAIN SYSTEM

The storm drain system in Manhattan Beach conveys excess rainfall to four main outlets (and other minor local outlets that drain smaller watersheds). Two of these major outlets are located on the eastern side of Manhattan Beach and, therefore, do not drain to the ocean. The other two major outlets drain to the coast and could be affected by higher ocean water levels and increased precipitation. One of these major outlets drains a smaller catchment, with an area of around 350 acres. The other outlet drains a larger watershed with an area of around 1,790 acres (encompassing ~70% of Manhattan Beach).

4.2.1 Hazards and Consequences

As discussed in Section 3.2.2, extreme rainfall combined with high ocean water levels is expected to increase the flooding in the city from the storm drain system. **Figure 4-1** shows the results of the hybrid hydrologic-hydraulic model

for a 25-year compound flooding scenario (e.g., rainfall and ocean water level) with 9.2 feet of sea level rise. The color of the pipelines represents how full the pipe is flowing. Red lines represent the pipe is at capacity, while yellow, green, and blue lines show that the pipes still have capacity. The circle nodes represent maintenance holes and the different shades of red indicate flooding. The figure shows that several nodes are expected to flood in this scenario, which would impact the City's ability to get water out of the city.



Note: Hatched areas indicate catchment drainage areas, not flooding extent.

Figure 4-1. Storm Drain Pipe Capacity and Maintenance Hole (Node)
Flooding Rates Under the 25-year Compound Scenario with
9.2 feet of Sea Level Rise.

The storm drain outfalls could also be threatened by beach erosion and vulnerable to sand blockage with sea level rise as the beach profile adjusts (more sand at higher elevations) to keep up with higher water levels.

Increasing groundwater levels due to sea level rise could impact stormwater discharges if the resulting water levels cause infiltration into stormwater pipes or inundation at discharge points. Because rainfall is low in Southern California, leading to a low groundwater recharge rate, and soils are relatively permeable in the city, groundwater effects in Manhattan Beach are expected to be minor. Based on data from Befus et al. 2020, the USGS analyzed potential groundwater impacts to the stormwater system in Manhattan Beach by extracting the depth to groundwater at the outfall locations shown in **Figure 4-2**. Further detail is presented in **Appendix C**.



Figure 4-2. Stormwater Outfall Locations

The analysis results showed that the outfalls at 28th Street (#7) and 1st Street (#22) are currently within 5 feet of the groundwater table. In addition to groundwater levels reaching the outfalls with 5 feet of sea level rise, the 28th Street outfall is expected to be inundated by the tides with 6.6 feet of sea level rise, and the 1st Street outfall would be inundated by the tides with 9.8 feet of sea level rise.

The analysis showed the outfalls at 27th Street (#8) and just north of the Pier (#15) would be within 6 feet of the groundwater table with 3.3 feet of sea level rise. The majority of the rest of the outfalls would be within 7 feet of the groundwater table with 6.6 feet of sea level rise, except the outfalls at 24th Street (#9), 21st Street (#11), north and south of 18th Street (#12 and #13), 9th Street (#17), and 2nd Street (#21). These would all be within 7 feet of the groundwater table with 9.8 feet of sea level rise, except for the outfalls at 24th Street and 9th Street. The groundwater model uses annual average recharge to determine the typical groundwater table, so the actual water table could be significantly higher following unusually wet periods (there is a lag between rainfall inputs and groundwater table response). However, the model does not include the effects of stormwater management systems, which would limit groundwater recharge and water table rise due to storms, and widespread development in Manhattan Beach may also reduce groundwater recharge from rainfall. As a result, the groundwater table is not expected to rise much higher than shown in the model.

The consequences of increased water levels at the downstream end of the storm drain system would be medium as backwater effects due to downstream flow blockage or constriction would increase flooding at the maintenance holes during major rain events. Flooding would be expected to become more frequent and more extensive and could cause inland property damage. Failure of the storm drain system could cause impacts to water quality by flooding streets and other areas that could contribute additional contaminants to the stormwater.

4.2.2 Sensitivity

Due to the upward slope away from the coast, ocean water levels have limited penetration into the stormwater drainage network. Higher sea levels without a

rainfall event do not lead to substantial flooding. However, the co-occurrence of extreme rainfall and coastal storm events, including storm surge, can lead to increased flood risk. With rising sea levels, Manhattan Beach is expected to experience flooding from rainfall events that the storm system has previously been designed to handle due to the blockage of the outfalls by higher-thannormal coastal water levels. Therefore, the storm drain system's sensitivity to sea level rise is medium.

4.2.3 Adaptive Capacity

The storm drain system has low adaptive capacity. The limited capacity of the pipes already results in inland flooding during a 50- or 100-year rainfall event. Increasing the capacity of the pipes would require replacing the pipes throughout the system, which would be an extensive undertaking.

The outfalls that are expected to be tidally inundated with sea level rise (at 28th Street and 1st Street) extend the furthest onto the beach and have relatively gentle slopes moving inland across the beach. These outfalls could potentially be moved inland and upslope to discharge above the ocean/groundwater levels (i.e., by removing the downstream section of the storm drain pipe/shortening the storm drain pipe).

4.2.4 Vulnerability Summary

The stormwater drainage system has medium-high vulnerability because the system already floods during extreme rainfall events and will flood more frequently with climate change and sea level rise. The vulnerability is medium-high because the consequences of failure would be medium, the sensitivity of the system to sea level rise is medium, and the system has low adaptive capacity.

4.3 SOUTH BAY CITIES' MAIN SEWER TRUNK LINE

The South Bay Cities' main sewer trunk line runs along the beach from the north end of Manhattan Beach to just north of the Pier, where the line begins to run under the development, rather than the beach.

4.3.1 Hazards and Consequences

Beach erosion is not expected to reach the sewer line under 6.6 feet of sea level rise, but water levels during a 100-year storm could extend to the sewer line between 27th and 32nd Streets and around Marine Avenue. Higher water levels could limit access to the line for maintenance and operation or inundate maintenance holes and increase flows in the system that the treatment plant would then have to process. These storm impacts would be temporary.

Assuming the sewer line is 6 feet below the ground surface, groundwater could rise to just under the pipe with 9.8 feet of sea level rise, based on the

data from Befus et al. 2020 (USGS, Appendix C). Rising groundwater could place unanticipated buoyancy forces on the buried line, potentially leading to leaks and/or pipe failure. Additionally, groundwater infiltration to the line could increase flows in the system that the treatment plant would then have to process.

Consequences of sea level rise impacting the sewer system are high, since failure of the wastewater system could result in major impacts to water quality and human health at the beach. However, the risk of hazards is low, since potential impacts are not expected until 6.6 feet of sea level rise (temporary flooding) and greater than 9.8 feet of sea level rise (groundwater impacts).

4.3.2 Sensitivity

The sewer line is likely not highly sensitive to occasional extreme coastal storm events flooding the beach on top of the pipe. These events would limit access for maintenance and could inundate maintenance holes, increasing flows in the system, but would pass once the water levels dropped. The sensitivity of the sewer line to groundwater impacts is uncertain and could be studied to help plan for future adaptations.

4.3.3 Adaptive Capacity

The sewer line has low adaptive capacity. Rerouting the line out of the coastal area would be an extensive undertaking and would likely require additional pump stations to convey wastewater to the treatment plant.

4.3.4 Vulnerability Summary

The sewer line has medium to high vulnerability with 6.6 feet of sea level rise because the consequences of failure would be high, the sensitivity of the system to sea level rise is low to medium, and the system has low adaptive capacity.

4.4 COASTAL STRUCTURES

Parts of the Manhattan Beach coastline are protected by coastal armoring structures, such as rock revetments (north end of El Porto Beach, **Figure 1-4**) and sea walls (El Porto Beach and near the Pier, **Figures 1-5** and **1-6**).

4.4.1 Hazards and Consequences

Tidal inundation is expected to reach the rock revetment on the north end of El Porto Beach with 9.8 feet of sea level rise. Coastal storm inundation during the 100-year event will impact the revetment and sea wall in El Porto Beach sooner, with 4.1 feet of sea level rise. The sea wall at the Pier is already exposed to coastal storm inundation during the 100-year event with no sea level rise and the impacts to the sea wall are expected to increase over time.

The consequences of the revetment or sea wall overtopping at El Porto Beach would be inundation of the Marvin Braude Trail. Overtopping of the sea wall at the Pier would result in flooding of the parking lot. Since the trail and parking lot are low sensitivity assets, the consequences of failure of the coastal structures is low.

4.4.2 Sensitivity

The coastal structures are specifically designed and intentionally located to be in the hazard zones. However, over time, the exposure of the structures will likely increase, so that riprap that experiences occasional flooding today could experience deeper floodwaters and stronger wave action in the future. Increased water levels and wave-runup during storms can cause damage to the coastal structures and incremental reduction in the level of flood and erosion protection and/or increased maintenance costs. Coastal structures have a medium sensitivity to sea level rise.

4.4.3 Adaptive Capacity

The adaptive capacity of coastal structures is medium to high, because they are typically designed to be in the hazard zones and can be maintained or repaired after storm events.

4.4.4 Vulnerability Summary

Coastal structures in Manhattan Beach have medium-low vulnerability with future sea level rise because the consequences of failure would be low, the sensitivity of the system to sea level rise is medium, and the system has medium to high adaptive capacity.

4.5 SOCIOECONOMIC IMPACTS AND ENVIRONMENTAL JUSTICE ANALYSIS

Vulnerable communities experience heightened risk and increased sensitivity to climate change and have less capacity and fewer resources to cope with, adapt to, or recover from climate impacts. These disproportionate effects are caused by physical (built and environmental), social, political, and/or economic factor(s), which are exacerbated by climate impacts. These factors include, but are not limited to, race, class, sexual orientation and identification, national origin, and income inequality (ICARP, 2021). Additionally, historic inequity in land use and zoning policies, underinvestment in vulnerable communities and lack of meaningful engagement in planning and policy making have created disparities in how prepared communities are to adapt to the impacts of climate change (APEN, 2019). Many individuals experience multiple and intersecting vulnerabilities which can make them particularly at risk with regard to climate change. For example, black and Hispanic mothers are more likely to be single

heads of household and are also more likely to be low-income, live in flood prone areas, and have health issues that can be exacerbated by climate change.

Vulnerable communities across the City of Manhattan Beach include homeless individuals, elderly, children, visitors, and seasonal residents. Additionally, certain census tracts compared to the City as a whole have the following vulnerable populations: low-income families, unemployed/underemployed, renters, low-income homeowner and renter housing burden, single parent household, linguistically isolated households, disabled individuals, and uninsured individuals.

Within the City, census tracts 6202.01 (El Porto), 6203.05 (north of Manhattan Beach Boulevard), and 6209.04 (south of Manhattan Beach Boulevard) are all located in the coastal zone. The discussion below notes where there are populations within these census tracts that have a higher concentration of a vulnerable population. While coastal hazards are not expected to directly impact any residences in the city, roads or major infrastructure during this study's planning horizon (i.e., 2100), these populations will be important to consider and prioritize in the future as sea level rise continues beyond 2100.

4.5.1 Elderly

Within the City of Manhattan Beach, 15% of people are 65 years old or older. In particular, south of Manhattan Beach Boulevard, 18% of people are 65 years old or older. Older adults may be less mobile and may be less able to evacuate in the event of flooding or another climate event.

4.5.2 Visitors and Seasonal Residents

Due to its well-known beaches, Manhattan Beach is a popular destination for visitors and seasonal residents. Visitors and seasonal residents are less likely to receive information regarding potential climate impacts as well as programs and policies to reduce impacts such as evacuation plans and routes etc. Therefore, seasonal residents and visitors may be less prepared and more vulnerable to climate change impacts such as flooding.

Additionally, visitors from surrounding areas may increase in the future as other beaches are lost. Los Angeles County estimates that Redondo Beach and Torrance Beach may be completely eroded by 2100. This will likely increase the demand for beach access at Dockweiler State Beach, Manhattan Beach, and Hermosa Beach, which are expected to lose about half their width, but maintain around 200-foot wide beaches by the end of the century. (LA County 2016).

4.5.3 Unemployed/Underemployed

Compared to the City of Manhattan beach where 76% of people aged 25-64 are employed, south of Manhattan Beach Boulevard, 69% of people in this age group are employed. Unemployed or under employed individuals may be more

vulnerable to the impacts of climate change as they may have less access to financial and other resources, which may make adaptation to climate change more difficult (HPI, 2021).

4.5.4 People with Disabilities

Data from the South Bay Cities Council of Government Vulnerability Assessment for Manhattan Beach suggests that between 20 and 30% of the adult population between 17th Street and Manhattan Beach Boulevard (Block Group 6 within Census Tract 6203.05) has a physical or mental disability, which is significantly higher than the percentage of adults with a disability in other portions of the city. Individuals with disabilities may experience the effects of climate change more intensely than other groups due to discrimination, marginalization, and other social and economic factors. Additionally, certain disabilities may prevent individuals from being mobile, which may impact their ability to evacuate in the event of flooding (SBCCOG, 2019)

4.5.5 Low Income

Compared to the City as a whole where 9% of individuals have an income below 200% of the federal poverty threshold, within El Porto, 15% of individuals have an income below 200% of the federal poverty threshold (200% of the federal poverty level is often used to measure poverty in California due to high costs of living). Low-income households and individuals are more likely to live in inadequate housing and are more likely to live in areas that are already disproportionately impacted by pollution, health problems, and natural disasters. Low-income communities have less access to financial resources and are more likely to be uninsured, which makes adaptation and recovery from coastal hazards more difficult. Additionally, low income households often do not have access to vehicles, which can make evacuating more difficult (HPI, 2021).

4.5.6 Low-Income Homeowner Housing Burden

Compared to the city as a whole where 8% of low-income homeowners spend more than 50% of their income on housing costs, 12% of low-income homeowners south of Manhattan Beach Boulevard pay more than 50% of their income on housing costs. High housing costs and housing instability reduce a household's access to financial resources and may make a household more likely to be uninsured, all of which makes adaptation and recovery from coastal hazards more difficult (HPI, 2021).

4.5.7 Homeless

Homeless neighbors are more exposed to extreme heat, air pollution, and flooding and are at an increased risk for dehydration, sunburn, respiratory and cardiovascular diseases as well as displacement. Homeless individuals are also

less likely to have access to healthcare, financial resources, or reliable transportation.

4.5.8 Renters

Compared to the City of Manhattan Beach as a whole, where 70% of housing units are occupied by homeowners, within El Porto, 74% of housing units are occupied by renters and north of Manhattan Beach Boulevard, 50% of housing units are occupied by renters. Renters, especially low-income renters, have a reduced ability to prepare homes and properties for coastal hazards. Additionally, low-income renters often spend a disproportionate amount of their income on housing costs and are at an increased risk of displacement during natural disasters. Renters also do not have access to information regarding the flood risk of rented properties and often do not have insurance to cover losses from natural disasters (HPI, 2020).

Single Heads of Household

Approximately 25% of households in El Porto are led by a single parent as compared to 11% of households across the city as a whole. Households lead by a single parent are vulnerable to the impacts of coastal hazards as they have only one wage earner to support household financial needs and only one parent to perform family and house care duties (HPI, 2020).

4.5.10 Children

Roughly 6% of the population of the City of Manhattan Beach is under 5 years of age. Children under the age of 5 are particularly affected by heat waves, pollution, undernutrition, vector borne diseases, as well as respiratory and cardiovascular diseases due to anatomical, cognitive immunological, and psychological differences between children and adults (HPI, 2020; Lawrence et al., 2018)

4.5.11 Linguistically Isolated Households

Data from the South Bay Cities Council of Government Vulnerability Assessment for Manhattan Beach suggests that between 5 and 10% of households between 17th Street and Manhattan Beach Boulevard do not have an adult that speaks English, which is significantly higher than the percentage of linguistically isolated households in other portions of the city. Households without an English speaker at home are considered to be linguistically isolated and may have more difficulty accessing information about evacuation. Linguistic isolation can increase vulnerability during climate events such as flooding (SBCCOG, 2019).

4.5.12 People Lacking Health Insurance

Data from the South Bay Cities Council of Government Vulnerability Assessment for Manhattan Beach suggests that between 9 and 18% of individuals between 17th Street and Manhattan Beach Boulevard do not have health insurance, which is significantly higher than the percentage of uninsured individuals in other portions of the city. Having health insurance greatly improves health outcomes by connecting people with the necessary medical care. Individuals without access to healthcare are more vulnerable to the health impacts of flooding and the mental health impacts of climate change (SBCCOG, 2019).

4.5.13 SB 535 and AB1550 Disadvantaged and Low-Income Communities

SB 535 and AB 1550 require the State of California to invest certain percentages of climate cap and trade mitigation funds to identified disadvanted and low-income communities. CalEPA developed a tool called CalEnviroscreen for assessing what constitutes a disadvantaged community. A "disadvantaged community" is defined as the top 25% highest scoring census tracts based on the results of the California Communities Environmental Health Screening Tool. A "low-income community" is defined as a census tract with median household incomes at or below 80% of the statewide median income or with median household incomes at or below the threshold designated as low income by HCD's State Income Limits.

The City of Manhattan Beach does not contain any disadvantaged communities as defined by SB 535 and CalEnviroScreen, nor any low-income communities as defined by AB1550. However, there are both disadvantaged and low-income communities north and east of the city, who may rely on the coastal resources and amenities within Manhattan Beach. This may increase the consequences of coastal hazard impacts to certain assets, like parking lots and restrooms, since these assets allow visitors to access the coastal resources. The City should prioritize maintaining and improving coastal access resources, such as trails, visitor-serving amenities, public parking, EV charging stations, bike racks, and other mixed-modal facilities for non-residents as part of the adaptation planning process.

4.5.14 Proposition 68 Disadvantaged Communities

Proposition 68, passed in 2018, authorizes \$4.1 billion for state and local parks, natural resources protection, climate adaptation, water quality, and flood protection. Projects that benefit disadvantaged and severely disadvantaged communities are given priority for funding. A severely disadvantaged community is defined as a census block group with a median household income less than 60% of the California statewide average. A disadvantaged community is a census block group with a median household income less than 80% of the California statewide average. Other State grant funding opportunities also use these same definitions.

The City of Manhattan Beach does not contain any disadvantaged or severely disadvantaged communities as defined by Proposition 68. However, there are

both disadvantaged and severely disadvantaged communities just east of the city in Redondo Beach and Lawndale. These communities may rely on the coastal resources and amenities within Manhattan Beach. This may increase the consequences of coastal hazard impacts to certain assets, like parking lots and restrooms, since these assets allow visitors to access the coastal resources. The City should prioritize maintaining and improving coastal access resources, such as trails, visitor-serving amenities, public parking, EV charging stations, bike racks, and other mixed-modal facilities for non-residents as part of the adaptation planning process.

Section 5

CONCLUSIONS

With anticipated sea level rise, Manhattan Beach's current vulnerabilities to coastal flooding and erosion are projected to increase in frequency, intensity, and extent. As discussed in Section 1.2, past, extreme coastal flood events have caused significant damage along the City's coastline, without the impact of sea level rise. Future sea level rise is expected to create a permanent rise in ocean water levels that will increase erosion of beaches and result in more damaging coastal storm events. Higher water levels at the coast and increased rainfall will also impact the storm drainage system during extreme rainfall events by backing up water into the system and delaying drainage until low tide. Sea level rise will also increase groundwater levels, which can impact buried utilities.

Manhattan Beach's vulnerable assets include beaches and associated facilities and events, the storm drain system, the South Bay Cities' main sewer trunk line, and coastal structures. **Table 5-I** summarizes the grades for each asset's exposure to hazards and consequence, sensitivity to the hazards, adaptive capacity, and overall vulnerability. If no action is taken, sea level rise could result in major impacts to the City. However, the City and other asset managers are taking action by conducting this study and by planning for sea level rise, including the existing adaptation strategies (Section 1.3.3) and implementing other strategies (i.e., beach dune restoration). As a next step, the City will develop adaptation measures to reduce future vulnerabilities and assess these measures in an Adaptation Plan.

Table 5-1. Manhattan Beach Vulnerability Summary

| Asset | Exposure & Consequence | Sensitivity | Adaptive Capacity | Vulnerability |
|---|------------------------|-------------|----------------------|---------------|
| Beaches & Associated Facilities and Events | | | | |
| Marvin Braude Trail through El Porto Beach | Low | Low | High | Low |
| Public restroom building between 43rd and 42nd St. | Medium | Low | Medium | Medium-Low |
| Food stand and beach rental building at El Porto Beach | Medium | Medium | Medium | Medium |
| Public restroom and maintenance building at the end of Rosecrans Ave. | Medium | Low | Medium | Medium-Low |
| Marvin Braude Trail in places from 32nd to 17th St. | Low | Low | High | Low |
| Beach access using the steps from the Pier down to the beach | Low | Low | High | Low |
| Restrooms at the Pier | Medium | Low | Medium | Medium-Low |
| Lower Pier parking lot | Low | Low | High | Low |
| Marvin Braude Trail near 10th St. | Low | Low | High | Low |
| Lifeguard towers | High | Low | High | Medium-Low |
| Municipal Pier | Medium | Low | Medium | Medium-Low |
| Beach events | Low | High | High | Medium-Low |
| Beach habitat | Medium | Low | High | Medium-Low |
| Storm drain system | High | Medium-Low | Low | Medium-High |
| South Bay Cities' main sewer trunk line | Medium | Low | Low | Medium |
| Coastal Structures | Low | Medium | Medium-High | Medium-Low |

The following are the assets most vulnerable to sea level rise hazards (i.e., received an overall vulnerability ranking of medium-high or medium):

- **Storm drain system:** Under existing conditions without sea level rise, the current 25-year rainfall event causes inland flooding in the system. Extreme rainfall combined with high ocean water levels in the future is expected to increase the flooding in the city from the storm drain system.
- Food stand and beach rental building at El Porto Beach: This building already experiences flooding under a 100-year coastal storm event, and the frequency and intensity of flooding is expected to increase in the future.

• South Bay Cities' main sewer trunk line: The South Bay Cities' main sewer trunk line runs along the beach from the north end of Manhattan Beach to just north of the Pier. The 100-year coastal storm event is expected to reach the pipeline with 6.6 feet of sea level rise, placing buoyancy forces on the line, which could lead to leaks and/or pipe failure.

These planning-level analyses and results are approximate and intended solely for the purpose of assessing potential future coastal vulnerabilities and informing the development of the CAAP, updates to the Local Hazards Mitigation Plan, and related LCP-LUP policies. Only assets identified through available geo-spatial data sets have been considered, so additional assets may need to be evaluated in the future.

In the next steps of the LCP-LUP preparation process, adaptation measures to reduce future vulnerabilities will be identified and assessed, and the CAAP will be developed. The CAAP will consider potential climate adaptation measures that include a range of accommodation, protection, and retreat strategies. Costs for no action and adaptive management strategies will be estimated and compared to inform adaptation planning.

Section 6

LIST OF PREPARERS

Prepared by:

Lindsey Sheehan, P.E., ESA

Elizabeth Schalo, ESA

Alicia Juang, ESA

Nick Garrity, P.E., ESA

Technical Contributors:

Lindsey Sheehan, P.E., ESA

Alicia Juang, ESA

Nick Garrity, P.E., ESA

Amir Aghakouchak, University of California, Irvine

Dan Hoover, USGS

Juliette Finzi Hart, Oceanographer, (formerly) USGS

Review provided by:

Dana Murray, City of Manhattan Beach

Erin Fabian, City of Manhattan Beach

Melodie Grubbs, University of Southern California (USC) Sea Grant

Karina Johnston, The Bay Foundation

Manhattan Beach Sustainability Task Force

Juliette Finzi Hart, Oceanographer, (formerly) USGS

Patrick Barnard, USGS

Dan Hoover, USGS

Appendix A

Multi-Hazard Confluence Modeling of Manhattan Beach's Stormwater Infrastructure

Appendix B

Shoreline Evolution Model

Appendix C

Manhattan Beach Sea Level Rise Driven Groundwater Impacts on Infrastructure

FINAL

City of Manhattan Beach Sea Level Rise Adaptation Plan

Prepared for
City of Manhattan Beach

September 2021









FINAL

City of Manhattan Beach Sea Level Rise Adaptation Plan

Prepared for City of Manhattan Beach September 2021

Funded by California Coastal Commission City of Manhattan Beach

626 Wilshire Boulevard Suite 1100 Los Angeles, CA 90017 213.599.4300 esassoc.com

Bend Orlando San Jose
Camarillo Pasadena Santa Monica
Delray Beach Petaluma Sarasota
Destin Portland Seattle
Irvine Sacramento Tampa
Los Angeles San Diego

Los Angeles San Diego
Oakland San Francisco



The Manhattan Beach Sea Level Rise Adaptation Plan is part of California Climate Investments, a statewide program that puts billions of Cap-and-Trade dollars to work reducing GHG emissions, strengthening the economy, and improving public health and the environment, particularly in disadvantaged communities. The Cap-and-Trade program also creates a financial incentive for industries to invest in clean technologies and develop innovative ways to reduce pollution. California Climate Investments projects include affordable housing, renewable energy, public transportation, zero-emission vehicles, environmental restoration, more sustainable agriculture, recycling, and much more. At least 35 percent of these investments are located within and benefiting residents of disadvantaged communities, low-income communities, and low-income households across California. For more information, visit the California Climate Investments website at: www.caclimateinvestments.ca.gov.

TABLE OF CONTENTS

| | | <u>Page</u> |
|-----------|---|-------------|
| Section | 1 Introduction | 1 |
| 1.1 | Purpose and Objective | 1 |
| 1.2 | State Planning Guidance | |
| 1.3 | Plan Organization | |
| 1.4 | Key Terms and Definitions | |
| Section : | 2 Adaptation Planning Framework | 5 |
| 2.1 | Community Values | 6 |
| | 2.1.1 Workshops and Focus Groups | |
| | 2.1.2 Demographics | |
| 2.2 | Monitoring Change | 8 |
| 2.2 | 2.2.1 Sea Level Rise | |
| | 2.2.2 Flooding and Coastal Storm Damage | |
| | Frequency | |
| | 2.2.3 Beach Width | |
| 2.3 | Implementation | 10 |
| 2.4 | Evaluation | 11 |
| Section | 3 Adaptation Measures | 13 |
| 3.1 | Categories of Adaptation Strategies | 13 |
| 3.2 | | |
| | 3.2.1 Coastal Sediment Management – Beach Dune Restoration | |
| | 3.2.2 Coastal Sediment Management – Winter Berms | |
| | 3.2.3 Coastal Sediment Management – Beach Nourishment | |
| | 3.2.4 Sand Retention Structures – Groins | |
| | 3.2.5 Sand Retention Structures – Breakwaters | 20 |
| | 3.2.6 Sand Retention Structures – Reefs, Kelp Beds, and Eelgrass Beds | 20 |
| | 3.2.7 Shoreline Protection Devices | 22 |
| | 3.2.8 Elevating or Waterproofing Structures and Infrastructure | 25 |
| | 3.2.9 Elevating Property Grade | 25 |
| | 3.2.10 Managed Retreat | 26 |
| Section | 4 City-Wide Adaptation Approach | 27 |
| 4.1 | Beach Dune Restoration | 29 |
| 4.2 | Winter Sand Berms | |
| 4.3 | Reefs, Kelp Beds, and Eelgrass Beds | 30 |
| 4.4 | Managed Retreat – Accepting a Narrower Beach | |
| 4.5 | Beach Nourishment | |
| 4.6 | Groins 31 | |
| 4.7 | Other Strategies | 32 |
| | 4.7.1 Breakwaters | |
| | 4.7.2 City-Wide Shoreline Protection Devices | 32 |
| | 4.7.3 Elevating Structures or Property Grade | |
| | 4.7.4 Managed Retreat | |

| | | <u>Page</u> |
|---------|---|-------------|
| 4.8 | Community Input | 32 |
| Section | 5 Asset-Specific Adaptations | 35 |
| 5.1 | Marvin Braude Bike Trail | 35 |
| | 5.1.1 Beach Dune Restoration | |
| | 5.1.2 Winter Sand Berms | |
| | 5.1.3 Shoreline Protection Devices | |
| | 5.1.4 Building a Boardwalk or Elevating the Trail Grade | |
| | 5.1.5 Managed Retreat | |
| | 5.1.6 Community Input | |
| 5.2 | Buildings along the Beach | |
| | 5.2.1 Beach Dune Restoration | |
| | 5.2.2 Winter Sand Berms | |
| | 5.2.4 Elevating or Waterproofing the Buildings | |
| | 5.2.5 Elevating or waterproofing the buildings | |
| | 5.2.6 Managed Retreat | |
| | 5.2.7 Community Input | |
| 5.3 | Lower Pier Parking Lot | 42 |
| | 5.3.1 Beach Dune Restoration | |
| | 5.3.1 Winter Sand Berms | |
| | 5.3.2 Shoreline Protection Devices | 43 |
| 5.4 | Municipal Pier | 43 |
| 5.5 | Storm Drain Outfalls | 44 |
| 5.6 | South Bay Cities' Main Sewer Trunk Line | 44 |
| Section | 6 Potential Adaptation Scenario Analysis | 45 |
| 6.1 | Adaptation Scenario | |
| 6.2 | Economic Analysis Methods | |
| | 6.2.1 Valuing Beach Recreation | |
| | 6.2.2 Carrying Capacity and Turnover Rate | |
| | 6.2.3 Spending and Tax Revenue | 47 |
| | 6.2.4 Economic Analysis and the Future | 48 |
| 6.3 | Adaptation Cost-Benefit Analysis Results | |
| | 6.3.1 Beach Attendance | 49 |
| | 6.3.2 Non-Market Loss | |
| | 6.3.3 Losses in Spending and Tax Revenues | |
| | 6.3.4 Impacts to Restrooms | |
| | 6.3.5 Conclusions and Discussion | |
| | ,, | |
| Section | 7 Implementation Tools | |
| 7.1 | City Tools to Facilitate Implementation | |
| 7.2 | Implementation Programs and Policies | 68 |
| | 7.2.1 Local, Regional, State, and Federal | CO |
| | Coordination | |
| 7.0 | - | |
| 7.3 | Funding Sources and Mechanisms | |
| | 7.3.1 State and Federal Funding Sources | |
| | 9 List of Property | 73 |
| | | |

<u>Page</u>

Appendices

Determining Day Use Values

List of Figures

| Figure 1: | Considerations for Adaptation Planning in Manhattan Beach | 6 |
|------------|--|----|
| Figure 2: | Priority Assets to Protect and Enhance | 7 |
| Figure 3: | Workshop #1 Attendee Age Demographics | 8 |
| Figure 4: | Focus Group Attendee Age Demographics | 8 |
| Figure 5: | Examples of General Adaptation Strategies | 14 |
| Figure 6: | Cross-section of the planned Manhattan Beach dune restoration project | 16 |
| Figure 7: | Cross-section of dune restoration and cobble placement | 16 |
| Figure 8: | Construction of a temporary winter berm at Hermosa Beach | 17 |
| Figure 9: | Aerial of Groins at Will Rogers State Beach in Santa Monica Bay | 18 |
| Figure 10: | Example of the processes around groins | 19 |
| Figure 11 | Example illustration of an offshore reef | 21 |
| Figure 12 | Schematic of multipurpose reef intended to create a surfing break | 21 |
| Figure 13: | Photo of waves against a revetment in Pacifica, CA | 23 |
| Figure 14: | Coastal squeeze process resulting in beach loss | 24 |
| Figure 15: | Public Input on Adaptation Strategies for the Beach, Beach Facilities, and Beach Events | 33 |
| Figure 16: | Seawall with Access Closed During High Water Event in City of Del Mar | 37 |
| Figure 17: | Public Input on Adaptation Strategies for the Marvin Braude Bike Trail | 38 |
| Figure 18: | Public Restrooms at El Porto Beach | 40 |
| Figure 19: | Public Restrooms at the Pier | 40 |
| Figure 20: | Public Restrooms at Rosecrans Avenue | 41 |
| Figure 21: | Public Input on Adaptation Strategies for the El Porto Food Stand and Rentals Building | 42 |
| Figure 22: | Lower Pier Parking Lot | 43 |
| Figure 23: | Beach Visitors Per Day, Per Beach | 49 |
| Figure 24: | Average Beach Visitors Per Day in High and Low Season | 50 |
| Figure 25: | Average Beach Visitors Per Day in High Season | 50 |
| Figure 26: | Count and Percent of Days Per Year Exceeding Beach Carrying Capacity | 52 |
| Figure 27: | Projected Number of Persons Over Capacity Per Year and Expected Cumulative Losses – 1.6 | |
| | Persons Per Day Turnover Rate | 52 |
| Figure 28: | Projected Number of Persons Over Capacity Per Year and Expected Cumulative Losses – 2.5 | |
| | Persons Per Day Turnover Rate | 53 |
| Figure 29: | Projected Number of Persons Over Capacity Per Year with and without Adaptation – 1.6 Persons | |
| | Per Day Turnover Rate | 54 |
| Figure 30: | Projected Number of Persons Over Capacity Per Year with and without Adaptation – 2.5 Persons | |
| | Per Day Turnover Rate | 54 |
| Figure 31: | Count and Percent of Days Per Year Exceeding Beach Capacity, With and Without Adaptation | 55 |
| Figure 32: | Cumulative Non-Market Losses – 1.6 Persons Per Day Turnover Rate | 56 |

| | | <u>Page</u> |
|-------------|---|-------------|
| Figure 33: | Cumulative Non-Market Losses – 2.5 Persons Per Day Turnover Rate | 57 |
| Figure 34: | Losses in Spending, With and Without Adaptation – 1.6 Persons Per Day Turnover Rate | 57 |
| Figure 35: | Losses in Spending, With and Without Adaptation – 2.5 Persons Per Day Turnover Rate | 58 |
| List of Tal | bles | |
| Table 1: | Summary of Potential Monitoring Parameters to Be Considered | 9 |
| Table 2: | Beach Width Evolution | 28 |
| Table 3: | Daily Spending (per Individual) at California Beaches | 48 |
| Table 4: | Value of \$100 Over Time at Various Discount Rates | 48 |
| Table 5: | Estimated Reduction in Beach Capacity | 51 |
| Table 6: | Cumulative Non-Market Losses – 1.6 People per Day Turnover Rate | 55 |
| Table 7: | Cumulative Non-Market Losses – 2.5 People per Day Turnover Rate | 56 |
| Table 8: | Cumulative Losses in Spending and Tax Revenue – 1.6 Persons Per Day Turnover Rate | 59 |
| Table 9: | Cumulative Losses in Spending and Tax Revenue – 2.5 Persons Per Day Turnover Rate | 60 |
| Table 10: | Cumulative Losses in Tax Revenue – 1.6 Persons Per Day Turnover Rate | 61 |
| Table 11: | Cumulative Losses in Tax Revenue – 2.5 Persons Per Day Turnover Rate | 61 |
| Table 12: | Market Loss of Public Restrooms (100-year flood event with 6.6 ft of sea level rise, not discounted | ed) 62 |
| Table 13: | Summary of Cumulative Total Losses by 2100 | 63 |
| Table 14: | Summary of Net Benefits with Adaptation (millions, 2021 dollars) | 63 |
| Table 15: | Sensitivity Analysis | 65 |



CHAPTER 1

Introduction

1.1 Purpose and Objective

Although Manhattan Beach has experienced only a relatively small amount of sea level rise to date from climate change, the rate of sea level rise in the region is expected to accelerate significantly in upcoming years. Rising sea levels will result in increased hazards, including shoreline erosion and flooding. There is a need for the City and the community to better understand these vulnerabilities, to analyze the physical and economic risks, and to implement actions to prepare and adapt to the impacts of sea level rise.

As a result, the City of Manhattan Beach is updating its Local Coastal Program (LCP), a planning document that regulates development in the City's coastal zone and establishes a long-range vision for the community. The California Coastal Act, passed in 1976, provides for coastal jurisdictions to adopt an LCP to ensure local implementation of Coastal Act priorities. The City of Manhattan Beach's current LCP Land Use Plan (LUP) was certified by the California Coastal Commission (CCC) in 1981 and amended in 1992-1994. This study was commissioned as part of the City's update to its LCP to address anticipated sea



level rise and its effects on coastal erosion and flooding and is funded by the CCC as part of the LCP Local Assistance Grant Program with California Climate Investment funding.

The first phase of this work included a Sea Level Rise Risk, Hazards, and Vulnerability Assessment (Vulnerability Assessment)¹ that highlighted existing conditions and future vulnerability of the City of Manhattan Beach to projected sea level rise, coastal flooding, and erosion. Based on the results of the Vulnerability Assessment, this document, the City of Manhattan Beach Sea Level Rise Adaptation Plan, identifies a variety of adaptation strategies to help Manhattan Beach plan for and address sea level rise, coastal storm flooding, and beach erosion. It provides a framework for the City to plan for sea level rise in phases through monitoring of impacts, tracking of new information, regular evaluations of options, and implementation of adaptation strategies once specified thresholds for action are reached.

The next phase of work will include development of policies that the City will ultimately include in the Climate Action and Adaptation Plan (CAAP), Local Hazards Mitigation Plan, and LCP-LUP update. The LCP-LUP update will require approval by City Council and certification by the CCC.

1.2 State Planning Guidance

The CCC updated their *Sea Level Rise Policy Guidance* in 2018 (CCC 2018). The guidance recommends using the California Ocean Protection Council's (CA OPC) *State of California Sea Level Rise Guidance* (CA OPC 2018) sea level rise projections at various planning horizons to assess vulnerability and conduct adaptation planning. The guidance provides a step-by-step process for addressing sea level rise and adaptation planning in updated LCPs (CCC 2018).

In accordance with the *California Coastal Commission Sea Level Rise Policy Guidance* (CCC 2018) and State of California Sea Level Rise Guidance (CA OPC 2018), this Adaptation Plan:

- Is based on the best science and adaptation practices available today.
- Acknowledges that sea level rise science and practices are evolving and that the City will evaluate future decisions
 and take action based on the best available science and technology at the time.
- Includes a range of sea level rise adaptation strategies within the three general categories of adaptation: Protect, Accommodate, and Retreat.

Additionally, Senate Bill 379 requires that Cities update the safety elements of their general plans to include climate adaptation and resiliency strategies. According to California's Office of Planning and Research (OPR) General Plan Guidelines, jurisdictions must identify a set of adaptation and resilience goals, policies, and objectives, based on the information analyzed

¹ Available at https://www.manhattanbeach.gov/ClimateReadyMB

in the vulnerability assessment. The requirements of Senate Bill 379 have five distinct steps, including reviewing existing plans, conducting a vulnerability assessment, developing adaptation goals, creating implementation measures, and updating the safety element with adaptation and resilience considerations.

This Adaptation Plan and the CAAP will also be useful for the housing element update, evacuation route planning, and the environmental justice requirements for the City's General Plan.

1.3 Plan Organization

The Adaptation Plan is organized as follows:

- Chapter 1 identifies the purpose and objective of this Adaptation Plan, discusses State planning guidance, and defines key terms.
- Chapter 2 provides a framework for planning for sea level rise.
 - Section 2.1 provides the results of community input on community values and preferred adaptation strategies.
 - Section 2.2 outlines physical parameters that should be monitored over time, including sea levels, sea level rise projections, beach widths, and flood damages and frequency.
 - Section 2.3 and 2.4 discuss implementation and reevaluation.
- Chapter 3 provides a brief overview of the different adaptation strategies that could be considered for Manhattan Beach.
- Chapter 4 evaluates the key considerations associated with implementing city-wide strategies described in Section 3.

 This section focuses on strategies that are not asset-specific and could provide protection for many assets.
- Chapter 5 evaluates the key considerations associated with implementing strategies described in Section 3 for specific assets in the city.
- Chapter 6 provides a comparison of the potential hazards associated with a "no action scenario" presented in the Vulnerability Assessment with an adaptation scenario. The economic and fiscal impacts of the no action scenario are compared with the relative costs and benefits of the adaptation scenario.
- Chapter 7 presents tools for implementation of adaptation strategies such as policies, programs, regulatory
 mechanisms, education and outreach programs, agency resources, and potential funding options.

1.4 Key Terms and Definitions

The following terms are used throughout the document based on the definitions included in this section:

Coastal flooding refers to flooding due to waves and high water levels originating from the ocean.

Coastal storm events impact the shoreline through higher water levels due to storm surge, large waves, and/or elevated river flows, all of which are commonly associated with low-pressure weather systems. Planning and analysis often occurs for the "100-year storm," which is the storm estimated to have a 1% chance of occurring in any given year.

Coastal storm flooding refers to coastal flooding that occurs during coastal storm events.

Tidal inundation refers to coastal flooding during high tides under non-storm conditions.

Coastal erosion refers to loss of sandy beaches, beach dunes, and the low-lying backshore along the shoreline through processes such as waves, wind, or tides.

Rainfall events impact the City through flooding originating from precipitation.




CHAPTER 2

Adaptation Planning Framework

Successful adaptation planning is an ongoing, collaborative process that requires alternatives analysis, implementation, monitoring, and evaluation. This section establishes principles to guide the prioritization, selection, and implementation of adaptation strategies. It also identifies thresholds that should be regularly monitored to inform the timing for implementation of adaptation strategies, which will require revisions to existing City policy, regulatory, and procedural tools; creation of new tools and programs; identification of funding sources; and project-level planning, design, and construction. Changes in best available science, best practices, laws, case law, and community priorities will require regular reevaluation of this Adaptation Plan.

2.1 Community Values

These are the words that come to mind when Manhattan Beach community members are asked about their city.



Two public workshops and two focus group meetings were held to inform the development of this plan in February and March 2021 with a total of 77 participants.


2.1.1 Workshops and Focus Groups

The first workshop was held on February 4, 2021, attended by approximately 45 community members, and the objectives for the workshop included:

- Providing an overview of the project,
- Providing scientific context for climate change and sea level rise hazards,
- Providing opportunities for people to ask questions and get answers,
- Gathering input on the community values for Manhattan Beach residents and visitors,
- Sharing next steps and future opportunities for public engagement.

When asked about their priorities when choosing an adaptation strategy, attendees were most concerned with protecting and enhancing sandy beaches and beach recreation and maintaining flexibility in the face of changing conditions, as shown in Figure 1.

As the City begins choosing an adaptation strategy, what are the most imporant considerations to you?




Based on 23 participant responses.

Figure 1: Considerations for Adaptation Planning in Manhattan Beach

When asked about the most important coastal assets the City should choose to protect and enhance, participants identified the beach and ocean, natural habitats (such as beach dunes), public amenities (such as the Pier and restrooms), and recreation as their priorities (Figure 2).

The following are coastal assets the City could choose to protect and enhance. What are the most important assets to you?



Based on 24 participant responses.

Figure 2: Priority Assets to Protect and Enhance

After the first workshop, a series of two focus group meetings were held to facilitate small group discussions around adaptation strategies. The first meeting was held on February 17 and had 7 attendees. The second meeting was held on February 23 and had 11 attendees.

Following the focus group meetings, on March 9, 2021 a second public workshop was held with 14 people in attendance. This workshop focused on coastal adaptation strategies with the objectives to:

- Provide an overview of the city's vulnerabilities to sea-level rise and potential adaptation strategies
- Provide opportunities for people to ask questions and get answers
- Gather input from residents and visitors on the preferred adaptation strategy for Manhattan Beach
- Share next steps and future opportunities for public engagement

Data gathered from the focus group meetings and second workshop are included in Sections 4.8, 5.1.6, and 5.2.7.

2.1.2 Demographics

Approximately 45 people attended the first workshop, and of the 14 people who responded to demographic questions, 11 live in Manhattan Beach, two in Los Angeles, and one in Redondo Beach. Figure 3 presents the age demographics of the workshop attendees who responded.




Figure 3: Workshop #1 Attendee Age Demographics

Most attendees at the focus group meetings were from Manhattan Beach with a few from Los Angeles, Long Beach, and beyond. Figure 4 presents the age demographics of the focus group attendees.




Figure 4: Focus Group Attendee Age Demographics

2.2 Monitoring Change

The Adaptation Plan identifies planning-level thresholds for when decisions on adaptation should be considered to reduce or avoid future risks (see Sections 4 and 5 for examples of thresholds). The City will need to monitor and evaluate the trajectory towards these thresholds to track whether and when these thresholds are met. The City, in consultation with other regional, state, and federal agencies, should create a Shoreline Monitoring Program to track changes in environmental conditions.

Table 1 and the sections below identify some parameters that are recommended for monitoring. Additional analysis is needed to determine the exact parameters that should be monitored, given the priorities and goals of the City. The City could partner with other regional agencies or groups, such as Los Angeles County Department of Beaches and Harbors, University of Southern California (USC) Sea Grant, AdaptLA, The Bay Foundation (TBF), or researchers at academic institutions such as Loyola Marymount University Coastal Research Institute (CRI), Cal State Channel Islands or University of California Los Angeles, to assist in tracking thresholds, developing a monitoring program, and conducting regular reporting. The program should be developed in coordination with others to ensure that it is cost effective to maintain over time and that the data can be used by others and/or scaled up to the regional or state level. Additionally, if data could be standardized, it could be used in coordination with existing monitoring programs, such as CRI's regional program monitoring beaches in the Santa Monica Bay

area. Quality control checked data or data summaries should be made publicly available to ensure transparency with the public and coordination with other entities.

TABLE 1: SUMMARY OF POTENTIAL MONITORING PARAMETERS TO BE CONSIDERED

| PARAMETER | POTENTIAL MONITORING DATA | |
|--|---|--|
| Sea Level Rise | The monitoring program should track the following resources for science updates: California Coastal Commission Sea Level Rise Policy Guidance California Natural Resources Agency and OPC State of California Sea Level Rise Guidance California Climate Change Assessment (Fifth Assessment forthcoming) U.S. Geological Survey Coastal Change Hazards Program, including the Coastal Storm Modeling System (CoSMoS) National Oceanic and Atmospheric Administration (NOAA) Tides and Currents, Santa Monica Bay station Coordinate with academic institutions to follow scientific reports they produce | |
| Coastal Storm Flooding and Storm Damage Frequency | on sea level rise in Southern California The monitoring program should record coastal flooding and storm damage events and information: Photos, videos, reports of event or damage (can coordinate with the Urban Tides program) Date, type, location, and severity of flooding (e.g., depth, duration, wave height), | |
| Beach Width | The monitoring program should include topographic surveys of the beach (e.g., beach elevation transects) to measure beach width over time. These could be conducted in coordination with Los Angeles County Beaches and Harbors. | |

2.2.1 Sea Level Rise

Sea levels in Manhattan Beach have increased by 0.51 feet in the last 100 years (NOAA Tides and Currents, Station #9410840). Available sea level rise projections use the year 2000 as a baseline. Over the past 20 years, sea levels are estimated to have increased by 0.11 feet² in Manhattan Beach. However, the rate of sea level rise is expected to accelerate in the coming decades with potentially 6.8 feet of sea level rise by 2100³. The City should monitor the rate of sea level rise and progress toward thresholds because certain actions will need to be taken when sea levels have risen by specific amounts (e.g., relative to a baseline of the year 2000) to reduce vulnerability to coastal hazards. Currently, the best available sources for this information are found through the NOAA tide gage in Santa Monica Bay and in the following state documents:

- California Coastal Commission Sea Level Rise Policy Guidance: initially adopted August 2015, updated November 2018 (https://www.coastal.ca.gov/climate/slrguidance.html)
- California Natural Resources Agency (CNRA) and Ocean Protection Council (OPC) State of California Sea Level Rise Guidance: initially released in 2010, updated in 2013, and updated in 2018 (http://www.opc.ca.gov/updating-californias-sea-level-rise-guidance/)

² This estimate is based on applying the rate of historic sea level rise of 1.54 mm/yr published by NOAA Tides and Currents at Station #9410840 over a 21-year period (2000 to 2021).

³ Based on the CNRA and OPC 2018 medium-high risk aversion scenario.

- California Climate Assessment: initially released in 2006, updated in 2009, updated in 2012, and updated in 2018 (http://www.climateassessment.ca.gov/)
- NOAA Tides and Currents for Station ID 9410840 (or others): updated regularly (https://tidesandcurrents.noaa.gov/sltrends/sltrends_station.shtml?id=9411340)

2.2.2 Flooding and Coastal Storm Damage Frequency

The City should monitor the frequency of flooding and coastal storm damage. To monitor the frequency of flooding and storm damage, the City should track and keep records of coastal flooding and storm damage events and information, including "king tide events," which are some of the highest and lowest tides of the year. In particular, the City should track storm flooding of and damage to the Marvin Braude Bike Trail; the public restrooms at El Porto beach, the end of Rosecrans Avenue; the maintenance facility at the end of Rosecrans Avenue; the food stand and beach rental buildings at El Porto Beach; the Lower Pier Parking Lot; and the Manhattan Beach Pier.

This effort will require a framework for coordination between multiple departments, such as Community Development, Parks and Recreation, Fire, and Public Works. This effort could also be a collaborative effort between City staff, community groups, other agencies such as Los Angeles County Beaches and Harbors, and community members in which reports, pictures, and videos are collected, such as through the Urban Tides program. This provides a secondary benefit of keeping the community engaged and increasing knowledge of the impacts of sea level rise. It could also assist with obtaining funding to mitigate flood risks. The date, type, location, and severity of flooding (e.g., depth, duration, wave height), and damages can be collated into a database. The intent should be to track the frequency, extent, and severity of flooding to assess if and how the frequency of flooding is increasing. If the tracking shows an increase in the flood and storm damage frequency, implementation of an adaptation measure could be considered.

2.2.3 Beach Width

The City should monitor beach width or participate in a regional program to monitor beach widths. This is in line with recommendations included in the Los Angeles County Coastal Regional Sediment Management Plan (CRSMP; Noble Consultants and Larry Paul Associates 2012). Beaches provide recreational and ecological value, as well as a buffer from erosion and flooding for beachfront development. The City is partnering with Los Angeles County Department of Beaches and Harbors and The Bay Foundation to implement the pilot Manhattan Beach Dune Restoration Project (see Section 4.1 for more information on this project). Post-project monitoring will include beach width and other physical characteristics. Additional data have been collected by CRI as part of a regional beach characterization study. It is recommended that an annual long-term survey for Manhattan Beach be implemented. This data should be analyzed regularly to evaluate beach width trends and to identify the need for adaptation strategies.

2.3 Implementation

This Adaptation Plan provides a structure for decision making and planning for sea level rise. Adaptation strategies are analyzed at a conceptual planning-level of detail for purposes of considering potential benefits and effects of adaptation strategies. Implementation of adaptation strategies will require a broad suite of tools, programs, collaboration, and funding sources to help the City take action (Chapter 7).

As projects are developed, additional detailed project-level planning and design would be required. For adaptation strategies involving construction, the project-level planning and design should consider:

- A feasibility study that includes additional technical analyses, development, and assessment of project alternatives and details, conceptual and preliminary engineering design, and cost estimates.
- Community and stakeholder engagement to solicit input on the project alternatives and design details.
- California Environmental Quality Act (CEQA) and possibly National Environmental Protection Act (NEPA) environmental review and regulatory permitting. Regulatory permitting could require approvals and permits from the U.S. Army Corps of Engineers (USACE), U.S. Fish and Wildlife Service, NOAA, California State Lands Commission, CCC, and California Department of Fish and Wildlife (CDFW), as well as other federal and state agencies.
- Final engineering design.

Lead time is required to perform project-level planning, secure funding, and implement or construct an adaptation measure. All adaptation options discussed in this Adaptation Plan require substantial lead time; therefore, thresholds have been developed so that planning for these projects occurs before they are needed (see Sections 4 and 5).

2.4 Evaluation

The Adaptation Plan should be evaluated and regularly updated to capture advances in sea level rise science and best practices, and new or evolving community priorities. The Adaptation Plan should be updated approximately every ten years or as substantive new information is available and as major updates occur to the State of California Sea Level Rise Guidance.



This page intentionally left blank.

City of Manhattan Beach



CHAPTER 3

Adaptation Measures

This section identifies adaptation measures based on science, best practices, CCC guidance (see Section 1.2), and input from the community. Section 3 presents a range of strategies. Considering a broad range of sea level rise adaptation measures allows Manhattan Beach to respond to the threat of rising sea levels through adaptive management with a variety of strategies that can work at different places and at different times.

3.1 Categories of Adaptation Strategies


Adaptation strategies, which defend against coastal hazards like wave impacts, erosion, and flooding, are typically organized within the following categories (Figure 5):

• **Protection strategies,** which employ some sort of nature-based method, engineered structure, or other measure to defend development or resources in their current location without changes to the development itself. Examples of

protection strategies include beach dunes; beach sand nourishment; engineered shoreline protective devices such as seawalls, revetments, groins, and breakwaters; living shorelines; and hybrid approaches using both artificial and natural infrastructure such as engineered beach dunes.

- Accommodation strategies, which modify existing development or design new development in a way that
 decreases hazard risks and increases the resiliency of development. Examples include elevating and/or retrofitting
 structures and using materials that increase the strength of development. In Manhattan Beach, this could include
 floodproofing or raising buildings to accommodate high-water-level events.
- Retreat strategies, which relocate existing development, limit substantial redevelopment, and/or limit the
 construction of new development in vulnerable areas. Development setbacks are an example of a retreat strategy.

Different types of strategies will be appropriate in different locations, and, in some cases, a hybrid approach with strategies from multiple categories may be the best option. Additionally, the suite of strategies chosen may need to change over time as conditions change and previous areas of uncertainty and unknown variables become more certain.



Note: ESHA is defined as Environmentally Sensitive Habitat Area

SOURCE: CCC 2018

Figure 5: Examples of General Adaptation Strategies

3.2 Potential Adaptation Strategies for Manhattan Beach

The <u>Vulnerability Assessment</u> identified the degree of vulnerability the City could face as a result of sea level rise. This Adaptation Plan provides tools for Manhattan Beach to manage risks, plan for, and take actions to build more coastal climate resiliency. The following subsections describe a variety of typical adaptation strategies that are considered in the Adaptation Plan. Sections 4 and 5 then discuss how these, and other more site-specific adaptations, can be applied to the different vulnerable areas of Manhattan Beach.

3.2.1 Coastal Sediment Management – Beach Dune Restoration

Beach dune restoration is recognized as a nature-based way of mitigating backshore erosion, as well as maintaining a wider beach by creating an additional source of sand at the back of the beach, while increasing local sand retention. When beach dunes are allowed to form by natural accretion, they provide a cost-effective buffer of protection from sea level rise and storm erosion. Beach dunes may be allowed to form naturally by restricting grooming and mechanical raking of the beach sand, or through active construction. Seeding or planting native dune plant species to form "living" beach dunes with specialized plants that naturally trap sand as it blows through the system, can create the potential for dunes to grow vertically over time. For example, Santa Monica's beach dune restoration has accreted over a foot of sand, with dune hummocks up to three feet, over about four years with no mechanized sediment movement, just natural accretion (The Bay Foundation 2020). Based on wind data and sediment availability, Manhattan Beach dunes could have similar accretion. Beach dune construction could include placing or moving sand, grading, and planting native plant species (Figure 6). Beach dune restoration can provide aesthetic, ecological, resiliency, and recreational benefits. Native dunes provide habitat for wildlife such as shorebirds, lizards, and specialized invertebrates, including many rare species. When constructing dunes, one hybrid engineered option includes placement of cobble or rock below the constructed sand dune. Cobble and rock are often naturally present below beaches in California (Figure 7). Burying a layer of cobble or rock provides a "backstop" that may be more erosion resistant and dissipates waves to a greater degree.

Restored beach dunes can provide coastal resiliency and storm protection, and have the potential to grow over time to provide increased protection. Both beaches and dune systems are naturally dynamic and can be eroded and washed out during large storm events. However, some of the eroded sand often forms an offshore bar. During the summer and post-storm-events, waves gradually return some of the eroded sand from offshore back to the beach. However, some of the sand can be lost offshore or moved down-coast.




Figure 6: Cross-section of the planned Manhattan Beach dune restoration project




Figure 7: Cross-section of dune restoration and cobble placement

3.2.2 Coastal Sediment Management – Winter Berms

Beach sculpting or the creation of winter beach berms is an adaptation strategy that provides protection against coastal storm flooding and waves during the winter coastal storm season. Sand is scraped from the foreshore using bulldozers to construct berms that are generally between 12 to 16 feet high (Figure 8).


Los Angeles County Department of Beaches and Harbors (LACDBH) regularly constructs temporary seasonal sand berms at beaches such as Zuma Beach, Venice Beach, Dockweiler State Beach, and Hermosa Beach to reduce winter flooding of the lifeguard facilities, restrooms, maintenance yards, bike paths, public parking lots and other infrastructure along the coast (LA County 2016). The County considers it to be one of the most cost-effective strategies to protect coastal assets. However, as sea levels rise and beaches erode, the temporary winter berms will become less effective and harder to construct each season. Additionally, winter berms have detrimental impacts on the nearshore ecological community since berm creation can smother species and grading of the beach can lower diversity and abundance of wrack-associated animals.



Source: LA County 2016

Figure 8: Construction of a temporary winter berm at Hermosa Beach

3.2.3 Coastal Sediment Management – Beach Nourishment



Beach sand nourishment is an adaptation strategy that refers to placement of sand to widen a beach, which can be accomplished by placing a sediment-water slurry directly on the beach or mechanical placement of sediment with construction equipment (see photo to the left). Beach nourishment is an adaptation strategy that provides protection against coastal storm erosion while increasing the sediment supply and beach width and some dynamic coastal processes, such as the ability of the beach to erode in response to winter coastal storms and build up sand in response to summer wave conditions. However, impacts to nearshore ecology and beach species such as fish, invertebrates, and birds can occur during sand placement and beach construction. Sand can be obtained from inland sources (e.g., construction projects, quarries) or can be dredged from offshore; however, it can be difficult to find sand supplies of the right quality (e.g., grain size, color, non-toxic/clean) and quantity for beach nourishment. There are substantial

permitting requirements for beach nourishment including timing the nourishment project to minimize ecological and public access impacts, requirements for sediment (testing requirements, grain size, contaminants, etc.), and monitoring for impacts over time. However, the coastal permitting tends to be more feasible than engineered coastal structure adaptation strategies, such as groins and breakwaters. The City should coordinate on beach nourishment strategies with LACDBH and the California Coastal Sediment Management Work group (CCSMW), which is a collaboration between the CNRA, the U.S. Army Corps of Engineers, and regional entities. USACE and CCSMW developed the CRSMP, which includes recommendations to identify, quantify, and dedicate offshore sand resources in Los Angeles County to restore public beaches.

While beach nourishment initially reduces the risk of flooding and erosion along the beach, beach width is expected to diminish with time, requiring an ongoing cycle of "re-nourishment" to maintain the beach. Additionally, while a wider beach reduces wave energy that reaches the shore, nourishment may not protect against flooding during high water level events, such as those that occur with King Tides and storms. During large coastal storm events, sand can be transported off the beach rapidly, reducing or eliminating the benefit of the sand nourishment.

As sea level rises, the frequency of required nourishment is likely to increase, as seen in other coastal jurisdictions in California. In addition to widening the beach to offset erosion, additional sand will be needed to raise the elevation of the beach up to the increased sea level. The demand for sand sources is likely to increase, and the availability of sand may become increasingly scarce or uncertain. Beach nourishment can be considered in conjunction with sand retention measures to improve the longevity of sand placements such as nature-based methods or construction methods (see Section 3.2.4 below).

3.2.4 Sand Retention Structures – Groins

Groins are engineered perpendicular revetments like jetties that extend perpendicular to the beach and trap sand from drifting downcoast (Figure 9). Where wave conditions are ideal, groins have been successfully used along some parts of the California coast and other locations to maintain a wider beach. In other cases, groins can induce and/or accelerate erosion downcoast of the groin, as shown in Figures 9 and 10. Construction of groins is generally considered along stretches of the coast with high net longshore sediment transport. In application, groins segment the beach and nourishment efforts into compartments, where sand is ideally contained within the compartment.



SOURCE: Google Earth

Figure 9: Aerial of Groins at Will Rogers State Beach in Santa Monica Bay




Figure 10: Example of the processes around groins


Limited public access over or across groins has the potential to negatively impact horizontal access along the beach, such as seen in South Redondo Beach. Constructing rock groins and other rock structures on the beach and/or in the ocean would alter the character of the natural shoreline and offshore habitats and have biological impacts to beach and nearshore species. Groins can significantly reduce the amount of sand transported down-current to neighboring beach areas as sand is trapped up-current of the groin. This impact may be somewhat mitigated if the area up-current of the groin is partially filled with sand as part of construction. This can require significant amounts of imported sand. A regional plan may be needed to address down-current impacts.

Due to the potential impacts to down-shore beaches and ecological impacts, new groins are challenging to permit. Most groins in Los Angeles County were constructed decades ago under different permitting regulations and before the California Coastal Act. At a minimum, the following would be required for there to be a chance at permitting success with CCC and other agencies with jurisdiction offshore: (1) a robust alternatives analysis showing that no other feasible, less damaging alternatives exist; (2) a clear demonstration of need; and (3) consistency with the goals of the Coastal Act and the Public Trust Doctrine which applies to public trust lands (tide and submerged lands and beds of navigable waters). Permitting conditions could include, among others, habitat mitigation and/or sand mitigation to address any impacts to sand transport downcoast. However, if the groins worked as intended, stabilizing and widening the beaches would add recreational area and provide a buffer for development, which could potentially meet the objectives of the California Coastal Act.⁴

Chapter 3: Adaptation Measures

⁴ Griggs, G, K. Patsch, C. Lester, and R. Anderson. 2020. Groins, sand retention, and the future of Southern California's beaches. Shore and Beach, Vol 88, No 2. Spring 2020.

3.2.5 Sand Retention Structures – Breakwaters



Breakwaters are offshore structures constructed parallel to the beach to reduce wave action. Typically built out of rock or concrete, breakwaters extend from the ocean floor to above the ocean level, thereby acting as a wall that blocks waves by causing them to break farther offshore. Breakwaters dissipate incident wave energy shoreward of the breakwater and change the pattern of sand transport in their lee (i.e., wave shadow), thereby reducing the transport of sand. These structures are generally applicable where there is a firm seabed and the need to create a calm area free from wave energy.

Breakwaters have been used to shelter shorelines and harbors, have been built in shorter segments to encourage sand accumulation behind the breakwater segments, and in some instances can provide access and recreation. However, breakwaters significantly change wave patterns and have the potential to change surfing resources. They can also starve down-current areas of sand as sand accumulates in front of the breakwater. Breakwaters can also displace and change ocean habitats.

Due to permitting and mitigation requirements, very few new breakwaters are being considered in California, and the removal of breakwaters has been explored in some cases such as the City of Long Beach's East San Pedro Bay Ecosystem Restoration Feasibility Study to remove the Long Beach Breakwater. However, the repair and enhancement of existing structures has been approved by the CCC in several cases. For example, in Laguna Beach, the CCC permitted the enlargement of a rock ledge to increase its ability to retain sand, and in 2021, the CCC approved the use of small rock groins to help stabilize a living shoreline, shore protective feature at West Trail in Half Moon Bay. In the future, sea level rise may change the way proposed projects are analyzed under the Coastal Act. For example, with future sea level rise, sand retention structures could possibly become more feasible to permit if they are the most protective measure for coastal resources at a particular location. It is therefore uncertain as to whether current permitting trends will continue into the future or not.

Similar to groins, the following would be required for there to be a chance at permitting success with CCC and other agencies with jurisdiction offshore: (1) a robust alternatives analysis showing that no other feasible less damaging alternative exist; (2) a clear demonstration of need, and (3) consistency with the goals of the Public Trust Doctrine and Coastal Act. Permitting conditions could include, among others, habitat mitigation and/or sand mitigation (e.g., beach nourishment) to address any impacts to sand transport downcoast.

3.2.6 Sand Retention Structures – Reefs, Kelp Beds, and Eelgrass Beds

Rocky reefs, kelp beds, and eelgrass beds can provide habitat for native species, sequester carbon through plant life, and accumulate sediment offshore. Restoring or constructing these habitats offshore can potentially provide some protection from coastal hazards as well.

Artificial reefs are underwater, offshore structures constructed of rock or other materials (Figure 11). Multipurpose artificial reefs are intended to encourage sand retention behind the reef, reduce wave energy, provide rocky reef habitat, and provide or enhance surfing resources (Figure 12). Because reefs are usually submerged, they do not completely reduce wave energy or flooding at the shoreline. Artificial reefs installed to act as submerged breakwaters have received increased attention in recent years as a means of shore stabilization and erosion control. This is primarily due to their low aesthetic impact, enhanced water exchange relative to traditional emergent breakwaters (Vicinanza et al. 2009), ecological benefits, and potential to enhance local surfing conditions (Ranasinghe and Turner 2006).




Figure 11 Example illustration of an offshore reef




Figure 12 Schematic of multipurpose reef intended to create a surfing break

Use of artificial reefs to retain sand and enhance surfing is still a relatively recent method when compared with groins and breakwaters. Artificial reefs have been investigated, constructed, and monitored as a way to enhance habitat and marine life in various locations, including locally in Palos Verdes and Orange County; however, these projects were not designed for sand retention. Pratt's reef, constructed off the beach of El Segundo in 2000 with the purpose of improving surfing conditions, was considered a failure at providing surf and was removed in 2010⁵. There is not currently enough evidence with successful sand retention associated with artificial reef construction to assess the feasibility of reefs for this purpose. CDFW is currently

⁵ https://www.surfrider.org/coastal-blog/entry/asr-removal-in-el-segundo-ca


working to develop a statewide artificial reef management plan, which will help guide strategies for possible future artificial reef construction in California. While reefs may reduce sand transport downcoast less than groins and breakwaters, their purpose from a coastal adaptation standpoint would still be to retain sand, which would have some impact to downcoast sand transport. Artificial reefs can provide underwater habitat for marine species, but they can also displace and change existing ocean habitats at the reef site and shoreward of the reef.

As with any sand retention structure proposed offshore, permitting would be complex. At a minimum, the following would be required for there to be a chance at permitting success with CCC and other agencies with jurisdiction offshore: (1) a robust alternatives analysis showing that no other feasible less damaging alternative exist; (2) a clear demonstration of need, and (3) consistency with the goals of the Public Trust Doctrine and Coastal Act. Permitting conditions could include, among others, habitat mitigation and/or sand mitigation to address any impacts to sand transport downcoast.

Kelp beds combined with artificial reef installation can provide habitat benefits with some reduction in sand movement downcoast as well as wave attenuation benefits. Restoring kelp beds requires a rock substrate and can be accomplished in areas with existing submerged rock or by constructing and placing rock offshore. Scientists at UC Davis and LMU are currently assessing kelp beds for wave attenuation. With a focus on restoration of kelp forest habitat, permitting of this strategy may be less complex than other sand retention structures and strategies.

Eelgrass beds establish in sandy bottom habitat, such as the habitat found along Manhattan Beach's coast. Scientists in California are currently investigating the potential carbon sequestration, sand accretion, and wave energy dissipation from offshore eelgrass beds (*Zostera pacifica*), which could inform Manhattan Beach's adaptation strategies. The Bay Foundation has three eelgrass restoration projects throughout Santa Monica Bay, that can provide additional data on this strategy. With multi-benefits to marine life from eelgrass bed restoration, permitting of this strategy may be less complex than other sand retention structures and strategies, especially if current studies show that eelgrass retains and stabilizes offshore sediment, while providing benefits to marine life and sequestering carbon.

3.2.7 Shoreline Protection Devices




Shoreline protection devices, such as seawalls and rock revetments, are structures along the coast that can provide flood and erosion protection for properties by absorbing or dissipating wave energy. Seawalls are vertical structures along a beach used to protect structures and property from wave action (see the photo to the right). They may be either gravity- or pile-supported structures and are normally constructed of stone or concrete.


Revetments provide protection to slopes and are constructed of materials such as stone boulders (Figure 13). Similar in purpose to a seawall, revetments work by absorbing or dissipating wave energy. Revetments are made up of an armor layer (e.g., rock rip-rap piled up or a carefully placed assortment of interlocking material, which forms a geometric pattern), a filter layer (which provides for drainage and retains the soil that lies beneath), and a buried toe (which adds stability at the bottom of the structure).



Figure 13: Photo of waves against a revetment in Pacifica, CA

While seawalls and revetments can provide protection to existing coastal development behind them, these structures can contribute to erosion and accelerate beach loss. The structures fix the shoreline from moving inland, impacting natural coastal dynamics. Normally, waves lose momentum and energy as they run up a gently sloping shoreline, and sand is deposited to form beaches. Many shoreline protection devices make a hard back-stop to the shoreline. Waves hit the devices and reflect backward, rather than dissipating, often causing increased sand erosion in front of the device. They can also increase beach erosion on either side of the device and impact down-shore sand supplies. With ongoing beach erosion and sea level rise and without any other mitigating measures, "fixing" the shoreline location with a seawall or revetment will eventually lead to the loss of the beach seaward of the structure (Figure 14).





SOURCE: CCC 2018

Figure 14: Coastal squeeze process resulting in beach loss

In some cases, seawalls and rock revetments can have significant impacts on lateral access along the beach due to their displacement of beach area during construction as well as beach loss that can occur in front of and adjacent to these devices after construction. In some cases they may also impair vertical access to the beach. Paths of access can be provided over and along the top of seawalls and revetments. It is more difficult, however, to climb one of these structures than to simply walk on the beach. Seawalls and rock revetments also can displace and significantly alter beach habitats and ecology.

Additionally, using seawalls or rock revetments to "hold the line" on an eroding shoreline with sea level rise may not be sustainable due to increasing wave action and overtopping associated with the loss of the fronting beach. Sea level rise will require more frequent maintenance or reconstruction of these structures. Over time, the rocks of a revetment can move around and get washed onto the beach, reducing the effectiveness of the revetment and causing increased impacts to beach access.

Note that shoreline protection devices are designed to protect and withstand coastal storm events up to a certain severity, such as the "100-year storm event." Storm events that are more severe than the design events can cause flooding and damage.

Permit applications for shoreline protection devices is a complex and lengthy process. When allowed, seawalls and revetments would need to be designed to eliminate or mitigate adverse impacts on the local shoreline sand supply, habitats, and public access to and along the shoreline. Permitting conditions could include, among others, mitigation projects, in-lieu mitigation fees, and monitoring to address these concerns that can be expensive. If the shoreline protection devices are located on State tidelands, the projects would also have to be consistent with the goals of the State tidelands trust to be permitted.

3.2.8 Elevating or Waterproofing Structures and Infrastructure

Examples of elevated development



Source: SPUR Report, 2011. https://www.spur.org/sites/default /files/2013-09/SPUR_ClimateChangeHitsHom



Source: Copyright 2002-2016 Kenneth & Gabrielle Adelman, California Coastal Records project, www.californiacoastline.org

Raising structures such as buildings, trails, and utilities is a measure that can shift infrastructure above coastal flooding elevations. Elevating structures can include raising buildings on pile foundations or caissons to allow for some limited migration and persistence of a fronting beach in the near-term (photo to the left). Raising trails and utilities could include replacing at-grade trails with pile-supported boardwalks. Associated utilities such as power, sewer, water, and electrical connections also need to be raised or waterproofed to avoid damage.

Raising buildings to address flooding as a result of more frequent coastal storm events allows use of the buildings in between storm events. However, as sea levels rise and areas become more inundated from regular high tides or more frequent small coastal storm events, raising buildings on piles becomes ineffective as an adaptation strategy by itself because access to the structures would be restricted due to flooding of surrounding areas. Additionally, it could become hard to maintain services (e.g., water, wastewater, and electricity) to the structures. If elevating infrastructure is not paired with protective measures such as beach dune restoration and beach nourishment (Section 3.2.1 and 3.2.2), the shoreline could continue to migrate past structures and potentially damage additional infrastructure.

Building designs can also be modified so that the first floor is durable and resilient to flood damage. Trails could be raised to avoid flood hazards. Infrastructure such as water and wastewater pipelines could be redesigned to be waterproofed.

3.2.9 Elevating Property Grade

Raising buildings or trails could be accomplished by placing fill to rebuild the grades at higher elevations. Utilities such as sewer pipelines and storm drains that are vulnerable to flooding, erosion, or increased groundwater levels can also be raised, so long as gravity flow is maintained or pumps are installed. However, if one area is raised, all connecting roads, trails, and utilities would have to be rebuilt to slope up to the new grade. Elevating grades requires significant amounts of fill and, therefore, may only be feasible for areas of limited size. Additionally, filling an area changes the hydrology of both the area filled and the way rainfall runoff flows to neighboring areas. Stormwater would have to be managed effectively from the filled areas so as to not increase flood risks elsewhere.

3.2.10 Managed Retreat

Managed retreat strategies are those strategies that relocate or remove existing development out of hazard areas and limit the construction of new development in vulnerable areas. As buildings, utilities, and other infrastructure are increasingly at risk along beaches, removal or relocation to a less hazardous area is an effective adaptation strategy. Relocation requires sufficient and appropriate space. In some cases, this could require land acquisition. Removal or relocation can also be phased to maintain at least some temporary use of the development or infrastructure as sea levels rise.

Hazard avoidance can also be facilitated through development restrictions that are consistent with state statutes, including the Coastal Act, and the state and federal constitutions. Managed retreat in California has been most typically used for public property and by government agencies, which have applied it in Asilomar State Beach and Surfer's Point.



CHAPTER 4

City-Wide Adaptation Approach

Certain adaptation measures could be implemented city-wide to help provide additional protection to multiple city assets. These strategies could be used to protect the more dynamic and spatially-varying assets as well, such as the beach, events, and beach habitat.

The beach is currently 300-400 feet wide in places; however, Manhattan Beach has not always been so wide. In 1938, Dockweiler Beach was nourished with approximately 1.8 million cubic yards of sand from the construction of the Hyperion Sewage Treatment Plant on sand dunes. Multiple beach nourishments followed in Santa Monica Bay, adding over 30 million cubic yards of sand to upcoast beaches, including Dockweiler Beach, Venice Beach, and El Segundo. Sand nourishment of upcoast beaches combined with a net southward sediment transport caused by waves and currents towards Manhattan Beach deposited enough sand to widen the beach by approximately 250 feet from the 1940s to the 1970s. The construction of numerous breakwaters, groins, and jetties in Santa Monica Bay has reduced sediment transport. Specifically, the groin at El Segundo Marine Terminal reduces sediment transport southward towards Manhattan Beach, limiting deposition on the beach. But King Harbor at Redondo Beach, south of Manhattan Beach, limits sediment transport from leaving Manhattan Beach and Hermosa Beach's shoreline, where it would otherwise be lost to the Redondo Submarine Canyon. This allows Manhattan Beach to retain sand on the beach. However, beach nourishment projects of this scale are not expected to be feasible in the future due to a lack of sand supply and permitting constraints.

If no adaptation measures are taken, sea level rise will cause increased levels of erosion of the beach, as well as increased flooding risk to coastal infrastructure, resulting in increased risk to vulnerable assets. Table 2 presents projected average beach widths over time if no adaptation measures are implemented based on erosion modeling results presented in the Vulnerability Assessment. Because the beach width is fairly constant across the city, the values in Table 2 are spatially representative of the city. However, it is important to note that beach widths vary temporally, with beaches eroding in the winter in response to storm events and building up in the summer in response to wave conditions. Table 2 presents the average beach width; typical seasonal oscillations of the shoreline are around 30 feet in Southern California but large coastal storm events can cause larger oscillations with the beach eroding by as much as 100 feet.

TABLE 2: BEACH WIDTH EVOLUTION

| YEAR | AMOUNT OF SEA LEVEL RISE (FT) | TOTAL BEACH WIDTH RELATIVE TO MEAN HIGH WATER (FT) | % LOSS |
|------|----------------------------------|---|-----------|
| 2020 | 0.5 | 370 | 0% |
| 2030 | 0.8 | 360 | 2% |
| 2040 | 1.2 | 350 | 5% |
| 2050 | 1.9 | 330 | 11% |
| 2060 | 2.6 | 310 | 16% |
| 2070 | 3.4 | 290 | 22% |
| 2080 | 4.4 | 260 | 29% |
| 2090 | 5.5 | 230 | 37% |
| 2100 | 6.8 | 200 | 47% |

Beaches, which are dynamic ecosystems already subject to dramatic cycles of erosion and accretion, tend to be resilient to coastal storm events. However, sea level rise will lead to long-term erosive trends, which could lead to impacts to biodiversity, community composition, ecological function, and wildlife populations. Additionally, the narrower beach could lead to impacts to sand accumulation, wrack retention, and nutrient cycling. A smaller beach would also reduce the area for mobile intertidal animals that spend most of their time in the lower intertidal zone, but move during high waves and storm conditions.

The beach is also a major recreational asset of Manhattan Beach and the region, including hosting large beach events such as beach volleyball tournaments. Access to sandy beach will become more limited with rising sea levels, affecting not only beach activities, but also beach access, safety logistics (lifeguards, fire), recreational and mobility infrastructure such as the bike trail, and management practices (trash removal, grooming, etc.).

Additionally, visitors from surrounding areas may increase in the future as other beaches are lost. Los Angeles County estimates that Redondo Beach and Torrance Beach may be completely eroded by 2100 (LA County 2016). This will likely increase the demand for beach access at Dockweiler State Beach, Manhattan Beach, and Hermosa Beach, which may maintain around 200-foot wide beaches by the end of the century (LA County 2016, Table 2). While the City of Manhattan Beach does not contain any disadvantaged or low-income communities as defined by SB 535 and AB1550, there are both disadvantaged and low-income communities north and east of the city, who may rely on the coastal resources and amenities within Manhattan Beach. This may increase the consequences of coastal hazard impacts to certain assets, like parking lots and restrooms, since these assets allow visitors to access the coastal resources. Therefore, it will be important for the City to prioritize maintaining

and improving coastal access resources, such as trails (Section 5.1), visitor-serving amenities (Sections 5.2 and 5.4), public parking (Section 5.3), EV charging stations, bike racks, and other mixed-modal facilities for non-residents.

The threshold criteria to be monitored for the beach area includes sea level rise, flood impacts (to access points, assets, etc.), and approximate beach widths. A specific trigger distance should be developed for the beach based on the projections in Table 2 and an acceptable level of risk as determined by the City.

Adaptation options that could be used for the beach include (in recommended order):

- Beach dune restoration
- 2. Winter sand berms
- 3. Offshore reefs, kelp beds, and eelgrass beds
- 4. Managed retreat accepting a narrower beach
- 5. Beach nourishment
- 6. Groins

Section 3.2 describes these different adaptation strategies in detail. The following sections analyze whether these strategies would be feasible and effective to implement along the beach and summarizes tradeoffs associated with each strategy.

4.1 Beach Dune Restoration

The Manhattan Beach Dune Restoration Project⁶, led by The Bay Foundation in partnership with LACDBH, City of Manhattan Beach, and California State Coastal Conservancy, is currently finalizing the permitting and planning stage for restoring dunes along 0.6 miles of the coast up and downcoast of Bruce's Beach (as of May 2021). The project, expected to be implemented beginning in fall 2021, will enhance and expand approximately three acres of existing beach backdunes from 36th Street to 23rd Street. The goal of this dune restoration project is to increase the resiliency of the beach through the restoration of sandy beach and backdune habitat, implement nature-based protection measures against sea level rise and coastal storms, and increase engagement of the community through enhanced beach experiences. The restoration project will include removing non-native plants and seeding and planting native vegetation, which will increase sand retention while building dunes over time. The project will also include strategic installation of various types of fencing and installation of educational features like interpretive signage. This demonstration site will serve as a model for the region, showing that heavy recreational use of beaches and meaningful habitat restoration are not incompatible goals.

Additional beach dune restoration could be pursued in other areas of the city or across more of the beach width as an adaptation strategy to maintain the beach and provide flood protection, while also providing valuable habitat (Section 3.2.1). While the pilot project is focused in the backdunes, the City could consider implementing restoration of foredune habitat to

https://www.santamonicabay.org/explore/beaches-dunes-bluffs/beach-restoration/manhattan-beach-dune-restoration-project/manhattan-beach-dune-restoration-project-fag/

provide additional protection to the beach. However, foredune habitat is expected to experience more erosion during extreme storm events compared to backdune habitat.

4.2 Winter Sand Berms

Temporary winter berms could be constructed to provide flood protection, although the berms would create disturbances to existing habitat (Section 3.2.2). Los Angeles County currently builds winter sand berms on other beaches in Santa Monica Bay and is considering expanding the program to Manhattan Beach in the future, when their beach assets, such as the restrooms, become exposed to flooding. The County could potentially include the low-lying areas of the Marvin Braude Trail in their winter berm construction. The County estimates that winter berms built to a height of 12 to 16 feet above the existing wetted beach provide wave runup protection from a 50-year storm event. Approximately 200 feet of sandy beach width would be required to implement the winter berm program. (LA County 2016).

4.3 Reefs, Kelp Beds, and Eelgrass Beds

Restoration of kelp and eelgrass beds offshore of Manhattan Beach could provide habitat benefits with some reduction in sand movement downcoast (Section 3.2.6). However, while offshore kelp and eelgrass beds may dissipate waves to some extent, they may not be very effective at maintaining sand on the beach. Note that hard substrate is required to establish kelp beds. Areas offshore of Manhattan Beach have predominantly sandy substrates and rock or other hard substrate would likely need to be placed to establish kelp beds. Additionally, eelgrass beds could be established on sandy bottom habitat closer to the shore.

The effectiveness and feasibility of reefs, kelp beds, and eelgrass beds in conditions similar to those in Manhattan Beach have not been established; however, they are currently being studied. They remain, to date, experimental pilot adaptation strategies for sand retention and coastal flood reduction. More studies are necessary to prove feasibility, but it is possible reefs, kelp bed, and eelgrass bed restoration could be pursued further based on results of pilot projects in similar locations. While not recommended solely as a sea level rise adaptation strategy for Manhattan Beach, restoration of kelp beds, eelgrass beds, and offshore reefs can provide other benefits to the community by providing habitat and carbon sequestration as well as some attenuation of wave energy.

4.4 Managed Retreat – Accepting a Narrower Beach

Because Manhattan Beach has such a wide beach, some narrowing of the beach may be considered acceptable (Section 3.2.10). As presented in Table 2, the beach would still be 200 feet wide, on average, with 6.8 feet of sea level rise. Accepting a narrower beach would be a cost-effective strategy compared to other adaptation measures, but may require changes to the layout of beach events. This means beach events should also be timed to not co-occur during King Tides or when large waves are expected/predicted. Some amount of beach is still expected to be dry with 6.8 feet of sea level rise except during storm events (e.g., 1-year event or larger).

Accepting a narrower beach could also be part of a hybrid strategy where no action is taken in the near- to mid-term but additional measures are implemented in the long-term.

4.5 Beach Nourishment

Manhattan Beach has a history of benefitting from beach nourishment efforts by being downcoast of such projects (Section 3.2.3). The City could pursue additional sand sources such as opportunistic beach nourishment (surplus sand from various sources, including inland construction or development projects), additional offshore dredging, or regional nourishment programs. It is important to note, however, that it can be difficult to find sand supplies of the right quality (e.g., grain size, color, non-toxic/clean) and quality for beach nourishment.

4.6 Groins

The previous construction of numerous breakwaters, groins, and jetties in Santa Monica Bay has reduced sediment transport in and around Manhattan Beach. Specifically, the groin at El Segundo Marine Terminal reduces sediment transport southward towards Manhattan Beach, limiting deposition on the beach. But King Harbor at Redondo Beach, south of Manhattan Beach, limits sediment transport from leaving the city's shoreline, where it would otherwise be lost to the Redondo Submarine Canyon. This allows Manhattan Beach to retain sand on the beach.

One or more groins could be placed along the beach to maintain a wider beach (Section 3.2.4), which could be implemented in conjunction with beach and dune nourishment (Section 3.2.3) to improve the effectiveness of nourishment. Groins would decrease sand transport downcoast of the city, which could impact downcoast areas. However, groins in conjunction with beach nourishment could possibly partially mitigate potential downcoast impacts.

Compared to beach dune restoration, managed retreat, and beach nourishment, groins have a higher implementation cost. Additionally, constructing groins would require navigating complex permitting requirements from state and federal agencies, with unknown success.

4.7 Other Strategies

The following strategies are not recommended for Manhattan Beach at this time.

4.7.1 Breakwaters

Breakwaters often destroy surfing resources and permitting in California for new breakwaters has become rare, so building a new breakwater may be infeasible (Section 3.2.5). Due to very low likelihood of success in permitting, construction of new breakwaters is not currently recommended at this time.

4.7.2 City-Wide Shoreline Protection Devices

As discussed in Section 3.2.7, seawalls and revetments can contribute to erosion, accelerate beach loss, and impact lateral and vertical beach access. Since The Strand and development to the east is not expected to be impacted by coastal hazards before the end of the century, city-wide shoreline protection devices are not necessary at this time. As discussed in Sections 5.1.2, 5.2.2, and 5.3.2, certain coastal assets may benefit from short lengths of seawalls, but a city-wide structure is not recommended.

4.7.3 Elevating Structures or Property Grade

Elevating structures or property grade can be very costly and can impact the hydrology of surrounding areas. Since The Strand and development to the east is not expected to be impacted by coastal storm events nor erosion before the end of the century, elevating structures or property grade is not necessary at this time. As discussed in Sections 5.1.3, 5.2.3, 5.2.4, and 5.4, certain coastal assets may benefit from raising structures or grades, but expanding this strategy city-wide is not recommended.

4.7.4 Managed Retreat


Since The Strand and development to the east is not expected to be impacted by coastal hazards before the end of the century, managed retreat is not necessary at this time. As discussed in Sections 5.1.4 and 5.2.5, certain coastal assets could be removed and/or relocated, but expanding this strategy city-wide is not recommended.

4.8 Community Input

During the community focus group meetings (Section 2.1), the groups were asked to rank their first, second, and third priority adaptation strategy for the beach, beach facilities, and beach events. Figure 15 provides the weighted⁷ results of this survey. The results were very focused on green solutions, with beach dune restoration as the favored strategy.

Each adaptation strategy received 3 points for a "first priority" response, 2 points for a "second priority" response, and 1 point for a "third priority" response. The totals for each strategy were then adjusted by the total number of points awarded to come up with a percentage.

What is your preferred adaptation strategy for beaches, beach facilities, and beach events?



Based on 26 participants.

Figure 15: Public Input on Adaptation Strategies for the Beach, Beach Facilities, and Beach Events



City of Manhattan Beach

This page intentionally left blank.



CHAPTER 5

Asset-Specific Adaptations

This section revisits the assets analyzed in the Vulnerability Assessment and provides recommendations for adaptation measures that would be appropriate for each asset. Each section below summarizes the key vulnerabilities identified in the Vulnerability Assessment as a result of sea level rise if no action is taken to mitigate the hazards. The sections then describe the thresholds for determining when adaptation is needed for the asset. Lastly, the sections consider the feasibility, effectiveness, and the tradeoffs associated with implementing the applicable adaptation strategies presented in Section 3.2 to the different assets in Manhattan Beach.

5.1 Marvin Braude Bike Trail

The Marvin Braude Bike Trail is expected to be vulnerable to wave runup during a 100-year storm event with 4.9 feet of sea level rise. Some locations through the El Porto beach area could be exposed to more extensive storm inundation with 4.9 feet of sea level rise, but the trail is not expected to experience daily tidal inundation with up to 9.8 feet of sea level rise (the highest amount of sea level rise analyzed in the Sea Level Rise Vulnerability Assessment).

The threshold criteria that should be monitored for the Marvin Braude Trail is the frequency of flooding and coastal storm damage. Once monitoring shows the trail is experiencing flooding once a year or more, which would be expected sometime after 5.7 feet of sea level rise, planning for implementation of an adaptation measure would begin.

Adaptation options that could be used for the trail include:

- Beach dune restoration
- Temporary winter berms
- 3. Shoreline protection devices
- 4. Building a boardwalk or elevating the trail
- 5. Managed retreat

Section 3.2 describes these different adaptation strategies in detail. The following sections analyze whether these strategies would be feasible and effective to implement along the Marvin Braude Trail and summarizes tradeoffs associated with each strategy.

5.1.1 Beach Dune Restoration

Permanent, restored beach dunes could be constructed along the low sections of the Marvin Braude Trail to reduce the likelihood of flooding during extreme storm events, as discussed in Section 3.2.1. Section 4.1 discusses the Manhattan Beach Dune Restoration Project, which will enhance and expand approximately three acres of existing beach dunes from 36th Street to 23rd Street. A similar project could be conducted along other parts of the trail.

5.1.2 Winter Sand Berms

Temporary winter sand berms could be constructed along the low sections of the Marvin Braude Trail to reduce the likelihood of flooding during extreme storm events, as discussed in Section 3.2.2. See Section 4.2 for additional discussion on this strategy.

5.1.3 Shoreline Protection Devices

Seawalls and revetments could be used along the Marvin Braude Trail to mitigate the threat of flooding, as discussed in detail in Section 3.2.7. Part of the trail along north El Porto Beach is protected by a revetment and a seawall protects the trail near the Pier. Flood protection could be accomplished with new shoreline protection devices at select threatened areas. In order to function properly and effectively mitigate inland flooding hazards, any seawalls would have to be combined with access points in the walls that would be blocked during storm events but could allow drainage when flood waters recede. Figure 16 shows an example from Del Mar of how access could be blocked during a high water level event.



SOURCE: Robin Crabtree, March 8, 2016

Figure 16: Seawall with Access Closed During High Water Event in City of Del Mar

5.1.4 Building a Boardwalk or Elevating the Trail Grade

In areas of the trail that are expected to flood with sea level rise, the trail could be turned into a boardwalk or the grade under the trail could be raised (Sections 3.2.8 and 3.2.9) to protect them from flooding. Surrounding pedestrian connections and infrastructure would need to be raised as well. Turning portions of the trail into a boardwalk may require additional safety measures as well, such as railings.

As discussed in detail in Section 3.2.9, raising grades can change runoff patterns and the hydrology of an area, and can cause increases in flooding in adjacent lower areas if stormwater flows are not managed effectively.


5.1.5 Managed Retreat

Removal and relocation of threatened trail sections could occur in phases as sea level rise progresses (Section 3.2.10).

Removal, relocation, or rerouting of public trails must be done with close consideration of temporary and permanent impacts to public services, transportation, and public access and recreation.

5.1.6 Community Input

During the second community workshop (Section 2.1), the groups were asked about their priority adaptation strategy for the Marvin Braude Bike Trail. Figure 17 provides the results of this survey. The results varied, but the majority of participants favored beach dune restoration.



What would be your preferred adaptation strategy for the Marvin Braude trail?

Based on 9 participants.

Figure 17: Public Input on Adaptation Strategies for the Marvin Braude Bike Trail

5.2 Buildings along the Beach

Although there are no residential structures on the beach, there are three public restrooms located along the shoreline of Manhattan Beach: El Porto beach restrooms between 43rd and 42nd Streets, restrooms and maintenance building at the end of Rosecrans Avenue, and the restrooms at the Pier. There is also a food stand and beach rental building at El Porto Beach.

The restrooms and maintenance building at Rosecrans Avenue are the most vulnerable of the three restroom buildings and are already vulnerable to wave runup during a 100-year storm event, whereas the restrooms at the Pier would not be vulnerable until 1.6 feet of sea level rise and the El Porto restrooms would not be vulnerable until 4.9 feet of sea level rise. The Rosecrans Avenue building could be exposed to more extensive storm inundation with 3.3 feet of sea level rise, and daily tidal inundation between 6.6 and 9.8 feet of sea level rise. The Pier and El Porto restrooms could experience storm inundation with 3.3 feet and 4.9 feet of sea level rise, respectively, but neither would be expected to experience daily tidal inundation with up to 9.8 feet of sea level rise (the highest amount of sea level rise analyzed in the Sea Level Rise Vulnerability Assessment).

The El Porto food stand and beach rental building is already vulnerable to wave runup during a 100-year storm event. The building could be exposed to more extensive storm inundation with 3.3 feet of sea level rise and daily inundation with 6.6 feet of sea level rise.

The threshold criteria that should be monitored for the buildings on the beach is the frequency of flooding and coastal storm damage. Once monitoring shows that the buildings are experiencing flooding once every ten years or more frequently, which would be expected sometime after 4.1 feet of sea level rise, planning for implementation of an adaptation measure would begin.

Adaptation options that could be used for the restrooms include:

4. Beach dune restoration

- 5. Temporary winter berms
- 6. Shoreline protection devices
- 6. Elevating or waterproofing the buildings
- 7. Elevating property grade
- 8. Managed retreat

Section 3.2 describes these different adaptation strategies in detail. The following sections analyze whether these strategies would be feasible and effective to implement for the buildings and summarizes tradeoffs associated with each strategy.

5.2.1 Beach Dune Restoration

Permanent, restored beach dunes or a hybrid engineered cobble approach could be constructed in front of the buildings along the beach to reduce the likelihood of flooding during extreme storm events, as discussed in Section 3.2.1. See Section 5.1.1 for additional discussion on this strategy.

5.2.2 Winter Sand Berms

Temporary winter sand berms could be constructed in front of the buildings along the beach to reduce the likelihood of flooding during extreme storm events, as discussed in Section 3.2.2. See Section 4.2 for additional discussion on this strategy. Keeping the buildings in place with winter sand berms in front of them could result in the loss of lateral beach access in front of the buildings, recreational space, and beach habitat while the berms are in place. However, the loss of lateral access is not likely to occur until after 6.6 feet of sea level rise.

5.2.3 Shoreline Protection Devices

A seawall could be constructed around the restrooms at El Porto beach and Rosecrans Avenue and the food stand and beach rentals building at El Porto beach, all of which are at grade with the beach (Figure 18). As discussed in Section 3.2.7, in order to function properly and effectively mitigate inland flooding hazards, the seawalls would have to be combined with breaks in the walls that would be blocked during storm events but could allow drainage when flood waters recede.

At the Pier restrooms, a seawall could be added in the location of the existing railing (Figure 19) to provide some additional protection against waves.



SOURCE: Google Street View

Figure 18: Public Restrooms at El Porto Beach



SOURCE: Google Street View

Figure 19: Public Restrooms at the Pier

Keeping the buildings in place with shoreline protection devices in front of them could result in the loss of lateral beach access in front of the buildings. However, the loss of lateral access is not likely to occur until after 6.6 feet of sea level rise.

5.2.4 Elevating or Waterproofing the Buildings

The beach buildings could be elevated on piers or rebuilt to be waterproofed (Section 3.2.8). The restrooms at Rosecrans Avenue are built above the maintenance portion of the building (Figure 20), removing them from the flood zone. However, the maintenance portion of the building may need to be floodproofed, with utilities and key infrastructure moved to the second floor.



SOURCE: Google Street View

Figure 20: Public Restrooms at Rosecrans Avenue

Keeping the buildings in place and floodproofing them could result in the loss of lateral beach access in front of the buildings. However, the loss of lateral access is not likely to occur until after 6.6 feet of sea level rise.

5.2.5 Elevating Property Grade

The grades under the beach buildings could be raised (Section 3.2.9) to protect them from flooding. Surrounding pedestrian connections and infrastructure would need to be raised as well. As discussed in detail in Section 3.2.9, raising grades can change runoff patterns and the hydrology of an area, and can cause increases in flooding in adjacent lower areas if stormwater flows are not managed effectively. Additionally, raising the grades would likely require a full rebuild of the structures themselves. With 6.6 feet of sea level rise, keeping the buildings in place could result in the loss of lateral beach access.


5.2.6 Managed Retreat

Removal and relocation of the beach buildings could occur as sea level rise progresses (Section 3.2.10). If the buildings were removed, they could be replaced with more mobile facilities, such as food trucks or portable toilets, that could be removed before predicted storm events.

5.2.7 Community Input

During the community focus group meetings (Section 2.1), the groups were asked to rank their first, second, and third priority adaptation strategy for the El Porto food stand and rentals building. Figure 21 provides the weighted⁸ results of this survey. The results varied, but the majority of participants favored green solutions, such as beach dune restoration, offshore reefs and kelp beds, and beach nourishment.

Each adaptation strategy received 3 points for a "first priority" response, 2 points for a "second priority" response, and 1 point for a "third priority" response. The totals for each strategy were then adjusted by the total number of points awarded to come up with a percentage.



What is your preferred adaptation strategy for the El Porto food stand?

Based on 26 participants.

Figure 21: Public Input on Adaptation Strategies for the El Porto Food Stand and Rentals Building

5.3 Lower Pier Parking Lot

The Lower Pier parking lot is expected to be vulnerable to wave runup during a 100-year storm event with 4.9 feet of sea level rise. The parking lot is not expected to experience more extensive storm inundation until after more than 9.8 feet of sea level rise.

The threshold criteria that should be monitored for the Lower Pier parking lot is the frequency of flooding and coastal storm damage. Once monitoring shows the parking lot is experiencing flooding once a year or more, which would be expected sometime after 9.8 feet of sea level rise (per the Sea Level Rise Vulnerability Assessment), planning for implementation of an adaptation measure would begin.

Adaptation options that could be used for the Lower Pier parking lot include:

- Beach dune restoration
- 2. Temporary winter berms
- Shoreline protection devices

5.3.1 Beach Dune Restoration

Permanent, restored beach dunes could be constructed in front of the Lower Pier parking lot to reduce the likelihood of flooding during extreme storm events, as discussed in Section 3.2.1. See Section 5.1.1 for additional discussion on this strategy.

42

5.3.2 Winter Sand Berms

Temporary winter berms could be constructed in front of the Lower Pier parking lot to reduce the likelihood of flooding during extreme storm events, as discussed in Section 3.2.2. See Section 4.2 for additional discussion on this strategy.

5.3.3 Shoreline Protection Devices

A seawall could be added in the location of the existing railing (Figure 22) around the Lower Pier parking lot to provide additional protection against waves, as discussed in Section 3.2.7. A short seawall could be constructed to address coastal storm events with height added to it over time as needed.



SOURCE: Google Street View

Figure 22: Lower Pier Parking Lot

5.4 Municipal Pier

The Manhattan Beach Municipal Pier is specifically designed and intentionally located to be in the potential hazard zones. However, over time, the exposure of the structure to waves and large storm events will increase. Additionally, the assets at the pier (e.g., Roundhouse Aquarium) will experience more frequent wave overtopping with sea level rise.

The threshold criteria that should be monitored for the Pier is the frequency of wave overtopping and coastal storm damage. Once monitoring shows the Pier is experiencing overtopping or damage once every 10 years or more frequently, planning for implementation of an adaptation measure would begin.

Adaptation of the Pier could consist of reconstructing the Pier with a higher deck and deck structural supports (Section 3.2.9). Raising the Pier would require reconstruction of buildings and infrastructure on the Pier and the access up to it.

Over time as sea level rise rates begin to accelerate, costs and risks associated with replacement of the Pier could potentially begin to outweigh economic, public access, visitor-serving, and social benefits of maintaining the Pier. However, more detailed cost-benefit analysis for the Pier would need to be conducted to make that determination.

5.5 Storm Drain Outfalls

The City's storm drain outfalls are expected to be vulnerable to beach erosion and sand blockage with sea level rise. This may lead to more frequent maintenance to remove sand from the outfall before anticipated rainfall events. The City is currently implementing projects to improve the stormwater system, such as the 28th Street Storm Drain Infiltration project.

The threshold criteria that should be monitored for the outfalls is the frequency of maintenance required. Once monitoring shows that any outfall is requiring maintenance more frequently than City staff find desirable, planning for implementation of an adaptation measure would begin.

Adaptation for the stormwater outfalls could include shortening the outfalls. However, depending on the location of the pipes (i.e., slope and depth below ground), shortening the pipes may require additional changes to the infrastructure (e.g., reconstructing a section of a pipe or adding a pump to the system) and would need to be analyzed further. Future projects, such as stormwater infiltration projects along the backshore, should consider sea level rise during feasibility assessments.

5.6 South Bay Cities' Main Sewer Trunk Line

Beach erosion is not expected to reach the sewer line under 6.6 feet of sea level rise, but water levels during a 100-year storm could extend to the sewer line between 27th and 32nd Streets and around Marine Avenue. Higher water levels could limit access to the line for maintenance and operation or inundate maintenance holes and increase flows in the system that the treatment plant would then have to process. These storm impacts would be temporary.

While no adaptation is expected to be needed before the end of the century, monitoring of the sewer line during major storm events could be done to track the impacts to access and increased flows in the system. If monitoring shows that access is impacted more frequently than County staff find desirable or if storm flows are impacting the operation of the system, planning for implementation of an adaptation measure would begin.



CHAPTER 6

Potential Adaptation Scenario Analysis

The Vulnerability Assessment presents the potential impacts of sea level rise through 2100 if no action is taken to mitigate the additional hazards posed by sea level rise. This section compares this "no action scenario" with a potential adaptation scenario designed to mitigate future coastal hazard risks. This section also includes a summary of the results of a cost-benefit analysis (Appendix A) that compares the economic and fiscal impacts of the no action scenario with the relative costs and benefits of the adaptation scenario.

This Adaptation Plan identifies a range of adaptation strategies that the City could take in the future to reduce risks associated with sea level rise. The City will then have the flexibility to select and implement different adaptation strategies as the effects of sea level rise reach certain thresholds over time. The scenario presented in this section is not intended to reflect the City's exact proposed or preferred approach to adaptation in the future. The purpose of this section is to bracket a range of possible actions the City could take to get a high-level understanding as to what is at risk economically and fiscally and the relative costs and benefits associated with actively planning for and adapting to sea level rise.

The quantitative analysis conducted for the economic and fiscal impacts study employs many large-scale assumptions that may or may not be realized in the future. Detailed cost-benefit analysis for each adaptation action is outside the scope of this initial city-wide, planning-level document, but can be conducted in the future as part of project specific studies.

6.1 Adaptation Scenario

The cost-benefit analysis compares the "no action scenario" represented in the Vulnerability Assessment (ESA 2021) to the adaptation scenario described below. The "no action scenario" represents the property and infrastructure damages and associated economic impacts that could occur if no action is taken. The theoretical adaptation scenario used for the cost-benefit analysis includes multiple adaptation strategies at multiple timeframes:

- 2030: City-wide beach dune restoration
- 2060: City-wide beach nourishment

This analysis uses the same sea level rise projections as the rest of this Adaptation Plan: the CNRA and OPC (2018) medium-high risk sea-level rise scenario, which projects 6.8 feet of sea level rise by 2100. While the timing of individual adaptation measures in the adaptation scenario is based on this sea level rise projection, the actual timing of adaptation actions in the future will depend on monitoring of sea level rise and erosion that occurs in the future, as described in Section 2.2.

6.2 Economic Analysis Methods

6.2.1 Valuing Beach Recreation

The beach is a major recreational asset of Manhattan Beach and the region, therefore, determining the value of the beach is a fundamental component of any analysis of coastal adaptation. In California, all beach areas below the mean high tide line are public trust lands and, under the California Coastal Act, cannot be bought or sold (unless the state retains a permanent property interest in the land adequate to provide public access to or along the sea). As a result, a market price for beaches cannot be established or used as a proxy for their value. In addition, with mandated public access, there is no price for admission, although many beaches (including Manhattan Beach) do charge for parking in official beach parking lots. Even though beaches' recreational amenities are free to use, they still have value to the public. Economists measure the value of these "non-market" resources using estimates of consumer willingness to pay (WTP) for these services. These methods are generally referred to as "non-market valuations" and are discussed in more detail in Appendix A.

To evaluate adaptation strategies, this study derived an average use value of \$42 per day from numerous past studies of beachgoers' willingness to pay (Pendleton and Kildow, 2006), adjusted for inflation. This approach is consistent with a recent case before the CCC in Solana Beach (CCC, 2017) as well as a study commissioned by the CCC and funded by NOAA (CCC 2015). To estimate the total value of beach recreation, the day use value (\$42) is multiplied by the number of people attending the beach. For example, if 100,000 people attend a beach in 2025, the value of beach recreation would be \$42*100,000, or \$4.2 million. This approach was applied to the no action and adaptation scenarios based on the expected attendance, allowing for comparison between the two.

6.2.2 Carrying Capacity and Turnover Rate

The standard approximation for the value of a beach trip allows city planners and researchers to understand the value of existing patterns of beach recreation and attendance. Attendance depends in large part on *carrying capacity*. The "carrying capacity" of a beach is the number of visitors that can visit a beach at one time, or essentially the maximum occupancy of a beach. While visitors do not think in terms of explicit carrying capacity, people do make decisions and alter their visiting behavior based on how crowded a beach appears. When a beach becomes too crowded, and people choose to go elsewhere or not to visit the beach as a result, the carrying capacity has been exceeded. A standard assumption is that beachgoers generally require about 100 square feet of "towel space" (City of Newport Beach 2018).

Importantly, most beachgoers do not spend an entire day at the beach. Thus, the turnover rate (the rate at which visitors leave the beach and are replaced) needs to be accounted for. While the turnover rate may vary from site to site, past estimates use a rate of 1.6 persons per day (King and McGregor 2012). The carrying capacity, therefore, is determined by dividing the area of the beach by required towel space (100 square feet) and multiplying the result by the turnover rate (1.6). An alternate turnover rate of 2.5 is also considered in this analysis, based on studies in Los Angeles County.

Daily attendance, however, is rarely equivalent to carrying capacity, except for at the more popular beaches in high season (summer). Therefore, models of recreation value must adjust for the average utilization rate at a given beach, or how close daily visitation is to the maximum occupancy (carrying capacity) of the beach. Additionally, many beaches are highly seasonal, with more than half of all visits taking place in the summer high season (Dwight 2007). At some of these highly seasonal beaches, the beach may be nearly at capacity for much of the summer (high utilization), and nearly empty in the winter (low utilization).

Applying this methodology to the future of California's beaches shows the impact of sea level rise on beach recreational value as a function of lost area. As sea levels rise, beaches will lose area, and this loss in area will lead to a loss in attendance. The relationship between lost area and lost attendance can be modeled based on the reduction of the carrying capacity of a given beach. Additionally, understanding seasonality is important, as a loss of beach area during the summer would impact the attendance far more than a loss of beach during the winter.

6.2.3 Spending and Tax Revenue

When fewer people are able to visit the beach, spending at local beach establishments is reduced, as is the tax revenue collected on that spending. Data for estimated daily spending at California beaches was collected from a 2004 study (King 2004) and adjusted for inflation according to the Consumer Price Index (CPI). Los Angeles County collects a 3.5% county tax on all categories, except parking and lodging. For food from stores and take out, only 25% of the total spent is taxed at the 3.5% rate. Lodging is also subject to a transient tax of 12.5%. Table 3 below shows that for each person turned away from Manhattan Beach, an estimated \$88.60 is lost in total daily spending at local businesses, \$1.49 is lost in county tax revenue, and \$4.07 is lost in transient occupancy taxes.

TABLE 3: DAILY SPENDING (PER INDIVIDUAL) AT CALIFORNIA BEACHES

| | GAS & AUTO | FOOD FROM STORES AND TAKE OUT | BEER, WINE AND LIQUOR | SIT-DOWN RESTAURANTS | PARKING | SUNDRIES | LODGING | TOTAL DAILY SPENDING PER PERSON | |
|----------------------------|----------------|-------------------------------------|-----------------------------|-------------------------|---------|----------|---------|---------------------------------------|--|
| Daily Spending | Daily Spending | | | | | | | | |
| 2002 values (King 2004) | \$7.60 | \$9.16 | \$4.25 | \$11.19 | \$1.90 | \$2.22 | \$21.06 | \$57.38 | |
| Adjusted to 2021 CPI | \$11.74 | \$14.14 | \$6.56 | \$17.28 | \$2.93 | \$3.43 | \$32.52 | \$88.60 | |
| County Tax | \$0.41 | \$0.12 | \$0.23 | \$0.60 | \$0.00 | \$0.12 | \$0.00 | \$1.49 | |
| Transient Tax | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$0.00 | \$4.07 | \$4.07 | |

6.2.4 Economic Analysis and the Future

The economic analysis in this study projects the impacts of sea level rise upon non-market values in Manhattan Beach over the period 2020 to 2100, and the value of those impacts are presented in 2021 dollars. This analysis also includes sales tax revenues to the City of Manhattan Beach and transient occupancy taxes, all of which go to the City.

As is standard in any economic cost-benefit analysis, future costs and benefits must be discounted, i.e., future benefits/costs are worth less than the same benefit/cost today. The choice of discount rate is critical in any cost-benefit analysis. Currently, there is no consensus among economists as to what the proper discount rate should be. When considering capital investments (e.g., financing a seawall) the cost of capital should be considered, i.e., what it actually costs to borrow the necessary funds to finance a project. Currently, short- and long-term interest rates are relatively low, and the cost of financing a project through Federal, State, or local bonds is in the 3% to 5% range. However, even a relatively low discount rate can imply that benefits and costs for future generations are valued far less than current benefits, and many economists have argued that the social discount rate should be lower than the market cost of capital. Table 4 below shows the discounted value of a \$100 benefit in future time horizons. When projecting out to 2100, even a relatively low discount rate, such as 3%, implies that a \$100 benefit in 2100 is worth less than one-tenth of what it would be worth today: \$9.68 (see Table 4 below). Effectively, a higher discount rate values benefits to future generations much lower than benefits to today's generation. However, following common practice, this study employs a 3% discount rate in all benefits and costs projected out to the future.

Table 4: Value of \$100 Over Time at Various Discount Rates

| DISCOUNT RATE | 0% | 1% | 3% | 4% | 5% |
|---------------|-----------|----------|----------|----------|----------|
| 2030 | \$ 100.00 | \$ 91.43 | \$ 76.64 | \$ 70.26 | \$ 64.46 |
| 2060 | \$ 100.00 | \$ 67.84 | \$ 31.58 | \$ 21.66 | \$ 14.91 |
| 2100 | \$ 100.00 | \$ 45.56 | \$ 9.68 | \$ 4.51 | \$ 2.12 |

⁹ A full discussion of the issue of discounting is beyond the scope of this study. However, see Weitzman (2001) and Arrow et al. for more discussion.

6.3 Adaptation Cost-Benefit Analysis Results

6.3.1 Beach Attendance

This analysis collected beach attendance data for three beach areas (El Porto, Marine, and Manhattan Pier) from the past five years (correspondence with D. Murphy, Los Angeles County Fire Department, March 28, 2021) to estimate average daily beach attendance over the study period, assuming that beach demand remains the same through 2100. Demand was assumed to remain constant based on the California Department of Finance's estimates that population in Los Angeles County will essentially remain flat through 2100, with a slight decrease beginning in 2033. The analysis does not account for potential changes in visitorship from outside Los Angeles County nor how changes in accessibility and carrying capacity at other beaches may impact demand at Manhattan Beach. It is possible that if nearby beaches erode, visitors will flock to Manhattan Beach (e.g., see Pendleton et al. 2008).

Based on the lifeguard beach estimates¹⁰, an average day at Manhattan Beach sees approximately 15,000 visitors. Most of the year, less than 20,000 people visit the beach in a given day, and for 30% of the year, less than 5,000 people visit the beach per day. Figure 23 presents the breakdown of average beach visitors per day, per site during the calendar year. Overall, Manhattan Pier experiences the greatest number of beach visitors per day of the three beaches. For the purposes of this study, adaptation and non-market losses are evaluated for these three sites combined.



Figure 23: Beach Visitors Per Day, Per Beach

¹⁰ King and McGregor (2012) found that "official" lifeguard counts are very inaccurate and often overestimate attendance, especially at less attended beaches (which Manhattan Beach is not). Our analysis assumes that these estimates are accurate, though many people from LA County were concerned about these estimates. If Manhattan Beach's estimates are too high, which is quite likely, that would delay the onset of a capacity constraint and delay the need for nourishment or dune restoration.

During the summer months from June to August (high season), beach attendance increases drastically. An average of approximately 31,000 people visit Manhattan Beach per day during the high season, compared to roughly 9,100 people during low season. Some days during high season see an excess of 100,000 visitors. For example, in 2016 on the Fourth of July, an estimated 145,000 people visited Manhattan Beach. Figures 24 and 25 below present the average beach visitors in high season compared to low season.




Figure 24: Average Beach Visitors Per Day in High and Low Season




Figure 25: Average Beach Visitors Per Day in High Season

Sea level rise and associated coastal storms and erosion are expected to reduce the width of Manhattan Beach and severely impact beach attendance. Table 5 below shows the predicted progression of beach loss over time without adaptation and the resulting expected changes to attendance. Manhattan Beach is approximately 11,000 linear feet (2.1 miles) long. This analysis included two possible turnover rate scenarios to calculate the carrying capacity of the beach: 1.6 persons per day, and 2.5

persons per day, per 100 square feet. In both scenarios, beach erosion will severely limit beach attendance over time. By 2100, nearly half the beach will be inaccessible due to sea-level rise.


TABLE 5: ESTIMATED REDUCTION IN BEACH CAPACITY

| YEAR | BEACH WIDTH (FT) | TOTAL SQUARE FEET | CAPACITY (PEOPLE/DAY) 1.6 TURNOVER RATE | CAPACITY (PEOPLE/DAY) 2.5 TURNOVER RATE |
|------|------------------|----------------------|---|---|
| 2020 | 370 | 4,070,000 | 65,120 | 101,750 |
| 2030 | 360 | 3,960,000 | 63,360 | 99,000 |
| 2040 | 350 | 3,850,000 | 61,600 | 96,250 |
| 2050 | 330 | 3,630,000 | 58,080 | 90,750 |
| 2060 | 310 | 3,410,000 | 54,560 | 85,250 |
| 2070 | 290 | 3,190,000 | 51,040 | 79,750 |
| 2080 | 260 | 2,860,000 | 45,760 | 71,500 |
| 2090 | 230 | 2,530,000 | 40,480 | 63,250 |
| 2100 | 200 | 2,200,000 | 35,200 | 55,000 |

6.3.2 Non-Market Loss

No Adaptation Scenario


With no adaptation, Manhattan Beach will continue to erode. As the beach's carrying capacity decreases, the number of people who are unable to attend the beach will increase over time. Figure 26 shows the number and the percent of days in a year expected to exceed carrying capacity over time, assuming a turnover rate of 1.6 persons per year per 100 square feet. Note that by 2100, approximately 31% of days during the high season and 10% of days in the year exceed beach carrying capacity.



Note: Assumes a turnover rate of 1.6 persons/day/100 square feet

Figure 26: Count and Percent of Days Per Year Exceeding Beach Carrying Capacity


Figure 27 presents the number of persons exceeding the beach's carrying capacity per year along with the cumulative non-market losses (adjusted for present value) using a turnover rate of 1.6. Note that by 2100, more than 730,000 people are no longer able to visit Manhattan Beach annually, and non-market losses exceed \$300 million.



Note: Assumes a turnover rate of 1.6 persons/day/100 square feet

Figure 27: Projected Number of Persons Over Capacity Per Year and Expected Cumulative Losses – 1.6 Persons Per Day Turnover Rate

Figure 28 displays an alternate turnover rate of 2.5 based on studies in Los Angeles County. If people visit Manhattan Beach for shorter periods of time, thus allowing for more people to visit in a single day, carrying capacity significantly increases and recreational value losses decrease. Even still, cumulative non-market losses exceed \$60 million by 2100, and more than 250,000 people per year are unable to visit the beach.




Note: Assumes a turnover rate of 2.5 persons/day/100 square feet

Figure 28: Projected Number of Persons Over Capacity Per Year and Expected Cumulative Losses – 2.5 Persons Per Day Turnover Rate

Adaptation Scenario


As discussed in Section 6.1, the adaptation scenario considers a dune restoration project in 2030, and a beach nourishment project in 2060. Since the existing dunes that would be restored are at the back of the beach, these restored dunes likely will not contribute significantly to the width of the beach until water levels rise to a point where they are interacting with the dunes. Therefore, this analysis assumes that the dune restoration project will not impact the beach width but would provide flood protection for assets behind the dunes. Foredune restoration could be effective at retaining sand on and supplying sand to the beach earlier, but is not included in this scenario.

As shown in Figures 29 and 30, the nourishment project will increase beach width in 2060, allowing more people to visit the beach. The beach nourishment essentially restores the beach to the 2020 width. However, one-time beach nourishment is not a permanent solution. Note that the number of people unable to visit Manhattan Beach begins increasing again after 2060 in both the 1.6 and 2.5 turnover rate assumptions, since the beach continues to erode.



Note: Assumes a turnover rate of 1.6 persons/day/100 square feet


Figure 29: Projected Number of Persons Over Capacity Per Year with and without Adaptation – 1.6 Persons Per Day Turnover Rate



Note: Assumes a turnover rate of 2.5 persons/day/100 square feet

Figure 30: Projected Number of Persons Over Capacity Per Year with and without Adaptation – 2.5 Persons Per Day Turnover Rate

Modeled with a turnover rate of 1.6, the beach nourishment project will reduce the percentage of days carrying capacity is exceeded from 10 percent to 7 percent (Figure 31).



Note: Assumes a turnover rate of 1.6 persons/day/100 square feet

Figure 31: Count and Percent of Days Per Year Exceeding Beach Capacity, With and Without Adaptation

Table 6 presents the cumulative non-market losses at ten-year periods through 2100, with and without adaptation, under the 1.6 turnover rate. By 2050, the loss in non-market recreational value will be approximately \$149 million in 2021 dollars, or \$224 million without discounting. By 2060, with the beach nourishment project, we begin to see a difference between the adaptation and no adaptation scenarios. Adaptation saves approximately \$10 million in non-market losses in 2060, and nearly \$75 million by 2100 (in 2021 dollars). Cumulatively, adaptation saves over \$1 billion in recreational value (without adjusting to present value).

Table 6: Cumulative Non-Market Losses – 1.6 People per Day Turnover Rate


| | NO ADAPTATION | | | WITH ADAPTATION | | |
|------|---|--|--|---|--|--|
| YEAR | PROJECTED # OF PERSONS OVER CAPACITY | CUMULATIVE NON-MARKET LOSSES (NOT DISCOUNTED) | CUMULATIVE NON-MARKET LOSSES (NPV) | PROJECTED # OF PERSONS OVER CAPACITY | CUMULATIVE NON-MARKET LOSSES (NOT DISCOUNTED) | CUMULATIVE NON-MARKET LOSSES (NPV) |
| 2020 | 145,240 | \$ 6,100,080 | \$ 6,100,080 | 145,240 | \$ 6,100,080 | \$ 6,100,080 |
| 2030 | 160,160 | \$ 70,547,400 | \$ 62,590,132 | 160,160 | \$ 70,547,400 | \$ 62,590,132 |
| 2040 | 176,720 | \$ 141,639,960 | \$ 108,957,522 | 176,720 | \$ 41,639,960 | \$ 108,957,522 |
| 2050 | 215,340 | \$ 224,783,580 | \$ 149,211,889 | 215,340 | \$ 24,783,580 | \$ 149,211,889 |
| 2060 | 265,780 | \$ 326,878,020 | \$ 185,980,905 | 145,240 | \$ 99,033,280 | \$ 176,348,010 |
| 2070 | 328,556 | \$ 453,006,876 | \$ 219,780,055 | 176,720 | \$ 67,305,960 | \$ 194,650,144 |
| 2080 | 437,772 | \$ 616,229,292 | \$ 252,268,803 | 238,684 | \$ 55,842,044 | \$ 212,267,306 |
| 2090 | 568,548 | \$ 830,302,788 | \$ 283,993,988 | 328,556 | \$ 76,849,756 | \$ 230,176,037 |
| 2100 | 734,960 | \$1,107,534,120 | \$ 314,568,451 | 478,800 | \$749,549,640 | \$ 249,169,387 |

As we see in Table 7, if we assume a higher 2.5 person per day per 100 square feet turnover rate, cumulative losses are drastically reduced, and savings from the adaptation project are also diminished. Adaptation saves approximately \$3 million in non-market losses in 2060, and \$20 million by 2100 with this assumption. Without discounting to 2021 dollars, adaptation saves \$125 million cumulatively.

TABLE 7: CUMULATIVE NON-MARKET LOSSES – 2.5 PEOPLE PER DAY TURNOVER RATE


| | NO ADAPTATION | | | WITH ADAPTATION | | |
|------|--------------------------------------|--|---|--------------------------------------|--|---|
| YEAR | PROJECTED # OF PERSONS OVER CAPACITY | CUMULATIVE NON-MARKET LOSSES (NOT DISCOUNTED) | CUMULATIVE NON- MARKET LOSSES (NPV) | PROJECTED # OF PERSONS OVER CAPACITY | CUMULATIVE NON-MARKET LOSSES (NOT DISCOUNTED) | CUMULATIVE NON- MARKET LOSSES (NPV) |
| 2020 | 20,200 | \$ 848,400 | \$ 848,400 | 20,200 | \$ 848,400 | \$ 848,400 |
| 2030 | 24,600 | \$ 10,348,800 | \$ 9,156,018 | 24,600 | \$ 10,348,800 | \$ 9,156,018 |
| 2040 | 29,000 | \$ 21,697,200 | \$ 16,545,831 | 29,000 | \$ 21,697,200 | \$ 16,545,831 |
| 2050 | 37,800 | \$ 35,910,000 | \$ 23,416,088 | 37,800 | \$ 35,910,000 | \$ 23,416,088 |
| 2060 | 48,450 | \$ 54,246,150 | \$ 30,013,909 | 20,200 | \$ 47,720,400 | \$ 27,756,324 |
| 2070 | 63,750 | \$ 78,129,450 | \$ 36,404,591 | 29,000 | \$ 58,237,200 | \$ 30,564,723 |
| 2080 | 101,900 | \$ 113,717,100 | \$ 43,458,779 | 42,600 | \$ 73,558,800 | \$ 33,607,562 |
| 2090 | 161,150 | \$ 170,201,850 | \$ 51,791,947 | 63,750 | \$ 96,336,450 | \$ 36,972,120 |
| 2100 | 258,300 | \$ 260,326,500 | \$ 61,682,488 | 118,700 | \$135,804,900 | \$ 41,289,425 |

Figures 32 and 33 present the same cumulative non-market losses over time as Tables 6 and 7, with and without adaptation. In both turnover rate assumptions, beach nourishment provides benefits when implemented in 2060 in the form of decreased non-market losses. Under the higher turnover rate, we see approximately \$62 million in cumulative losses by 2100 with no adaptation, and \$41 million with adaptation. Again, significant non-market recreational losses are still realized under both turnover rate assumptions, even after the beach nourishment project.



Note: Assumes a turnover rate of 1.6 persons/day/100 square feet

Figure 32: Cumulative Non-Market Losses - 1.6 Persons Per Day Turnover Rate




Note: Assumes a turnover rate of 2.5 persons/day/100 square feet

Figure 33: Cumulative Non-Market Losses – 2.5 Persons Per Day Turnover Rate


6.3.3 Losses in Spending and Tax Revenues

When fewer people visit the beach, spending and taxes at visitor serving businesses declines. With no adaptation, losses in cumulative spending reach nearly half a billion dollars by 2050, and exceed \$2.3 billion by 2100, assuming a 1.6 turnover rate and no discount (Figure 34). Beach nourishment curbs these losses by approximately \$750 million by 2100. Alternatively, assuming a 2.5 person per day per 100 square feet turnover rate, cumulative spending losses are in the *millions* rather than the *billions*. Figure 35 shows that nearly \$100 million in spending losses can be expected by 2050. Adaptation saves about \$260 million by 2100.



Note: Assumes a turnover rate of 1.6 persons/day/100 square feet

Figure 34: Losses in Spending, With and Without Adaptation - 1.6 Persons Per Day Turnover Rate



Note: Assumes a turnover rate of 2.5 persons/day/100 square feet

Figure 35: Losses in Spending, With and Without Adaptation - 2.5 Persons Per Day Turnover Rate

Tax revenue is also impacted when fewer people are able to visit the beach. Lower spending means fewer dollars are collected in county and transient taxes. Tables 8 and 9 show losses in sales and transient tax revenue with and without adaptation, alongside cumulative losses in spending, for both turnover rates. Without adaptation, the data shows that the County of Los Angeles will lose out on \$39.3 million in sales taxes under the 1.6 turnover scenario by 2100, or \$9.2 million under the 2.5 turnover assumption. In the latter scenario, transient tax losses are likely to exceed at least \$25 million, and could exceed \$100 million. Beginning in 2060, beach nourishment reduces cumulative losses in spending, sales taxes, and transient occupancy taxes, though significant losses are still expected, even with adaptation.

Sea Level Rise Adaptation Plan

City of Manhattan Beach

TABLE 8: CUMULATIVE LOSSES IN SPENDING AND TAX REVENUE – 1.6 PERSONS PER DAY TURNOVER RATE

| | CUMULATIVE LOSSES | | | | | | | |
|------|-------------------|---------------|--------------------|------------------|---------------|--------------------|--|--|
| | NO ADAPTATION | | | WITH ADAPTATION | | | | |
| | SPENDING | SALES TAXES | TRANSIENT TAXES | SPENDING | SALES TAXES | TRANSIENT TAXES | | |
| 2020 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | | |
| 2030 | \$ 148,828,527 | \$ 2,501,009 | \$ 6,828,008 | \$ 148,828,527 | \$ 2,501,009 | \$ 6,828,008 | | |
| 2040 | \$ 298,807,136 | \$ 5,021,345 | \$ 13,708,780 | \$ 298,807,136 | \$ 5,021,345 | \$ 13,708,780 | | |
| 2050 | \$ 474,208,957 | \$ 7,968,909 | \$ 21,755,927 | \$ 474,208,957 | \$ 7,968,909 | \$ 21,755,927 | | |
| 2060 | \$ 689,589,894 | \$ 11,588,307 | \$ 31,637,250 | \$ 630,847,947 | \$ 10,601,170 | \$ 28,942,266 | | |
| 2070 | \$ 955,674,424 | \$ 16,059,761 | \$ 43,844,770 | \$ 774,877,668 | \$ 13,021,537 | \$ 35,550,113 | | |
| 2080 | \$ 1,300,012,439 | \$ 21,846,236 | \$ 59,642,432 | \$ 961,655,564 | \$ 16,160,271 | \$ 44,119,175 | | |
| 2090 | \$ 1,751,627,140 | \$ 29,435,456 | \$ 80,361,771 | \$ 1,216,936,403 | \$ 20,450,173 | \$ 55,831,040 | | |
| 2100 | \$ 2,336,481,163 | \$ 39,263,715 | \$ 107,193,912 | \$ 1,581,268,317 | \$ 26,572,638 | \$ 72,545,989 | | |

Sea Level Rise Adaptation Plan City of Manhattan Beach

TABLE 9: CUMULATIVE LOSSES IN SPENDING AND TAX REVENUE – 2.5 PERSONS PER DAY TURNOVER RATE

| | CUMULATIVE LOSSES | | | | | | |
|------|-------------------|--------------|--------------------|-----------------|--------------|--------------------|--|
| | NO ADAPTATION | | | WITH ADAPTATION | | | |
| | SPENDING | SALES TAXES | TRANSIENT TAXES | SPENDING | SALES TAXES | TRANSIENT TAXES | |
| 2020 | \$ - | \$ - | \$ - | \$ - | \$ - | \$ - | |
| 2030 | \$ 21,832,082 | \$ 366,880 | \$ 1,001,620 | \$ 21,832,082 | \$ 366,880 | \$ 1,001,620 | |
| 2040 | \$ 45,772,946 | \$ 769,198 | \$ 2,099,987 | \$ 45,772,946 | \$ 769,198 | \$ 2,099,987 | |
| 2050 | \$ 75,756,617 | \$ 1,273,062 | \$ 3,475,589 | \$ 75,756,617 | \$ 1,273,062 | \$ 3,475,589 | |
| 2060 | \$ 114,439,009 | \$ 1,923,106 | \$ 5,250,273 | \$ 100,672,127 | \$ 1,691,758 | \$ 4,618,672 | |
| 2070 | \$ 164,823,805 | \$ 2,769,804 | \$ 7,561,845 | \$ 122,858,626 | \$ 2,064,594 | \$ 5,636,552 | |
| 2080 | \$ 239,900,385 | \$ 4,031,439 | \$ 11,006,235 | \$ 155,181,450 | \$ 2,607,768 | \$ 7,119,470 | |
| 2090 | \$ 359,062,000 | \$ 6,033,906 | \$ 16,473,174 | \$ 203,233,739 | \$ 3,415,269 | \$ 9,324,030 | |
| 2100 | \$ 549,191,174 | \$ 9,228,958 | \$ 25,195,988 | \$ 286,497,350 | \$ 4,814,484 | \$ 13,144,027 | |

Sales taxes are collected by the County of Los Angeles, and transient taxes are collected by the City of Manhattan Beach. Tables 10 and 11 present the total combined tax losses avoided for both revenue streams with adaptation. There are no tax losses avoided until 2060 when the beach nourishment project is implemented. By 2100, total tax losses avoided by the beach nourishment project exceed \$47 million under the 1.6 persons per day turnover rate, or nearly \$16.5 million under the 2.5 turnover rate assumption.

TABLE 10: CUMULATIVE LOSSES IN TAX REVENUE – 1.6 PERSONS PER DAY TURNOVER RATE

| | CUMULATIVE TAX LOSSES AVOIDED WITH ADAPTATION | | | | | | |
|------|---|--------------------|---------------|--|--|--|--|
| | SALES TAXES | TRANSIENT TAXES | TOTAL | | | | |
| 2020 | \$ - | \$ - | \$ - | | | | |
| 2030 | \$ - | \$ - | \$ - | | | | |
| 2040 | \$ - | \$ - | \$ - | | | | |
| 2050 | \$ - | \$ - | \$ - | | | | |
| 2060 | \$ 987,137 | \$ 2,694,984 | \$ 3,682,121 | | | | |
| 2070 | \$ 3,038,224 | \$ 8,294,658 | \$ 11,332,881 | | | | |
| 2080 | \$ 5,685,964 | \$ 15,523,257 | \$ 21,209,221 | | | | |
| 2090 | \$ 8,985,283 | \$ 24,530,731 | \$ 33,516,014 | | | | |
| 2100 | \$ 12,691,077 | \$ 34,647,923 | \$ 47,339,000 | | | | |

TABLE 11: CUMULATIVE LOSSES IN TAX REVENUE – 2.5 PERSONS PER DAY TURNOVER RATE

| | CUMULATIVE TA | CUMULATIVE TAX LOSSES AVOIDED WITH ADAPTATION | | | | | | |
|------|---------------|---|---------------|--|--|--|--|--|
| | SALES TAXES | TRANSIENT TAXES | TOTAL | | | | | |
| 2020 | \$ - | \$ - | \$ - | | | | | |
| 2030 | \$ - | \$ - | \$ - | | | | | |
| 2040 | \$ - | \$ - | \$ - | | | | | |
| 2050 | \$ - | \$ - | \$ - | | | | | |
| 2060 | \$ 231,347 | \$ 631,602 | \$ 862,949 | | | | | |
| 2070 | \$ 705,210 | \$ 1,925,293 | \$ 2,630,503 | | | | | |
| 2080 | \$ 1,423,671 | \$ 3,886,765 | \$ 5,310,436 | | | | | |
| 2090 | \$ 2,618,637 | \$ 7,149,144 | \$ 9,767,781 | | | | | |
| 2100 | \$ 4,414,474 | \$ 12,051,960 | \$ 16,466,434 | | | | | |

6.3.4 Impacts to Restrooms

To estimate flooding damages to public restrooms, this study used a standard method of applying US Army Corps of Engineers as well as the Federal Emergency Management Agency (FEMA) Flood Depth Damage Curves. The "curves" are expressed as a proportion or percentage of the total value of a structure and the depth of flooding. Table 12 below displays the total market loss determined by one 100-year flood event and 6.6 feet of sea level rise. The Manhattan Pier restroom is the largest physical structure and, therefore, valued the highest. The El Porto restroom is more vulnerable to higher flood depths. The total market loss from one 100-year flood with 6.6 feet of sea level rise is nearly \$1 million. The city-wide dune restoration proposed in 2030 protects all three bathrooms from flooding, and saves \$923,900 in replacement costs.

Table 12: Market Loss of Public Restrooms (100-year flood event with 6.6 ft of sea level rise, not discounted)

| RESTROOM LOCATION | ESTIMATED MARKET VALUE | FLOOD DEPTH | MARKET LOSS |
|----------------------|------------------------------|----------------|-------------|
| Rosecrans Ave | \$ 750,000 | 0.5 ft | \$ 298,800 |
| Manhattan Pier | \$1,000,000 | 0.5 ft | \$ 398,400 |
| El Porto | \$ 500,000 | 1.5 ft | \$ 226,700 |
| TOTAL | | | \$ 923,900 |

6.3.5 Conclusions and Discussion

The analysis indicates that sea level rise and the resulting beach erosion may negatively impact the City of Manhattan Beach's ability to provide visitors with adequate recreational capacity by mid-century. The losses in recreational value occur during peak times, when predicted "carrying capacity" is exceeded by current attendance patterns, mostly in July and August. A summary of cumulative total losses expected by 2100 is presented below in Table 13. Adding to beach capacity through dune restoration or nourishment would preserve \$65 million in non-market value through 2100, 11 depending upon the assumed turnover rate. The analysis also indicates that Manhattan Beach and Los Angeles County will lose significant tax revenues without adaptation. With no adaptation, the City would lose between \$25 and \$107 million in transient Occupancy Taxes (TOTs) and between \$9 and \$39 million in County (sales) taxes. Adapting would lower these losses significantly, possibly enough to finance the restoration projects proposed. Given these values, it is likely that nourishment or dune restoration would be a cost-effective adaptation strategy in the future.

¹¹ These estimates are present values applying a 3% discount rate. With no discounting (i.e., discount rate is zero) the losses are \$260 million; see Table 6-5 above.

TABLE 13: SUMMARY OF CUMULATIVE TOTAL LOSSES BY 2100

| | NO ADAP | TATION | WITH ADAPTATION | | |
|---------------|------------------|----------------|------------------|----------------|--|
| | 1.6 TURNOVER | 2.5 TURNOVER | 1.6 TURNOVER | 2.5 TURNOVER | |
| Recreational | \$ 315,000,000 | \$ 62,000,000 | \$ 249,000,000 | \$ 41,000,000 | |
| Spending | \$ 2,336,000,000 | \$ 549,000,000 | \$ 1,581,000,000 | \$ 286,000,000 | |
| Sales Tax | \$ 39,000,000 | \$ 9,000,000 | \$ 27,000,000 | \$ 5,000,000 | |
| Transient Tax | \$ 107,000,000 | \$ 25,000,000 | \$ 73,000,000 | \$ 13,000,000 | |
| Bathrooms | \$ 1,000,000 | | \$ 0 | | |
| Total | \$ 2,798,000,000 | \$ 646,000,000 | \$ 1,930,000,000 | \$ 346,000,000 | |

Table 14 below presents a brief benefit/cost assessment of the proposed adaptation scenario (nourishment with dunes) versus the baseline (doing nothing to maintain beach width or dunes). All costs and benefits were discounted using a 3% discount rate, assuming that dune restoration is implemented in 2030 and beach nourishment is implemented in 2060.

In Table 6-12 below, the net benefit of adaptation is measured in terms of increased carrying capacity. Without adaptation, the beach will erode to the point where the beach does not have adequate carrying capacity by the middle of the 21st century. One crucial assumption in the analysis is the turnover rate. If the average turnover rate for southern California beaches of 1.6 is used, the benefits of nourishment/dune restoration increase. With the 1.6 turnover rate assumption, net benefits are positive for the entire range of costs estimated for adaptation. A 2.5 turnover rate, which may be more appropriate in Los Angeles County, results in a higher carrying capacity for a given area of beach, so the benefits of adaptation are lower, indicating the City could delay or possibly not implement adaptation because the loss of recreational value would be lower.

Table 6-12 also contains a low and high estimate of the **costs** of adaptation, specifically for beach nourishment. These differences are primarily due to *uncertainty about the future cost and availability of sand*, as well as the costs of moving this sand to the beach. Using the 2.5 turnover rate assumption, net benefits are low (\$3.6 million), but still positive, if the costs of adaptation are on the low end of the range (i.e., assuming \$24/cy of sand). However, the net benefits are negative (a \$12.5 million loss) if the cost of adaptation reach the high end of the range (i.e., assuming \$54/cy of sand). Note that only non-market savings from adaptation are included in the net benefits calculation; savings in spending losses, transient taxes, and sales taxes are excluded, which is standard in a benefit-cost analysis.

TABLE 14: SUMMARY OF NET BENEFITS WITH ADAPTATION (MILLIONS, 2021 DOLLARS)

| COSTS | | NON-MARKET SAVINGS | FROM ADAPTATION | NET BENEFITS | |
|----------------------------------|--------|--------------------|-----------------|--------------|--------------|
| | COSTS | 1.6 TURNOVER | 2.5 TURNOVER | 1.6 TURNOVER | 2.5 TURNOVER |
| Low Cost Estimate of Adaptation | \$9.1 | 40-0 | Ć12.7 | \$56.2 | \$3.6 |
| High Cost Estimate of Adaptation | \$25.2 | \$65.3 | \$12.7 | \$40.1 | (\$12.5) |

6.3.6 Access for All

One important consideration beyond the scope of the economic analysis is consideration of access for underserved groups. The analysis assumes that current attendance patterns will continue. However, coastal policymakers are increasingly concerned with the inequality of access to California's coastal resources (e.g., see Christensen and King, 2017). Manhattan Beach is only a few miles directly west of some districts, including underserved communities. The analysis indicates that Manhattan Beach has adequate capacity for more visitors from underserved communities, except for peak days (mostly in July and August) when some visitors may not find space on the beach, presenting access challenges for all demographic groups.

6.3.7 Sensitivity Analysis

Table 15 below provides a general discussion and sensitivity analysis of the critical parameters used in this study and how changing these parameters could influence the study results. The results presented above explicitly account for some uncertainty in turnover and adaptation costs; the two parameters which are the most uncertain. However, the impacts of other parameters on adaptation were also examined in a qualitative fashion.

In many cost-benefit analyses, the discount rate is crucial. However, in this analysis since both costs and benefits are spread over time, varying the discount rate from 3% to a lower rate (e.g., 0%) or a higher rate (e.g., 6%) makes little difference in the analysis. Attendance, on the other hand, is a critical variable in the analysis. King and MacGregor (2012) found that official attendance estimates were generally much higher than actual measured attendance. If this is the case at Manhattan Beach, then the need for adaptation from an economic perspective may be delayed or avoided. However, another critical factor to consider is that as other beaches in the area erode and possibly lose carrying capacity, beach visitors may be more likely to visit Manhattan Beach, which will still have adequate beach width/area. Pendleton (2011) found that as smaller beaches in Orange and Los Angeles County erode with sea level rise, visitors will be more likely to attend beaches with adequate capacity. The analysis here did not explicitly factor in this possibility. If Manhattan Beach becomes a more popular destination as other beaches erode, then nourishment/adaptation will increase net benefits.

Of course, if the City increases the carrying capacity of its beaches, then it may also need to consider parking and other related capacity issues. Increasing the value of a beach day from \$42 (2021 dollars) would also increase the benefits of adaptation, although since Manhattan Beach has adequate carrying capacity for most days, the impact here will be modest. Nelsen (2012) showed that the inability to survey niche recreational activities such as surfing, diving, and paddle boarding may underestimate the value of a beach day, which could be as high as \$138 in Southern California.

Finally, this analysis only accounts for two ecosystem services provided by beaches—recreation and storm buffering. Defeo (2009) lists 14 distinct ecosystem services provided by beaches/dunes. King (2018) proposes valuing these services at replacement cost. If such an approach were applied here, the benefits of dune restoration would be considerably higher, and adaptation would have higher net benefits.

TABLE 15: SENSITIVITY ANALYSIS

| PARAMETER | IMPACT ON ADAPTATION | |
|-------------------------------|---|--|
| Turnover | Higher turnover increases "carrying capacity" and delays/abates the economic need for adaptation. | |
| Discount Rate | Changing discount rate has little impact. | |
| Nourishment (Sand) Cost | Higher nourishment costs delay/abate the economic need for adaptation | |
| Attendance | Lower attendance estimates would delay/abate the economic need for adaptation | |
| Value of a Beach Day | Higher day use values would increase benefits of adaptation. | |
| Dune Ecosystem Services (DES) | Accounting for DES would increase benefits of adaptation. | |
| Access for All | Encouraging underserved communities would increase benefits of adaptation. | |

If beach erosion continues, the City may find other ways to adapt. This analysis did not explicitly include impacts to volleyball tournaments, which are popular at Manhattan Beach. However, a partial analysis of scheduled volleyball tournaments at Manhattan Beach in 2016 revealed that the number of average beach attendees on a tournament day is higher than an average day in the calendar year. One event-specific adaptation strategy may be to spread out games to reduce crowds on busy days, or to schedule tournaments during non-peak days. However, this strategy may also lower spending, tax revenues, and other beneficial economic impacts.



City of Manhattan Beach

This page intentionally left blank.



CHAPTER 7

Implementation Tools

This section describes the tools, programs and policies, and potential funding sources that can help the City take action and implement the adaptation strategies identified in this Adaptation Plan.

7.1 City Tools to Facilitate Implementation

The City can choose from a variety of existing policy, regulatory, and procedural tools to facilitate the implementation of the adaptation strategies identified in this Adaptation Plan. Amendments to plans and programs can help to establish a policy and regulatory framework for implementation and improve the City's ability to seek funding from state and federal agencies. Possible implementation tools could include:

- General Plan The goals, objectives, policies, and implementation measures that relate to sea level rise in the General Plan, particularly the Safety Element, could be reviewed for consistency with this Adaptation Plan and revised as appropriate.
- 2. **Local Coastal Program (LCP)** The City will be reviewing the LCP and amending policies and regulations as needed to incorporate adaptation strategies from this Adaptation Plan.
- 3. Local Hazards Mitigation Plan The City will be reviewing the vulnerabilities and mitigation measures that relate to sea level rise in the Local Hazards Mitigation Plan for consistency with this Adaptation Plan. The City will consider incorporating new mitigation measures as part of the update to the Local Hazards Mitigation Plan to facilitate federal funding for adaptation projects.
- 4. **Capital Improvement Program** For adaptation strategies that require capital expenditures, the capital improvement program is an appropriate place to address priorities, funding, and scheduling of implementing adaptation strategies.
- 5. **Administrative policies, procedures, and initiatives** The City could amend or create administrative policies, procedures, and initiatives that would direct City staff efforts toward implementation of certain adaptation planning actions, such as:
 - a. Establishing a process and responsibility for monitoring the trajectory toward planning-level adaptation threshold criteria (identified in Section 2.2).
 - b. Participating in regional coordination efforts.
 - c. Engaging state and federal agencies and the state legislature in planning, funding, and assistance with adaptation.
 - d. Facilitating public education, outreach, and assistance efforts.
 - e. Tracking current information on sea level rise, adaptation measures, legal context, and planning by other jurisdictions.
 - f. Ensuring consistency in approach and methodologies for addressing sea level rise citywide.
- **6. Climate Action and Adaptation Plan –** The City is creating a Climate Action and Adaptation Plan and including adaptation strategies from this Sea Level Rise Adaptation Plan.

7.2 Implementation Programs and Policies

The following are programs, policies, and standards that would serve to implement the adaptation strategies identified in this Adaptation Plan.

7.2.1 Local, Regional, State, and Federal Coordination

There are several key agencies and stakeholders that the City should coordinate with as it moves forward with adaptation planning. These include:

California Ocean Protection Council (OPC), Governor's Office of Planning and Research (OPR), California Coastal
 Commission, California State Lands Commission, Coastal Conservancy, and other state agencies – In an effort to stay

- ahead of major changes, the City should coordinate with OPC and OPR as they seek to update the best available science on sea level rise projections and adaptation approaches for California. The City should continue to coordinate with the CCC on updates to the LCP and permitting issues related to sea level rise.
- Regional and State Climate Collaboratives The City should continue participating in the Los Angeles Regional
 Collaborative for Climate Action to share best practices and information with other local and regional agencies.
- Neighboring Jurisdictions The City could stay in regular communication with neighboring jurisdictions to share best practices and information on adaptation planning, to jointly conduct needed monitoring, and to coordinate on issues that cross jurisdictional boundaries (e.g., sand nourishment).
- Local Community Groups Local community and interest groups play key roles in implementation of adaptation.

 The City could establish mechanisms for regular updates and input from these groups.

7.2.2 Education and Outreach Programs

Engaging and communicating with the community on an ongoing basis is essential to ensuring that adaptation strategies can be successfully and efficiently implemented. Public engagement offers the opportunity to educate and build commitment and consensus among decision-makers and community members. The following are outreach materials and programs the City could implement:

- 1. Alert community members of the hazards expected as a result of sea level rise by distributing information regarding hazards through a variety of communication tools (e.g., social media, City website, emails to City listservs, presentations to community groups and other stakeholders, pop-up booths at community events, signage on the beach).
- 2. Continue to pursue funding and partnerships to formalize a sea level rise public education program.
- 3. Continue support of programs such as the University of Southern California (USC) Sea Grant¹² Urban Tides Beach Walk events, The California King Tides Project¹³, and dune restoration with The Bay Foundation¹⁴.

7.3 Funding Sources and Mechanisms

Adaptation planning is a challenging undertaking, and substantial funding could be needed to design, permit, implement, and maintain adaptation strategies in the long-term. There are state and federal grant programs currently available to support adaptation planning. Additional funding programs are likely to emerge in coming years as more and more communities face the impacts of sea level rise. This section identifies some of the grant funding opportunities available as well as some local funding strategies. The list below is not comprehensive, but highlights some key funding sources currently available to local communities.

¹² Learn about USC Sea Grant at https://dornsife.usc.edu/uscseagrant/directors-welcome/

¹³ Learn about the California King Tides Project at https://www.coastal.ca.gov/kingtides/learn.html

¹⁴ Learn about The Bay Foundation at www.santamonicabay.org

7.3.1 State and Federal Funding Sources

National Oceanic Atmospheric Administration – Coastal Resilience Grants

This highly competitive grant program funds projects that are helping coastal communities and ecosystems prepare for and recover from extreme weather events, climate hazards, and changing ocean conditions.

California Department of Fish and Wildlife, California State Coastal Conservancy, and California State Parks – 2019 Proposition 1 & Proposition 68 Grant Opportunities

Proposition 1 (Water Quality, Supply, and Infrastructure Improvement Act of 2014) and Proposition 68 (California Drought, Water, Parks, Climate, Coastal Protection, and Outdoor Access for All Act of 2018) are new funding opportunities available to support multi-benefit ecosystem restoration and protection projects. Proposition 1 funds ecosystems and watershed protection and restoration, and water supply infrastructure projects. Funds are distributed via grant programs by multiple state and regional agencies. Proposition 68 funds environmental protection and restoration projects, water infrastructure projects, and flood protection projects. Projects eligible for funding under these grants include: planning activities that lead to specific on-the-ground implementation projects, funds for implementation activities (e.g., construction and monitoring) of restoration and enhancement projects, and funds for acquisition or purchases of interests in land or water.

California Coastal Commission and California Coastal Conservancy – Local Coastal Program Local Assistant Grant Program and Climate Ready Grants

The LCP Local Assistance Grant Program provides funds to support local governments in completing or updating their local coastal programs consistent with the California Coastal Act, with special emphasis on planning for sea level rise and climate change. The Climate Ready Grant Program generally funds planning and implementation of managed retreat, natural shoreline infrastructure, living shorelines, and habitat enhancement projects.

7.3.2 Potential Funding Mechanisms

Infrastructure Financing Districts

Enhanced infrastructure financing districts allow for incremental property tax revenues to be devoted to a specific purpose. In 2014, the passage of Assembly Bill 313 and Senate Bill 628 both: (1) further defined enhanced infrastructure financing districts to include brownfield restoration and other environmental mitigation, transit priority projects, and projects to implement a sustainable communities' strategy, and (2) streamlined the requirements for the establishment of these districts. Once an infrastructure financing district is established and priority projects have been identified as part of the business plan, funds can be drawn from changes in local tax revenues occurring as part of a redevelopment or rezone, or can be used to apply for grant funds.

Establishment of a Shoreline Account

A "Shoreline Account" could be established to serve as the primary account where funds generated for future adaptation programs would be kept in reserve. Funds, subject to the restrictions of any terms of the funding sources, may be used to pay

for adaptation-related projects identified in this Adaptation Plan, including repair and maintenance costs, and to pay for conducting surveys and monitoring programs.

Bonds

Bonds allow municipalities and other entities to borrow money from investors, which is then repaid to the investor over an established period at a certain rate. Often, interest earned on government-issued bonds is tax exempt, and they are a common mechanism for financing public infrastructure and government programs. Green bonds are a new market that has emerged to specifically fund green adaptation infrastructure.

Taxes

The City may impose a special tax with two-thirds majority voter approval to fund adaptation strategies. The taxing agency must publish an annual report including: (1) the tax rate, (2) the amounts of revenues collected and expended, and (3) the status of any project funded by the special tax (Institute for Local Government 2016).



City of Manhattan Beach

This page intentionally left blank.



CHAPTER 8

List of Preparers

Prepared by:

Lindsey Sheehan, P.E., ESA

Davis Hernandez-Alvarez, ESA

James Jackson, P.E., ESA

Nick Garrity, P.E., ESA

Dr. Phil King, PhD, UCSF

Kristina Kunkel, M.S., UCSF

Review provided by:

Dana Murray, City of Manhattan Beach

Erin Fabian, City of Manhattan Beach

Talyn Mirzakhanian, City of Manhattan Beach

Melodie Grubbs, University of Southern California (USC) Sea Grant

Phyllis Grifman, University of Southern California (USC) Sea Grant

Karina Johnston, The Bay Foundation

Juliette Finzi Hart, Oceanographer, (formerly) USGS

Manhattan Beach Sustainability Task Force

Community Members

The City thanks the individuals and groups who gave up their personal time to participate in the Sea Level Adaptation Plan process. The City appreciates the civic investment these individuals and groups have made in the future of Manhattan Beach's shoreline.

Appendix A

Determining Day Use Values

A.1 How to Determine the Value of **Ecosystem Services**

Although we know that ecological functions goods and services (EFGS) have tremendous value, placing a (reasonably) precise dollar value on the EFGS is fraught with controversy, and the sub-field within economics of non-market valuation is still in its infancy. However, although the field of non-market valuation is relatively new, one cannot wait for more precise estimates. The State of California, and local jurisdictions, need to incorporate non-market values into their adaptation planning and decision-making in general. Fortunately, many trustees do indeed try to account for non-market values despite the relatively little information available. This report will spend a significant amount of time detailing the methods necessary for a proper non-market valuation of coastal EFGS.

Economists use a variety of methods to value ecosystem services. For ecosystem services that produce marketable products, the value of the ecosystem can be estimated based on the market price of those goods and services. In these cases, productivity is derived from the income based on the production of goods and services (Raheem 2009). Much of the world's GDP is based on natural resources, especially those in the coastal zone. For environments such as timber, grassland, and consumables, or services such as recreation, there may be a monetary value already assigned to that ecosystem. However, it is important to note that without valuation of non-market goods, "hidden ecosystem benefits," which can be useful for planning, may be ignored (Börger 2014).

Many ecosystem services—including those that produce marketable products—require non-market valuation. Various techniques are used to estimate the value of these ecosystems in the absence of an explicit market price. It is important to note that all of these techniques determine value in anthropogenic (human-centered) terms, based on the use a particular ecosystem provides to humankind. To determine the value of that use, "all non-market valuation methods essentially attempt to identify an individual's maximum willingness to pay (WTP)" (Shaw and Wlodarz 2012). In many cases, "the aggregate willingness to pay for these benefits is not revealed through market outcomes" (Barbier 2011). In California, one of the best example are its beaches, which are free by law, but still have value. Economists base their estimates of a day at the beach on studies of WTP to go to the beach, since it is free, but not lacking value. According to one of the leading environmental economists, "the economic benefit provided by an environmental good or service is the sum of what all members of society would be willing to pay for it" (Barbier 2011). As we will see below, even using this admittedly anthropocentric assumption, California's beaches have enormous value.

Methods for Estimating Non-Market Value

One method of deriving WTP is through Stated Preference techniques. Stated Preference models use surveys of choice and willingness to pay. Broadly speaking, there are two main techniques: Contingent Value and Choice Experimentation. The Contingent Value Method (CVM) aims to elicit economic responses to hypothetical scenarios that allow the estimation of economic values of attributes of environmental quality. With careful consideration to the clarity of the questions and representativeness of the sample, respondents are asked a series of independent dichotomous choice WTP questions. Choice Experimentation (CE) involves choosing between two scenarios with associated benefits and costs, where the options are often presented as "side-by-side" comparisons. This method can yield more in-depth details about consumer preferences. In

terms of estimating value, a recent study found the two methods highly comparable; Loomis and Santiago found that "in terms of resulting: (a) statistical significance of the beach attribute coefficients; (b) increment in value per day from improving beach quality attributes; and (c) precision of the incremental value estimates." The two methods 90% confidence intervals overlap, suggesting they are similar in results. Both CVM and CE can yield statistically significant estimates of value, however, they can be costly and time consuming to conduct (Raheem 2009, Loomis & Santiago 2013).

In addition to Stated Preference techniques, non-market value can also be estimated via Revealed Preference. Revealed preference is based on the costs associated with the use of a particular ecosystem service (Raheem 2009). There are several methods of revealed preference modeling, each deriving value from a distinct type of payment. Hedonic Pricing considers the value of homes in relation to proximity of a given ecosystem (Raheem 2009). Hedonic pricing models are often used to price environmental amenities (e.g., living near a wetland). Their use is generally limited to the residents and homeowners in a particular area, however, and hedonic studies would typically not include values of people who live far away from an amenity, such as beach visitors from California's central valley.

Travel Cost estimates are based on the time and distance users are willing to travel, and standardized monetary costs of that travel, capturing a version of opportunity cost (Mehvar 2018, Raheem 2009). Many studies of the recreational value of beaches rely on travel cost methods since they are relatively easy to implement—a travel cost study only requires knowledge of: (a) how many people visit a site; (b) what is the distribution of visitors by distance from the site. This data can be collected relatively easily with surveys including visitors' zip codes and attendance counts of visitors.

An additional method, developed in part because of controversy over the use of CVM and replacement cost methods, is Habitat Equivalency Analysis (HEA). While Shaw and Wlodarz (2012) argue for utilizing a combination of HEA and non-market analysis estimates, HEA is an alternative to these methods which is based on tradeoffs between lost and restored services. The goal of HEA is that the "value of habitat services gained with appropriate compensatory restoration equals the value of the lost services prior to resource injury." HEA and methods like it, including Florida's Uniform Mitigation Assessment Methodology (UMAM) consider both the magnitude/size of restoration efforts and the quality of those services. Quality is especially important given that it may take decades for a replacement or restored service to equate to what was lost (Shaw and Wlodarz 2012).

TABLE A-1: METHODS FOR ESTIMATING NON-MARKET VALUE

| метнор | DEFINITION |
|--|---|
| | Models based on surveys which attempt to capture respondent willingness to pay for certain services |
| Stated Preference | Contingent Value Method (CVM): uses hypothetical situations with associated costs and benefits to capture public preferences |
| | Choice Experimentation (CE): has respondents choose between side-by-side alternatives with associated costs and benefits |
| | Models use data on associated costs related to the use of an ecosystem service to derive willingness to pay |
| Daysolad Bustavanas | Hedonic Pricing: uses home values |
| Revealed Preference | Travel Cost: based on the opportunity cost of visiting a site in terms of the time and cost of travel |
| | Replacement Cost: based on the cost of the man-made replacement for lost or adversely impacted resource |
| Habitat Equivalency Analysis Compares the lost ecosystem service function to the replacement service on a one-to-one baconsidering quantity and quality of the replacement in terms of ecosystem function | |

Benefit Transfer Method A.1.2

Simply put, benefit transfer involves "obtaining an estimate for the value of ecosystem services through the analysis of a single study or group of studies which have been previously carried out to value similar goods or services" and applying that estimated value to the site in question (Liu 2010). This allows for an accurate estimate of the value of a particular ecosystem service, provided sufficient primary data on comparable service sites exists. One of the problems with benefit transfer, however, is the lack of primary data (Börger 2014).

Liu and Constanza (2010) conducted an analysis of available data for benefit transfer and found significant gaps in the research. This is cause for concern, as estimates derived from benefit transfer models are only as good as their primary data sources. According to their analysis, whole categories of ecosystem services lack sufficient data; "several ecosystem services which we might reasonably expect to be delivered by functioning forests, wetlands, and riparian buffers simply remain unaccounted for in present-day analysis" (Liu and Costanza, 2010). However, in California there are significant studies on the non-market value of certain resources, including recreational and ecological services.

One of the critical requirements of the benefit transfer method is not only that the research exists, but that the chosen estimates come from quality research that is applicable to the specific site. This may mean looking to other states, or even other countries, for sites that share common characteristics with the project site. Furthermore, value estimates often have to be converted to current US dollars.

Applying the Benefit Transfer Method to Beach A.1.3 Recreation

For beach recreation, the value depends on the direct use of the site: The attendance or visits per year. The same benefit transfer method can be applied to any of these recreational uses so long as we consider how best to calculate the impacts of sea level rise on annual use.

After conducting a literature search including several studies of recreational value, one can take the average of day use value estimates (adjusted for inflation into current dollars) and simply apply the per-visit value to the attendance at the specific site. This is a simple type of benefits transfer, but one that is commonly used and good practice. In the case of a day at the beach, this average day use value is based upon a number of peer-reviewed studies by economists. In addition to being a relatively simple way to determine non-market value, applying one standard for all beaches in California may also be more equitable, since both revealed and stated preference studies are likely to indicate that higher income groups have higher willingness to pay.

This step is critical and often the most difficult. Sea level rise will lead to a diminution of valuable coastal ecosystems. However, applying a day-use benefits transfer approach implies that any reduction in non-market value is proportional to a reduction in use. Following this approach, losses in use depend on largely on loss of "carrying capacity." We recommend interviewing experts on the given activity—which can include people like lifeguards, harbor masters, surf instructors etc. on current visitation patterns and site accessibility. If access to the site is lost or severely inhibited due to sea level rise, there will be significant losses in attendance. In other cases, such as trails, marinas, or surfing, there may be an increased number of hours in the day when the waves and tide patterns make the site unsafe or unusable. This would impact the turnover rate, thus decreasing the carrying capacity.

In all of these cases, rather than applying the loss in area (as many trustees have done), one should estimate the loss in attendance. Anticipating the impacts of sea level rise on recreational value in all cases requires estimating the impact of sea level rise on attendance.

A.1.4 Beachgoing

California's beaches provide enormous non-market value since beaches are open to the public free of charge (though some beaches may charge for parking). As sea levels rise, beaches will lose area and some will vanish all together, impacting annual beach visits significantly. Understanding the benefit of these visits can help managers and planners better adapt to sea level rise.

A.2 Non-market value of beach recreation

In order to estimate the impact of sea level rise on recreational value, the value of beach visitation must first be estimated. As with most EFGS, beach access is generally free, and therefore has a non-market value.

As discussed in Section A.1.1, economists determine the non-market values like recreation, using the concept of WTP. The recreational value of beaches in California has been studied extensively, typically in terms of WTP for a trip to the beach. Economists can measure WTP by estimating the travel cost to and from the site (revealed preference) or by asking visitors how much they would be willing to pay (stated choice). Most of the studies cited in Table A-2 below are travel cost models (e.g., see Parsons 2003). This WTP is typically expressed as a "day-use value."

As indicated in the table below, estimates of day-use value vary by study and by beach with valuations ranging from \$15 to \$119 per day (2020 dollars). As indicated in Table A-2 below, the average price is \$51.13 (2020 dollars). However, following the recommendation of Pendleton and Kildow (2006), this methodology uses a median value of \$42.71 per visitor per day (in 2021 dollars) rounded to \$42 per person per day. This method is also consistent with a recent California Coastal Commission decision in Solana Beach (CCC 2017). Several local coastal programs employed this method in determining the non-market value of beaches including: The City of Carpinteria, the City of Pacifica, the City of Oceanside, and Ventura County.

TABLE A-2: ESTIMATES OF DAY-USE VALUE FOR CALIFORNIA BEACHES

| REGION | COUNTIES | USAGE LEVEL* | STUDIES | CS VALUES (\$2020) |
|------------------------------------|---|--------------|---------|-----------------------|
| | San Diego Orange | High | 12 | \$15.97 ¹ |
| | | | | \$23.08 ² |
| | | | | \$25.90 ³ |
| | | | | \$29.64 ² |
| | | | | \$32.45 ² |
| | | | | \$35.95 ¹ |
| Southern | Los Angeles | ı ilgii | | \$37.254 |
| | Ventura Santa Barbara | | | \$40.68 ² |
| | | | | \$48.265 |
| | | | | \$101.66¹ |
| | | | | \$112.19 ⁶ |
| | | | | \$119.01 ⁶ |
| | | Low | 0 | |
| | San Luis Obispo Monterey Santa Cruz San Mateo San Francisco | High | 1 | \$51.30 |
| Central | | Low | 0 | |
| Northern | Marin Sonoma Mendocino Humboldt Del Norte | High | 0 | |
| | | Low | 0 | |
| CA Average | | N/A | | \$51.13 |
| Midpoint Kildow & Pendleton (2006) | | N/A | | \$42.71 |

¹Leeworthy & Wiley (1993)

² King (2001) – midpoint between two methods

³ Chapman and Hanemann (2001) – corrected for inflation using CPI

⁴Lew and Larson (2005)

⁵Lew (2002)

⁶Leeworthy (1995)

A.2.1 Applying Day Use Value to Sea Level Rise Projections

Having a standard value for a beach trip allows city planners and researchers to understand the value of existing patterns of beach recreation and attendance. Applying this methodology to the future of California's beaches, however, requires additional calculations. Fundamentally, estimating the impact of sea level rise on the recreational value of beaches depends on the impact sea level rise has on beach attendance.

As sea levels rise, beaches will lose area, and this loss in area will lead to a loss in attendance. The relationship between lost area and lost attendance can be modeled using the carrying capacity of a given beach. Carrying capacity, in this case, is the number of visitors that can visit a beach at one time; essentially, the maximum occupancy of a beach. Beachgoers generally require about 100 square feet of "towel space." However, most beachgoers do not spend an entire day at the beach. Thus, one must account for the turnover rate (the rate at which visitors leave the beach and are replaced). While the turnover rate may vary site to site, King and McGregor (2012) found that turnover rates at southern California beaches, based on midday counts, were approximately 1.5. Of course, these turnover rates vary, and some types of recreationists, for example surfers, have very different patterns of visitation. (Surfers tend to visit early and later during the day.)

For traditional sunbathing, where one must place a towel in the sand, the carrying capacity is determined by dividing the area by required towel space and multiplying the result by the turnover rate. For example, a beach with 100,000 square feet has a carrying capacity of 1,000 (100,000/100) at one time; however, a turnover rate of 1.5 implies the beach can "carry" 1,500 people per day.

Daily attendance is rarely equivalent to carrying capacity, except for at the more popular beaches in high season. Therefore, models of sea level rise impact need to adjust for the average utilization rate at a given beach, or how close daily visitation is to the maximum occupancy (carrying capacity) of the beach. Many beaches are highly seasonal, with more than half of all visits taking place in the summer high season. At some of these seasonal beaches, the beach may be nearly at capacity for much of the summer (high utilization), and nearly empty in the winter (low utilization). Thus, a loss of area would impact the summer attendance far more than low season attendance. Models of sea level rise's impact need to also take seasonality into account.

A.2.2 Carrying Capacity and Beach Value

These methods allow planners to determine the estimated impact of sea level rise on the recreational value of beach visits given (1) annual attendance, (2) the nature of visits (seasonal/consistent), (3) the existing beach area, and (4) the expected loss in area. The method for seasonal beaches modifies the standard model to account for seasonal attendance fluctuations.

In both cases, the basic assumption is that once a beach loses enough area to suffer lost carrying capacity, attendance will decrease to the maximum occupancy of that beach. Thus, up until that point, occupancy and crowding will increase at the beach until it becomes so crowded that people choose to go elsewhere or decide not to go. Recreational value depends on attendance, not on area, at least up to the point that the loss in area impacts attendance.

Therefore, one needs to determine the impact of lost area on attendance. However, in most cases, the loss in attendance is not directly proportional to the loss in beach area, because beaches (currently) are rarely at full occupancy. A proportional drop in attendance, reflects the difference between the original carrying capacity and the impacted carrying capacity. The difference

between the new carrying capacity and the previously daily attendance offers the most conservative estimate of the loss in attendance. Because the remaining carrying capacity is directly proportional to the remaining area, the proportion of current attendance remaining is that proportion of the initial carrying capacity as a percent of initial daily attendance. Unless a beach was so popular it was always at initial carrying capacity year-round, the loss in attendance will always be less than the loss in carrying capacity. As we endeavor to model annual attendance, direct proportionality is not relevant, especially when beaches are sparsely populated in the colder months.

This method provides a conservative estimate of annual losses in recreational value, as it assumes that once the carrying capacity is reached, the maximum number of visitors that can be supported at that site will visit. However, given that it is possible beachgoers in the summer/peak season may choose to visit a fully occupied beach and thus exceed the carrying capacity, this model allows room for those instances. Furthermore, this model does not take into account that the majority of beach visits take place on weekends. While this may change as crowding increases and beachgoers opt to visit on weekdays, it is likely that the impact of sea level rise on attendance will be greater on popular weekend days than a seasonal average suggests, likely leading to a greater than expected loss in attendance.

References

- Arrow, K., Cropper, M.L., Gollier C., Groom, B., Heal, G.M., Newell, R.G., Nordhaus, W.D., Pindyck, R.S., Pizer, W.A., Portney, P.R., Sterner, T., Tol, R.S.J., and M.L. Weitzman. 2014. Should Governments Use a Declining Discount Rate in Project Analysis, Review of Environmental Economics and Policy. 8(2) pp. 145–163. doi:10.1093/reep/reu008.
- Barbier, E. B., S. D. Hacker, C. Kennedy, E. W. Koch, A. C. Stier, and B. R. Silliman. 2011. The value of estuarine and coastal ecosystem services. Ecological Monographs 81: 169-193
- Bell, F. W., & Leeworthy, V. R. 1990. Recreational demand by tourists for saltwater beach days. Journal of Environmental Economics and Management, 18(3), 189–205.
- California Coastal Commission. 2015. Improved Valuation Impacts to Recreation, Public Access, and Beach Ecology from Shoreline Armoring. Unpublished.
- California Coastal Commission. 2017. Decision concerning Solana Beach mitigation. May 2017.
- California Department of Finance. 2014. Report P-1 (Total Population): State and County Population Projections, 2010-2060.

 Available at: <a href="http://www.dof.ca.gov/research/demographic/reports/projections/P-1/documents/P-
- Chapman, D. J., & Hanneman, W. M. 2001. Environmental Damages in Court: The American Trader Case. In A. Heyes (Ed.), The Law and Economics of the Environment (pp. 319–367).
- Christensen, Jon and King, Philip, *Access for All*, 2017, https://www.ioes.ucla.edu/wp-content/uploads/UCLA-Coastal-Access-Policy-Report.pdf.
- City of Newport Beach. 2018. Public Trust Lands Sea Level Vulnerability Assessment (AB 691).
- Defeo, O., A. McLachlan, D. S. Schoeman, T. A. Schlacher, J. Dugan, A. Jones, M. Lastra, and F. Scapini. 2009. Threats to sandy beach ecosystems: a review. Estuarine, Coastal and Shelf Science, 81, 1–12.
- Dwight, R.H., Brinks, M.V., SharavanaKumar, G. and Semenza, J.C., 2007. Beach attendance and bathing rates for Southern California beaches. Ocean & Coastal Management, 50(10), pp.847-858.
- Dugan, J. E., O. Defeo, E. Jaramillo, A. R. Jones, M. Lastra, R. Nel, C.H. Peterson, F. Scapini, T. Schlacher, and D.S. Schoeman. Give beach ecosystems their day in the sun. Science, 329: 1146.
- Dugan, J. E. and D. M. Hubbard. 2016. Sandy beach ecosystems. Chapter 20 in: Ecosystems of California A source book. Mooney, H. and E. Zavaleta, eds. University of California Press.
- Dugan, J.E., Hubbard, D.M., Rodil, I., Revell, D.L., and Schroeter, S. 2008. Ecological effects of coastal armoring on sandy beaches. Marine Ecology, 29, 160–170.
- Dugan, J.E., Hubbard, D.M., 2006. Ecological responses to coastal armoring on exposed sandy beaches. Shore and Beach 74 (1), 10:16.

- Federal Emergency Management Authority (FEMA), 2005. Final Draft Guidelines for Coastal Flood Hazard Analysis and Mapping for the Pacific Coast of the United States. Oakland, CA. http://www.fema.gov/media-librarydata/840f98e4cb236997e2bc6771f04c9dcb/Final+Draft+Guidelines+for+Coastal+Flood+Hazard+Analysis+and+Mappi ng+for+the+Pacific+Coast+of+the+United+States.pdf.
- Federal Emergency Management Authority (FEMA). 2006. "Hazards U.S. Multi-Hazard (HAZUSMH)." In Computer Application and Digital Data Files on 2 CD-ROMs. Washington, D.C.: Jessup. http://www.fema.gov/plan/prevent/hazus/.
- Kahn, M.E., 2021. Adapting to climate change. Yale University Press.
- King, P. G. 2001. Economic Analysis of Beach Spending and the Recreational Benefits of Beaches in the City of San Clemente, San Francisco State University.
- King, Philip G., Chad Nelsen, Jennifer Dugan, David Hubbard, Karen Martin and Robert Battalio. 2018. "Valuing beach ecosystems in an age of retreat." Shore and beach 86.4
- King, P.G., and Symes, D. 2004. Potential Loss in GNP and GSP from a Failure to Maintain California's Beaches. Shore and Beach
- King, P. and McGregor, A. 2012. "Who's counting: An analysis of beach attendance estimates and methodologies in southern California." Ocean & Coastal Management, 10.1016/j.ocecoaman.2011.12.005, 17-25.
- King, P., A. McGregor and J. Whittet. 2015. Can California Coastal Managers Plan for Sea-Level Rise in a Cost-Effective Way. Journal of Environmental Planning and Management.
- King, P. and Giliam, J. 2015 The Economics Benefits and Impacts of SANDAG's Regional Nourishment Project, Prepared for California State Parks, Unpublished.
- Leeworthy, V. R. and P. C. Wiley. 1993. Recreational Use Value for Three Southern California Beaches. Rockville, Maryland, Strategic Environmental Assessments Division, Office of Ocean and Resource Conservations and Assessment, National Ocean and Atmospheric Administration.
- Leeworthy, V. R. 1995 Transferability of Bell and Leeworthy Beach study to Southern California Beaches. Memo to David Chapman, June 22 (Exhibited 939) reported in Chapman, David and Michael Hanemann 2001.
- Lew, D. K. and D. M. Larson. 2005. Valuing Recreation and Amenities at San Diego County Beaches. Coastal Management 33: 71-85.
- Nelsen, C.E., 2012. Collecting and Using Economic Information to Guide the Management of Coastal Recreational Resources in California. University of California, Los Angeles
- Pendleton, L., Kildow, J. and Rote, J.W., 2006. The non-market value of beach recreation in California. Shore and Beach, 74(2), p.34.
- Pendleton, L., Mohn, C., Vaughn, R.K., King, P. and Zoulas, J.G., 2012. Size matters: the economic value of beach erosion and nourishment in Southern California. Contemporary Economic Policy, 30(2), pp.223-237.

- Raheem, N., Colt, S., Fleishman, E., Talberth, J., Swedeen, P., Boyle, K.J., Rudd, M., Lopez, R.D., Crocker, D., Bohan, D. and O'Higgins, T., 2012. Application of non-market valuation to California's coastal policy decisions. Marine Policy, 36(5), pp.1166-1171.
- USACE. 2003. Economic Guidance Memorandum (EGM) 04-01, Generic Depth-Damage Relationships. http://www.usace.army.mil/CECW/PlanningCOP/Documents/egms/egm04-01.pdf

Weitzman, M. 2001, 'Gamma Discounting', American Economic Review, vol. 91, no. 1, March, pp. 260-271.

Sea Level Rise Model Policies

City of Manhattan Beach

1.1 Introduction

This section documents coastal hazards present in Manhattan Beach, including flooding and shoreline hazards. It establishes policies that address the safety of community members and mitigate potential impacts from natural and manmade hazards. In addition, this chapter discusses the types of shoreline protective devices currently in place within the coastal zone and policies for maintaining, rebuilding, or installing new devices.

Manhattan Beach has experienced numerous coastal storm events over the past few decades that caused flooding and erosion damage. In the late fall and winter of 1982/1983, California experienced an El Niño¹ that produced significant precipitation, strong winds, and high surf along southern California. The storms damaged coastal structures and eroded beaches. Waves reached the Pier deck and damaged the iconic Pier. The Pier deck, Roundhouse Aquarium, and lifeguard station at the beginning of the Pier were completely replaced². Other notable El Nino seasons occurred in 1998 and 2010. In 2017, surf reached 15 feet at El Porto Beach in North Manhattan Beach³.

1.2 Setting

Tidal Inundation and Coastal Storm Flooding Hazards

Flooding is inundation of normally dry land as a result of a rise in the level of surface waters or rapid accumulation of stormwater runoff. The Federal Emergency Management Agency (FEMA), through its Flood Insurance Rate Mapping (FIRM) program, designates areas where urban flooding could occur during 100-year and 500-year flood events (1 percent and 0.2 percent annual probability of occurrence, respectively). FEMA categorizes flood-prone areas as follows: Coastal Flooding; River Flooding; and Creek Flooding. Flood zones in the coastal zone are concentrated along the coastline. FEMA mapping shows that the entire coastline is within the 1% annual chance flood zone, and anticipated flood water elevations during the 1% flood event in Manhattan Beach range from 16 feet to 20 feet.

Future sea level rise is expected to create a permanent rise in ocean water levels that would shift the water's edge landward. If no action is taken, higher water levels would increase erosion of the beach, cause a loss of sand, and result in a narrower beach. Additionally, the combination of higher ocean water levels and beach erosion would result in greater flooding and damage during coastal storms and high tide events. The City of Manhattan Beach Sea Level Rise Risk, Hazards, and Vulnerability Assessment⁴ (Sea Level Rise Vulnerability Assessment) and associated mapping identifies the progression of coastal erosion under different sea level rise scenarios.

To assess vulnerabilities for the City of Manhattan Beach, five sea level rise scenarios, in addition to existing conditions, were mapped: 0, 2.5, 4.1, 5.7, 6.6, and 9.8 feet (0, 0.75, 1.25, 1.75, 2.0, and 3.0 meters). The scenarios were chosen based on

Commented [CB1]: It could be useful to specify whether this includes the sandy beach, developed areas, or both. In other words, do FEMA flood zones overlap with any existing development (access-related facilities? commercial or residential development?), or just the sandy beach?

Commented [CB2]: NAVD88?

¹ El Niño is the warm phase of the El Niño-Southern Oscillation and is associated with a band of warm ocean water that develops in the central and east-central equatorial Pacific. The warmer waters cause the Pacific jet stream to move south often resulting in wetter winters and increased flooding in the southern United States.

² Manhattan Beach Historical Society. 2021. https://manhattanbeachhistorical.org/pier/ Accessed August 2021.

³ Barnes, M. 2017. Daily Breeze. January 22, 2017. https://www.dailybreeze.com/2017/01/22/storm-slams-south-bay-more-than-3-inches-of-rain-causes-widespread-flooding/. Accessed August 2021.

⁴ ESA. 2021a. City of Manhattan Beach Sea Level Rise Risk, Hazards, and Vulnerability Assessment. Prepared for the City of Manhattan Beach. May 2021.

State guidance using the Ocean Protection Council⁵ (OPC) projections and available model runs from the Coastal Storm Modeling System (CoSMoS) developed by the United States Geologic Survey.

With future climate change and sea level rise, the city of Manhattan Beach's current vulnerabilities are projected to increase in both frequency and intensity. The following are the public assets most vulnerable to sea level rise hazards:

- Marvin Braude bike trail
- · Public restrooms at El Porto Beach, Rosecrans Avenue, and the Pier
- Maintenance building at Rosecrans Avenue
- · Food stand and beach rental building at El Porto Beach
- · Lower Pier Parking Lot
- Municipal Pier
- Storm Drain Outfalls
- South Bay Cities' Main Sewer Trunk Line
- Beach

The Coastal Act provides the basis, authority, and regulatory framework for LCP Land Use Plan policies to address sea level rise. Additionally, the California Coastal Commission Sea Level Rise Policy Guidance⁶ provides information for local municipalities amending LCPs. The guidance document recognizes that the Coastal Act supports: (1) using best available science to guide decisions; (2) minimizing coastal hazards through planning and development standards; (3) maximizing protection of coastal resources, including public access and recreation, coastal habitats, Environmentally Sensitive Habitat Areas and wetlands, water quality and supply, archaeology and paleontological resources, and scenic and visual coastal resources; and (4) maximizing agency coordination and public participation.

Coastal Act policies relating to shoreline protection require that development that alters natural shoreline processes, such as seawalls and retaining walls, be permitted only where required to serve coastal-dependent uses or protect existing structures or public beaches in danger from erosion, and when designed to eliminate or mitigate adverse impacts on local shoreline sand supply (Public Resources Code §30235). Further, other coastal policies require that new development, such as shoreline protective devices, as well as other activities, be sited and designed to:

- Prevent significant disruption to or degradation of Environmentally Sensitive Habitat Areas (Public Resources Code §30240).
- 2. Mitigate adverse impacts to archeological and paleontological resources (Public Resources Code §30244).
- 3. Protect ocean views, minimize the alteration of natural land forms, and be visually compatible with and subordinate to the surrounding character of the area (Public Resources Code §30251).
- Provide, and not interfere with, maximum public recreational access to and along the shoreline (Public Resources Code §§30210, 30211, and 30212).

Finally, Coastal Act policies require that all new development minimize risks to life and property in areas of high geologic and flood hazard areas (Public Resources Code §30253(a)) and not create, nor contribute significantly to, erosion, geologic

Commented [CB3]: I find it notable that the City's vulnerabilities are relatively limited (as compared to some other jurisdictions statewide) and centered around public assets, not private development such as residential development. It might be worth explicitly pointing that out here as an overall observation. That will set the reader up to expect certain policies in this chapter.

I also find it notable that the majority of these assets won't become impacted until a 100-yr storm event coincides with SLR amounts of often 4.9 ft or more. Only some facilities are vulnerable today (0 ft of SLR) during a 100-yr storm event. A trend in the Adaptation Plan (especially in Chapter 5) is to call for monitoring of the frequency of damage to these assets during storms and to establish thresholds to begin additional planning. I think it would be useful to summarize those vulnerability findings and Adaptation Plan recommendations here in a paragraph or two. This will help highlight how Manhattan Beach's vulnerabilities are not as near-term as many other jurisdictions in CA, and it will help frame why certain policies about monitoring are included in the chapter.

Commented [CB4]: Is the intent of this section to incorporate these Coastal Act policies into the LCP by reference? If so, I suggest explicitly stating that here.

I think it could be useful to go ahead and incorporate them by reference. (All LCPs need policies that carry them out anyway, and many LCPs incorporate Coastal Act policies directly.) As you'll see in my comments below, I think the content of certain Coastal Act policies should be included in this chapter, and I suggest other places in the policies where this could be achieved. An additional way to address those comments could be to incorporate the Coastal Act policies here by reference.

⁵ California OPC and California Natural Resources Agency. 2018. State of California Sea-Level Rise Guidance 2018 Update.

 $^{^6}$ California Coastal Commission. 2018. California Coastal Commission Sea Level Rise Policy Guidance, Interpretive Guidelines for Addressing Sea Level Rise in Local Coastal Programs and Coastal Development Permits. July 2018.

² Local Coastal Program Update

instability, or destruction of a site or surrounding area or in any way require the construction of protective devices that would substantially alter natural landforms along bluffs and cliffs (Public Resources Code §30253(b)).

Figure 1-1 and 1-2 depict areas where daily tidal inundation could potentially occur in the future with sea level rise. Figures 1-3 and 1-4 show the maximum modeled flood extent for the 1 percent annual chance coastal storm flood event (i.e., the upper range of the CoSMoS uncertainty bounds, which includes uncertainty due to vertical land motion changes, model performance and elevation measurements) to understand the full range of potential exposure. These maps provide a screening-level tool that depicts where site specific technical evaluations may be required and where development standards pertaining to shoreline hazard areas may be applied.

Extreme Rainfall Hazards

Stormwater infrastructure in coastal cities is usually designed to drain rainfall based on a fixed ocean water level (i.e., the design usually assumes sea water levels are low enough to allow full drainage from the pipes). However, the co-occurrence of extreme rainfall and high ocean water levels can lead to increased flood risk. With rising sea levels, Manhattan Beach may experience increased flooding from rainfall events due to the blockage of the outfalls by higher-than-normal coastal water levels moving up into the storm drain system. In this situation, reduced outflow capacity at the ocean outlet may propagate through the system leading to extensive flooding inland.

The Sea Level Rise Vulnerability Assessment included an analysis of the co-occurrence of extreme rainfall and high ocean water levels for Manhattan Beach. Model results for existing conditions (i.e., current climate conditions) show that the stormwater system can pass the current 25-year rainfall event with limited flooding, but that the 50- and 100-year rainfall events would result in widespread flooding even without a higher coastal water level. During these events, water is expected to back up into the system and flood through maintenance holes because the pipes cannot move the water to the ocean quickly enough.

The model results also show that future sea levels without a rainfall event are not expected to lead to substantial flooding of the stormwater system, primarily because the storm drain system is elevated enough above the outfalls. However, the flooding caused by the co-occurrence of high ocean water levels and increased intensity of rainfall storms is expected to get worse in the future.

Commented [CB5]: Looking forward to seeing these maps in context. Can these be included in the next draft of the LCP policies per Task 4.2 of the CCC LCP grant?

| Seal | [evel | Rice | Model | Policies | |
|------|-------|------|-------|----------|--|

City of Manhattan Beach

Figure 1-1: Tidal Inundation with Sea Level Rise in North Manhattan Beach

Figure 1-2: Tidal Inundation with Sea Level Rise in South Manhattan Beach

City of Manhattan Beach

Figure 1-3: Coastal Storm Flooding with Sea Level Rise in North Manhattan Beach

Figure 1-4: Coastal Storm Flooding with Sea Level Rise in South Manhattan Beach

Beach Erosion Hazards

Beach erosion is a complex response to many processes including marine, terrestrial, and other instabilities such as seismic shifts and biologic changes. In general, under natural conditions, sand is provided to beaches by sediment transport along the coast through wave action as well as from deposition through rivers and streams that empty into the ocean. Winter storms tend to cause heavy wave action which reduces sand content at beaches that will typically recover during milder summer conditions.

Manhattan Beach is part of the Santa Monica Littoral Cell, which spans approximately 49 miles from Point Dume to Palos Verdes Point. In general, studies have found that the sand predominantly moves downcoast (south) through this littoral cell. The Manhattan Beach coastline is characterized by sandy beach. The coastal zone within the city of Manhattan Beach slopes up from the beach with elevations quickly rising out of the flood zone behind the beach.

In general, historic erosion rates in Manhattan Beach show net accretion over time (i.e., beach widening), likely due to the extensive beach nourishment historically in Santa Monica Bay and the construction of sand retention structures downcoast of the City. The Sea Level Rise Vulnerability Assessment provides an analysis of projected beach widths with sea level rise?. **Table 1-1** presents the beach erosion over time, if no adaptation actions are taken.

TABLE 1-1: BEACH WIDTH EVOLUTION

| YEAR | TOTAL BEACH WIDTH (FT) | % LOSS |
|------|---------------------------|--------|
| 2020 | 370 | 0% |
| 2030 | 360 | 2% |
| 2040 | 350 | 5% |
| 2050 | 330 | 11% |
| 2060 | 310 | 16% |
| 2070 | 290 | 22% |
| 2080 | 260 | 29% |
| 2090 | 230 | 37% |
| 2100 | 200 | 47% |

Note, Table 1-1 provides the average beach width over time, assuming a sea level rise of 6.8 feet by 2100, and does not account for erosion during episodic storm events. Typical seasonal oscillations of the shoreline are around 30 feet in Southern California but large coastal storm events can cause larger oscillations with the beach eroding by as much as 100 feet.

Groundwater Hazards

Rising sea levels can impact coastal groundwater both by increasing groundwater levels and by the intrusion of salt water into coastal aquifers. Higher sea levels cause inland intrusion of denser salt water, which can raise unconfined salt water tables and also force overlying freshwater to rise up. As the water table rises, it can rise above the ground surface, flooding

8 Local Coastal Program Update

Commented [CB6]: And through erosion of the back heach

 $^{^{7}}$ The OPC 2018 medium-high risk aversion sea level rise scenario was used for this analysis.

low-lying areas or it can infiltrate and damage shallow infrastructure, such as basements, building foundations, and gas lines. Additionally, the intrusion of salt water can impact drinking water supplies.

In the Sea Level Rise Vulnerability Assessment, the depth to groundwater with increasing sea levels was evaluated across Manhattan Beach. Because the land slopes up quickly from the beach, the groundwater under most of the city is deep and there is limited risk to inland flooding. While there is not expected to be any emergence of groundwater leading to backshore ponding in Manhattan Beach, it is possible that groundwater could impact underground infrastructure, such as sewer and electrical lines.

Adaptation Strategies

Some adaptation strategies have already been implemented in Manhattan Beach to reduce vulnerabilities to coastal hazards along the City's shoreline. There are also other adaptation strategies used by adjacent jurisdictions, such as building seasonal sand berms, beach nourishment, and wetlands restoration.

Approximately 23% of the Manhattan Beach coastline is protected by coastal armoring structures such as rock revetments (north end of El Porto Beach) and concrete sea walls (El Porto Beach and near the Pier). An inventory of shoreline protective devices was developed in 2005 by NOAA for the entire California coastline and updated for Manhattan Beach by ESA in the Sea Level Rise Vulnerability Assessment. While sea walls and revetments provide protection to existing shoreline development, these structures can contribute to beach erosion and accelerate beach loss.

Beach dune restoration is recognized as a natural way of mitigating backshore erosion, as well as maintaining a wider beach by creating an additional source of sand at the back of the beach, while increasing local sand retention. When dunes are allowed to form and create natural features they provide a cost-effective buffer of protection from sea level rise and storm erosion. The Manhattan Beach Dune Restoration Project[®] will enhance approximately three acres of existing dunes in Manhattan Beach from 36th Street to 23rd Street, across approximately 0.6 miles of coastline. The Manhattan Beach Dune Restoration Project, led by The Bay Foundation in partnership with Los Angeles County Department of Beaches and Harbors, the City of Manhattan Beach, and the California State Coastal Conservancy, is currently in the permitting stage (as of September 2021). The goal of this dune restoration living shoreline project is to increase the resiliency of the beach through the restoration of sandy beach and foredune habitat, implement nature-based protection measures against sea level rise and coastal storms, and increase engagement of the community through enhanced beach experiences.

Manhattan Beach has two active groundwater wells used for drinking water: Well 11A and Well 15. Well 11A is located on the southwest corner of Manhattan Beach Boulevard and Green Lane and Well 15 is located on the southwest corner of Manhattan Beach and Vail Avenue. As a result of pumping out large amounts of fresh groundwater along the coast, salt water from the ocean began to intrude into the spaces left by removal of the groundwater, moving salt water into the groundwater basin in the 1940s. In the early 1950s, the West Coast Basin Barrier Project (WCBBP) was constructed to prevent ocean water from intruding into the underlying aquifers of the West Coast Groundwater Basin, which spans from just south of Ballona Creek through Long Beach. The WCBBP injects mostly recycled water into the groundwater basin to

Commented [CB7]: Can you pull anything from the vulnerability assessment about what amounts of SLR could cause groundwater to rise to shallow enough depths to be of possible concern for buried infrastructure?

Commented [CB8]: You may want to flag this to update before Planning Commission

 $^{{\}rm \$https://www.santamonicabay.org/explore/beaches-dunes-bluffs/beach-restoration/manhattan-beach-dune-restoration-project/manhattan-beach-dune-restoration-project-faq/}$

push salt water back towards the ocean. In Manhattan Beach, the injection wells are located between Valley Drive and North Ardmore Avenue. The WCBBP is operated by the West Basin Municipal Water District.

The City of Manhattan Beach Sea Level Rise Adaptation Plan⁹ (Adaptation Plan) identifies a variety of additional adaptation measures that should be considered as options for responding to sea level rise related hazards. The Adaptation Plan provides a framework for the City to monitor effects of coastal erosion and flooding with sea level rise and prepare for identified vulnerabilities by choosing from a toolbox of adaptation measures. As a guidance document, the Adaptation Plan provides flexibility for the City to choose appropriate adaptation measures over time, as specified thresholds for action are reached.

1.3 Coastal Hazards and Adaptation Policies

Natural Management of Coastal Hazards

The Natural Management of Coastal Hazards model policies call for non-structural adaptation strategies, such as a beach dune program, winter sand berms, establishment of off-shore reefs and kelp beds, and managed retreat (accepting a narrower beach). The City-specific policies would apply to a majority of City assets identified in the Adaptation Plan, including the beach, Marvin Braude Bike Trail, buildings along the beach, and the Lower Pier parking lot.

- Maximize natural shoreline values and processes; minimize the perpetuation of shoreline armoring.
- Develop and implement a beach dune and living shoreline restoration program.
- Stabilize dunes and back beach with the installation and maintenance of drought-tolerant native coastal
 vegetation capable of enhancing dune
 stability.
- The beneficial reuse and placement of sediments for sand nourishment projects should use beach-quality sand to
 enhance the use, safety, and appearance of the City's beaches when adverse impacts to the beach, intertidal,
 offshore resources, and surf are minimized and avoid significant disruption to marine and wildlife habitats and
 water circulation. Any beach nourishment project shall protect water quality and minimize and mitigate potential
 adverse biological and recreational resource impacts by considering the method, location, and timing of
 placement.
- Participate in any Regional Sediment Management (RSM) programs for beach sand replenishment and retention.
 Participate in and encourage other long-term beach sand replenishment and retention programs at the federal, state, and regional level.
- Support giant kelp reforestation programs, including through minimization of dredging activities, suspended sediment loads, and urban runoff.
- Implement eelgrass restoration and enhancement programs to protect eelgrass meadows for their important
 ecological function as a nursery and foraging habitat within the Manhattan Beach ecosystem.

Commented [LS9]: CCC- is there a database that you have that would show how many cities have included similar policies? Or do you track trends at all?

Commented [CB10R9]: Many cities are in the process of updating their LCPs, so in those cases, the certified language isn't ready to share. However, we have compiled some policy language from some of the more recent the LCPs and LCP updates that *have* been certified. Most recently, a list was posted online as part of an addendum for an item on the June 2021 Commission meeting agenda:

https://documents.coastal.ca.gov/reports/2021/6/Th9d/ Th9d-6-2021-addenda.pdf. It contains some of the more common SLR-related policies that are often considered in LCP updates, but it may not cover all policies that your team is interested in.

Some of the most recent LCP updates that have tackled SLR in a substantial way include:

- •Morro Bay (2021) here and here
- •Half Moon Bay (2021) here
- •Long Beach SEASP segment (2020) here and here
- Pacific Grove (2020) <u>here</u>
- •City of Santa Barbara (2019) here

You can also find info about other policy considerations are included in the 2018 SLR Policy Guidance.

Commented [CB11]: I recommend deciding where these policies will live in the LUP and numbering the policies with the same numbering convention as in the existing LUP. This will need to be done soon anyway, and the numbering will make it easier to talk about the policies. Can this be incorporated into the next draft that is submitted to CCC staff for Task 4.2 of the LCP Grant?

Commented [CB12]: Per my 10/11/21 email with Lindsey Sheehan, my understanding is that all references to "model" policies will be deleted, including within the text and in the headers.

Commented [CB13]: Will these policies technically apply to all development in the City's coastal zone? Or only certain types of development? This sentence seems to imply that it could be the latter. The same comment applies to the intro paragraphs to each of the sections

Commented [CB14]: Consider adding language stating that nonnative vegetation will be removed and not allowed to persist.

Also consider adding a sentence in this policy (or a new policy) that defines a minimum buffer around dunes, including those built through the beach dune and living shoreline program referenced above. (Many LCPs require a 50-ft buffer around dunes, but also provide for the possibility of adjusting that buffer distance based on site specific circumstances. See Policy C-1.5 on page 207 of this example from Morro Bay.)

⁹ ESA. 2021b. City of Manhattan Beach Sea Level Rise Adaptation Plan. Prepared for the City of Manhattan Beach. July 2021.

Shoreline Protection Devices

The Shoreline Protection Devices model policies relate to engineered structural protective devices, such as groins, seawalls, or rock revetments. As detailed in the Adaptation Plan, seawalls and revetments can contribute to erosion and accelerate beach loss. Therefore, the policies limit construction of new shoreline protection devices, while also minimizing the effects of any such approvable developments. The City-specific policies would apply to the protection of several City assets identified in the Adaptation Plan, including the Marvin Braude Bike Trail, buildings along the beach, and the Lower Pier parking lot.

- Limit shoreline protection devices; minimize impacts of shoreline protection devices.
- Discourage shoreline protective devices on public land. Such protective devices may shall only be permitted if no other less environmentally damaging alternative is available, including relocation of the threatened structure, considered only after avoidance, restoration of the sand supply, beach nourishment, and planned retrea are exhausted as possible alternatives.
- When allowed, shoreline protection devices shall be designed to blend visually with the natural shoreline, provide
 for public recreational access.
- Require modifications to existing shoreline protective devices to ensure that such devices are meeting current standards and are functioning in a way that has the least impact on coastal resources such as recreation, public access, and coastal resources as possible, including evaluation of possible removal and shoreline restoration. As the shoreline retreats due to erosion and sea level rise, incrementally remove rubble that has fallen onto the heach etc.

Shoreline Redevelopment and New Development

The Shoreline Development model policies address both redevelopment of existing buildings/facilities along the coast and new coastal development. The policies are intended to guide future development in a manner that minimizes hazard risk and is capable of adapting to future shoreline conditions without the need for protection. The City-specific policies would apply to redevelopment of existing City assets identified in the Adaptation Plan, including the Marvin Braude Bike Trail, buildings along the beach, and the Lower Pier parking lot.

- Minimize Avoid coastal hazard risks and minimize resource impacts when making redevelopment decisions.
- Development should be sited to avoid coastal hazard areas including wave, flooding, and erosion zones as they move inland within the next several decadesexpected duration of the development (see the Sea Level Rise Vulnerability Assessment for additional information about the coastal hazard zones and sea level rise timing). If avoidance is infeasible, development should have a design resilient to flooding and erosion to minimize impacts to public safety and property without reliance on current or future shoreline protection features. The design of the development should also reduce minimize unavoidable coastal resource impacts, including impacts to coastal access and recreation, environmental resources, and visual resources. For cases where resilient design may not be enough to address sea level rise impacts over the full life of the structure, the applicant shall develop a long-term plan that identifies future adaptation strategies (potentially up to and including relocation) to address sea level rise and coastal resource impacts.
- Site and design new structures to avoid the need for shoreline protective devices during the economic life of the structure.

Commented [CB15]: This policy is quite broad and could be edited/supplemented to play a more specific role. Since there isn't yet a policy in this section that mirrors Coastal Act Section 30235, I think this policy should be expanded to describe the criteria that must be met to require approval of an SPD, consistent with 30235. I can send examples of policies from certified LCPs, but a quick example to find online is in the draft Residential Adaptation Policy guidance, model policy F.1 on page 78. This comment also applies to the next bulle

Commented [CB16]: I suggest rewording this sentence slightly to more directly refer to "the least environmentally damaging feasible alternative", as shown in my suggested language here

Commented [CB17]: More detail on the mitigation that would be required with approvable SPD projects should be included either here or in a separate policy. I can send examples of policies from certified LCPs, but a quick

Commented [CB18]: What standards? Can you please provide a specific cross reference?

Commented [CB19]: I recommend reframing this as a requirement that any permittee for a protective device be responsible for removing all recoverable debris associated with the development from the bluffs, beach

Commented [CB20]: This policy is quite broad and could be edited/supplemented to play a more specific role. Since there isn't yet a policy in this section that mirrors Coastal Act Section 30253, I suggest expanding

Commented [CB21]: I suggest adding a definition of redevelopment to the LUP. (I didn't see one anywhere else in the LUP, but it's possible I missed it.) I can send examples of definitions in certified LCPs, but also

Commented [LS22]: CCC- does La County Beaches and Harbor get CDPs directly through you or would they go through cities? For example, if the public restrooms in Manhattan Beach were updated, would that developme

Commented [RM23R22]: I believe those beaches are within the City's LCP jurisdiction, so the County would apply to the City for their CDP for these types of applications.

Commented [CB24]: Many LCPs require site specific studies of SLR and coastal hazards to because they are necessary to inform the siting and design decisions needed to avoid or minimize hazard risks. They are offer

Commented [JF25]: Addresses CCC Comment 4, part 1

Commented [CB26]: I suggest adding a policy that defines typical economic lifetimes for categories of development. E.g.:

Commented [CB27]: This policy is a great start. Either here or in another policy, applicants for new development and redevelopment should be required to waive any rights that may existing under Section 3023

As a condition of approval of development on a beach or shoreline which is subject to wave action, erosion, flooding, or other hazards associated with development on a beach in which avoidance is infeasible, the property owner shall be required to execute and record a deed restriction which acknowledges and assumes said risks and waives any future claims of damage or liability against the permitting agency and agrees to indemnify the permitting agency against any liability, claims, damages or expenses arising from any injury or damage due to such hazards.

- Monitor the frequency of maintenance required for storm drains to identify when further improvements and adaptation actions (including shortening the outfalls) are needed due to vulnerabilities from beach erosion and sand blockage with sea level rise. Future projects, such as stormwater infiltration projects along the backshore, should consider sea level rise during feasibility assessments and include measures to minimize impacts from coastal hazards as well as avoid impacts to water quality, public access, scenic and visual resources, and other coastal resources.
- New public beach facilities shall be limited to only those structures which provide or enhance public recreation
 activities and only when alternative sites upland of the beach are not feasible.

Public Access, Recreation, and Sensitive Coastal Resources

The Public Access, Recreation, and Sensitive Coastal Resources model policies aim to protect public access, recreation, and sensitive coastal resources, which are identified by the California Coastal Commission (CCC) as necessary considerations in plans addressing sea level rise in the coastal zone.

- Avoid impacts to beach dune habitat when designing and siting recreation areas, and direct public access to use
 well-defined footpaths and the Strand rather than over dune habitat areas through symbolic/protective fencing,
 signage, and similar methods.
- Consider options to retrofit or relocate recreation and visitor serving facilities to better accommodate avoid sea level rise impacts and ensure maximum coastal access and recreational opportunities are provided over time.
- New development and redevelopment shall minimize barriers to public coastal access to the maximum extent
 feasible, including with consideration for future sea level rise, by ensuring that public access and recreational
 opportunities account for the social, physical, and economic needs of all people.
- Public recreational access facilities (e.g., public parks, restroom facilities, parking, bicycle facilities, trails, and
 paths) shall be sited and designed in such a way as to limit potential impacts to coastal resources over the
 structure's lifetime. As appropriate, such development may be allowed within the immediate shoreline area only if
 it is sited in an area that avoids current and future hazards, will not require new or expanded shoreline protective
 devices, and will not cause or accelerate beach erosion.

Decision-making, Coordination, and Participation

The Decision-making, Coordination, and Participation model policies relate to decision making, coordination, and participation in planning for sea level rise, which are identified by the CCC as key principles for addressing sea level rise in the coastal zone.

Commented [JF28]: Addresses CCC Comment 4, part 2

Commented [CB29R28]: These are important elements, but Commission staff also recommend expanding the detail of assumptions of risk to ensure property owners are aware of SLR-specific risks. Consider language such as: "...record a deed restriction which acknowledges 1) the development is located in a hazardous area or an area that may become hazardous in the future; 2) that sea level rise could render it difficult or impossible to provide services to the site; 3) that the boundary between public tidelands and private land may shift with rising seas and the development approval does not permit encroachment onto public trust land; 4) that additional adaptation strategies may be required in the future to address sea level rise consistent with the Coastal Act and certified ICP"

Commented [JF30]: Addresses CCC Comment 3

Commented [CB31R30]: Consider cross referencing the Adaptation Plan in this policy to point readers to where they can find more information on the triggers that will indicate the need for adaptive action

Commented [CB32]: I suggest adding language along these lines to provide more detail on the objectives that future projects should have

Commented [CB33]: Somewhere in these policies, I suggest adding the concept that public access facilities that are constructed/redeveloped in areas that may be impacted by SLR be sited and designed to be adaptable/non-permanent.

Commented [CB34]: Either here or perhaps in the second bullet point under "Natural Management of Coastal Hazards" I suggest adding the concept that the continued viability of dune and other coastal habitats shall be provided for by planning for inland migration and/or replacement of habitats lost to sea level rise.

Commented [CB35]: I suggest reframing this (or adding to the policy) to instead say "maximize public access" unless public access would pose a safety risk or threat to fragile resources, or where adequate access exists nearby, consistent with the Coastal Act public access policies. This is a subtle but significant difference.

Commented [CB36]: I suggest adding a sentence about what happens if those recreational access facilities must be adapted in the future. Consider a sentence like "Public recreational access facilities shall be sited and designed to anticipate potential loss due to coastal hazards and sea level rise and necessary replacement."

 Use the best available science to determine locally relevant and context-specific sea level rise projections for all stages of planning, design, and reviews.

- · Coordinate planning and regulatory decision making with other appropriate local, State, and federal agencies.
- Provide for maximum public participation in planning and regulatory processes.
- Update the City's existing Sea Level Rise Adaptation Plan approximately every ten years or as substantive new information is available and as major updates occur to the State of California Sea Level Rise Guidance.
- Educate the public about the effects of sea level rise and shoreline hazards. Pursue various methods to notify and
 educate owners, residents, tenants, and potential future owners of property located in areas potentially subject to
 shoreline hazards and the effects of sea level rise. Support legislation to include the risks of sea level rise and
 shoreline hazards on real estate disclosures included in the sales of property.
- Create a Shoreline Monitoring Program, in consultation with other regional, state, and federal agencies as well as
 regional experts, as detailed in the City's Sea Level Rise Adaptation Plan. Monitor, assess, and inform the public
 and City decision-makers about the effects of sea level rise on coastal resources, coastal access, public
 infrastructure and facilities, and existing development in order to <u>identify when impact criteria in the Adaptation
 Plan have been met and to</u> make informed recommendations on adaptation and revise plans and policies as
 needed. This includes, but is not limited to, activities such as:
 - A. Tracking the following resources for science updates: California Coastal Commission Sea Level Rise Policy Guidance; OPC Sea Level Rise Guidance; California Climate Change Assessment; U.S. Geological Survey Coastal Change Hazards Program; National Oceanic and Atmospheric Administration Tides and Currents, Santa Monica Bay station; and coordinate with academic institutions to follow scientific reports they produce on sea level rise in Southern California.
 - B. Record coastal flooding and storm damage events and information (photos, videos, reports of events or damage, date, type, location, and severity of flooding) where storm the Manhattan Beach Sea Level Rise Risks Hazards, and Vulnerability Assessment (May 2021) found that flooding may occur, including but not limited to the Marvin Braude Bike Trail, buildings along the beach, the lower pier parking lot, the municipal pier, storm drain outfalls, and the South Bay Cities' main sewer trunk line
 - C. Topographic surveys of the beach (e.g., beach elevation transects) to measure beach width over time.

Commented [JF37]: Addresses CCC Comment 1

Commented [CB38R37]: Thank you! I also suggest adding a sentence that says: in addition, the LCP shall be updated if warranted by an Adaptation Plan update.

Commented [JF39]: Addresses CCC Comment 2

Commented [CB40R39]: I added some suggested language to more directly state that the monitoring program will track whether the various triggers and metrics in the Adaptation Plan that signal the need for future action have been met.

Commented [CB41]: I suggest adding this language because it helps translate the main findings of the vulnerability assessment and adaptation plan to the LCP itself.

THIS PAGE

INTENTIONALLY

LEFT BLANK

Sea Level Rise Policies ATTACHMENT D
City of Manhattan Beach

SECTION VI COASTAL HAZARDS

I. INTRODUCTION

This section documents coastal hazards present in Manhattan Beach, including flooding and shoreline hazards. It establishes policies that address the safety of community members and mitigate potential impacts from natural and man-made hazards. In addition, this chapter discusses the types of shoreline protective devices currently in place within the coastal zone and policies for maintaining, rebuilding, or installing new devices.

Manhattan Beach has experienced numerous coastal storm events over the past few decades that caused flooding and erosion damage. In the late fall and winter of 1982/1983, California experienced an El Niño¹ that produced significant precipitation, strong winds, and high surf along southern California. The storms damaged coastal structures and eroded beaches. Waves reached the Pier deck and damaged the iconic Pier. The Pier deck, Roundhouse Aquarium, and lifeguard station at the beginning of the Pier were completely replaced². Other notable El Nino seasons occurred in 1998 and 2010. In 2017, surf reached 15 feet at El Porto Beach in North Manhattan Beach³.

II. SETTING

TIDAL INUNDATION AND COASTAL STORM FLOODING HAZARDS

Flooding is inundation of normally dry land as a result of a rise in the level of surface waters or rapid accumulation of stormwater runoff. The Federal Emergency Management Agency (FEMA), through its Flood Insurance Rate Mapping (FIRM) program, designates areas where urban flooding could occur during 100-year and 500-year flood events (1 percent and 0.2 percent annual probability of occurrence, respectively). FEMA categorizes flood-prone areas as follows: Coastal Flooding; River Flooding; and Creek Flooding. Flood zones in the coastal zone are concentrated along the coastline. FEMA mapping shows that the entire sandy beach coastline is within the 1% annual chance flood zone, and anticipated flood water elevations during the 1% flood event in Manhattan Beach range from 16 feet to 20 feet NAVD88⁴.

Future sea level rise is expected to create a permanent rise in ocean water levels that would shift the water's edge landward. If no action is taken, higher water levels would increase erosion of the beach, cause a loss of sand, and result in a narrower beach. Additionally, the combination of higher ocean water levels and beach erosion would result in greater flooding and damage during coastal storms and high tide events. The City of Manhattan Beach Sea Level Rise Risk, Hazards, and Vulnerability Assessment⁵ (Sea Level Rise Vulnerability Assessment) and associated mapping identifies the progression of coastal erosion under different sea level rise scenarios.

¹ El Niño is the warm phase of the El Niño-Southern Oscillation and is associated with a band of warm ocean water that develops in the central and east-central equatorial Pacific. The warmer waters cause the Pacific jet stream to move south often resulting in wetter winters and increased flooding in the southern United States.

² Manhattan Beach Historical Society. 2021. https://manhattanbeachhistorical.org/pier/ Accessed August 2021.

³ Barnes, M. 2017. Daily Breeze. January 22, 2017. https://www.dailybreeze.com/2017/01/22/storm-slams-south-bay-more-than-3-inches-of-rain-causes-widespread-flooding/. Accessed August 2021.

⁴ North American Vertical Datum of 1988.

⁵ ESA. 2021a. City of Manhattan Beach Sea Level Rise Risk, Hazards, and Vulnerability Assessment. Prepared for the City of Manhattan Beach. May 2021.

To assess vulnerabilities for the City of Manhattan Beach, five sea level rise scenarios, in addition to existing conditions, were mapped: 0, 2.5, 4.1, 5.7, 6.6, and 9.8 feet (0, 0.75, 1.25, 1.75, 2.0, and 3.0 meters). The scenarios were chosen based on State guidance using the Ocean Protection Council⁶ (OPC) projections and available model runs from the Coastal Storm Modeling System (CoSMoS) developed by the United States Geologic Survey.

With future climate change and sea level rise, the city of Manhattan Beach's current vulnerabilities are projected to increase in both frequency and intensity. However, it's notable that the City's vulnerabilities are relatively limited, compared to other jurisdictions statewide, and centered around public assets and not private development. The following are the public assets most vulnerable to sea level rise hazards based on the Sea Level Rise Vulnerability Assessment:

- Marvin Braude bike trail: expected to be vulnerable to wave runup during a 100-year storm event with 4.9 feet of sea level rise.
- Public restrooms at El Porto Beach: not expected to be vulnerable to wave runup until 4.9 feet of sea level rise but
 could experience storm inundation with 4.9 feet of sea level rise; not expected to experience daily tidal inundation
 with up to 9.8 feet of sea level rise (the highest amount of sea level rise analyzed in the Sea Level Rise Vulnerability
 Assessment).
- Public restroom and maintenance building at Rosecrans Avenue: already vulnerable to wave runup during a 100-year storm event and could be exposed to more extensive storm inundation with 3.3 feet of sea level rise, and daily tidal inundation between 6.6 and 9.8 feet of sea level rise.
- Public restrooms at the Pier: not expected to be vulnerable to wave runup until 1.6 feet of sea level rise but could
 experience storm inundation with 3.3 feet of sea level rise; not expected to experience daily tidal inundation with up
 to 9.8 feet of sea level rise (the highest amount of sea level rise analyzed in the Sea Level Rise Vulnerability
 Assessment).
- Food stand and beach rental building at El Porto Beach: already vulnerable to wave runup during a 100-year storm event; could be exposed to more extensive storm inundation with 3.3 feet of sea level rise and daily inundation with 6.6 feet of sea level rise.
- Lower Pier Parking Lot: expected to be vulnerable to wave runup during a 100-year storm event with 4.9 feet of sea level rise; not expected to experience more extensive storm inundation until after more than 9.8 feet of sea level rise.
- Municipal Pier: specifically designed and intentionally located to be in the potential hazard zones, however, over
 time, the exposure of the structure to waves and large storm events will increase. Additionally, the assets at the pier
 (e.g., Roundhouse Aquarium) will experience more frequent wave overtopping with sea level rise.
- Storm Drain Outfalls: expected to be vulnerable to beach erosion and sand blockage with sea level rise. This may lead to more frequent maintenance to remove sand from the outfall before anticipated rainfall events.
- South Bay Cities' Main Sewer Trunk Line: not expected to reach the sewer line under 6.6 feet of sea level rise, but water levels during a 100-year storm could extend to the sewer line between 27th and 32nd Streets and around Marine Avenue. Higher water levels could limit access to the line for maintenance and operation or inundate maintenance holes and increase flows in the system that the treatment plant would then have to process.
- Beach: sea level rise will cause increased levels of erosion (see Beach Erosion section below).

⁶ California OPC and California Natural Resources Agency. 2018. State of California Sea-Level Rise Guidance 2018 Update.

The Coastal Act provides the basis, authority, and regulatory framework for LCP Land Use Plan policies to address sea level rise. Additionally, the California Coastal Commission Sea Level Rise Policy Guidance⁷ provides information for local municipalities amending LCPs. The guidance document recognizes that the Coastal Act supports: (1) using best available science to guide decisions; (2) minimizing coastal hazards through planning and development standards; (3) maximizing protection of coastal resources, including public access and recreation, coastal habitats, Environmentally Sensitive Habitat Areas and wetlands, water quality and supply, archaeology and paleontological resources, and scenic and visual coastal resources; and (4) maximizing agency coordination and public participation.

Coastal Act policies are incorporated into this LCP by reference. Coastal Act policies relating to shoreline protection require that development that alters natural shoreline processes, such as seawalls and retaining walls, be permitted only where required to serve coastal-dependent uses or protect existing structures or public beaches in danger from erosion, and when designed to eliminate or mitigate adverse impacts on local shoreline sand supply (Public Resources Code §30235). Further, other coastal policies require that new development, such as shoreline protective devices, as well as other activities, be sited and designed to:

- Prevent significant disruption to or degradation of Environmentally Sensitive Habitat Areas (Public Resources Code §30240).
- Mitigate adverse impacts to archeological and paleontological resources (Public Resources Code §30244).
- Protect ocean views, minimize the alteration of natural land forms, and be visually compatible with and subordinate to the surrounding character of the area (Public Resources Code §30251).
- 4. Provide, and not interfere with, maximum public recreational access to and along the shoreline (Public Resources Code §§30210, 30211, and 30212).

Finally, Coastal Act policies require that all new development minimize risks to life and property in areas of high geologic and flood hazard areas (Public Resources Code §30253(a)) and not create, nor contribute significantly to, erosion, geologic instability, or destruction of a site or surrounding area or in any way require the construction of protective devices that would substantially alter natural landforms along bluffs and cliffs (Public Resources Code §30253(b)).

Figure 1-1 and **1-2** depict areas where daily tidal inundation could potentially occur in the future with sea level rise. **Figures 1-3 and 1-4** show the maximum modeled flood extent for the 1 percent annual chance coastal storm flood event (i.e., the upper range of the CoSMoS uncertainty bounds, which includes uncertainty due to vertical land motion changes, model performance and elevation measurements) to understand the full range of potential exposure. These maps provide a screening-level tool that depicts where site specific technical evaluations may be required and where development standards pertaining to shoreline hazard areas may be applied.

EXTREME RAINFALL HAZARDS

Stormwater infrastructure in coastal cities is usually designed to drain rainfall based on a fixed ocean water level (i.e., the design usually assumes sea water levels are low enough to allow full drainage from the pipes). However, the co-occurrence of extreme rainfall and high ocean water levels can lead to increased flood risk. With rising sea levels, Manhattan Beach may experience increased flooding from rainfall events due to the blockage of the outfalls by higher-than-normal coastal water levels moving up

⁷ California Coastal Commission. 2018. California Coastal Commission Sea Level Rise Policy Guidance, Interpretive Guidelines for Addressing Sea Level Rise in Local Coastal Programs and Coastal Development Permits. July 2018.

Local Coastal Program Update Page 183 of 195
PC MTG 02-23-2022

into the storm drain system. In this situation, reduced outflow capacity at the ocean outlet may propagate through the system leading to extensive flooding inland.

The Sea Level Rise Vulnerability Assessment included an analysis of the co-occurrence of extreme rainfall and high ocean water levels for Manhattan Beach. Model results for existing conditions (i.e., current climate conditions) show that the stormwater system can pass the current 25-year rainfall event with limited flooding, but that the 50- and 100-year rainfall events would result in widespread flooding even without a higher coastal water level. During these events, water is expected to back up into the system and flood through maintenance holes because the pipes cannot move the water to the ocean quickly enough.

The model results also show that future sea levels without a rainfall event are not expected to lead to substantial flooding of the stormwater system, primarily because the storm drain system is elevated enough above the outfalls. However, the flooding caused by the co-occurrence of high ocean water levels and increased intensity of rainfall storms is expected to get worse in the future.









BEACH EROSION HAZARDS

Beach erosion is a complex response to many processes including marine, terrestrial, and other instabilities such as seismic shifts and biologic changes. In general, under natural conditions, sand is provided to beaches by sediment transport along the coast and from the back beach through wave action as well as from deposition through rivers and streams that empty into the ocean. Winter storms tend to cause heavy wave action which reduces sand content at beaches that will typically recover during milder summer conditions.

Manhattan Beach is part of the Santa Monica Littoral Cell, which spans approximately 49 miles from Point Dume to Palos Verdes Point. In general, studies have found that the sand predominantly moves downcoast (south) through this littoral cell. The Manhattan Beach coastline is characterized by sandy beach. The coastal zone within the city of Manhattan Beach slopes up from the beach with elevations quickly rising out of the flood zone behind the beach.

In general, historic erosion rates in Manhattan Beach show net accretion over time (i.e., beach widening), likely due to the extensive beach nourishment historically in Santa Monica Bay and the construction of sand retention structures downcoast of the City. The Sea Level Rise Vulnerability Assessment provides an analysis of projected beach widths with sea level rise⁸. **Table 1-1** presents the beach erosion over time, if no adaptation actions are taken.

TABLE 1-1: BEACH WIDTH EVOLUTION

| YEAR | TOTAL BEACH WIDTH (FT) | % LOSS |
|--------------|------------------------|------------|
| 2020 | 370 | 0% |
| 2030 | 360 | 2% |
| 2040 | 350 | 5% |
| 2050 | 330 | 11% |
| 2060 | 310 | 16% |
| 2070 | 290 | 22% |
| 2080 | 260 | 29% |
| 2090 | 230 | 37% |
| 2100 | 200 | 47% |
| 2080 2090 | 260 230 | 29% 37% |

Note, Table 1-1 provides the average beach width over time, assuming a sea level rise of 6.8 feet by 2100, and does not account for erosion during episodic storm events. Typical seasonal oscillations of the shoreline are around 30 feet in Southern California but large coastal storm events can cause larger oscillations with the beach eroding by as much as 100 feet.

GROUNDWATER HAZARDS

Rising sea levels can impact coastal groundwater both by increasing groundwater levels and by the intrusion of salt water into coastal aquifers. Higher sea levels cause inland intrusion of denser salt water, which can raise unconfined salt water tables and also force overlying freshwater to rise up. As the water table rises, it can rise above the ground surface, flooding low-lying

⁸ The OPC 2018 medium-high risk aversion sea level rise scenario was used for this analysis.

areas or it can infiltrate and damage shallow infrastructure, such as basements, building foundations, and gas lines. Additionally, the intrusion of salt water can impact drinking water supplies.

In the Sea Level Rise Vulnerability Assessment, the depth to groundwater with increasing sea levels was evaluated across Manhattan Beach. Because the land slopes up quickly from the beach, the groundwater under most of the city is deep and there is limited risk to inland flooding. While there is not expected to be any emergence of groundwater leading to backshore ponding in Manhattan Beach, it is possible that groundwater could impact underground infrastructure, such as sewer and electrical lines, but not until after 9.8 feet of sea level rise.

ADAPTATION STRATEGIES

Some adaptation strategies have already been implemented in Manhattan Beach to reduce vulnerabilities to coastal hazards along the City's shoreline. There are also other adaptation strategies used by adjacent jurisdictions, such as building seasonal sand berms, beach nourishment, and wetlands restoration.

Approximately 23% of the Manhattan Beach coastline is protected by coastal armoring structures such as rock revetments (north end of El Porto Beach) and concrete sea walls (El Porto Beach and near the Pier). An inventory of shoreline protective devices was developed in 2005 by NOAA for the entire California coastline and updated for Manhattan Beach by ESA in the Sea Level Rise Vulnerability Assessment. While sea walls and revetments provide protection to existing shoreline development, these structures can contribute to beach erosion and accelerate beach loss.

Beach dune restoration is recognized as a natural way of mitigating backshore erosion, as well as maintaining a wider beach by creating an additional source of sand at the back of the beach, while increasing local sand retention. When dunes are allowed to form and create natural features they provide a cost-effective buffer of protection from sea level rise and storm erosion. The Manhattan Beach Dune Restoration Project⁹ will enhance approximately three acres of existing dunes in Manhattan Beach from 36th Street to 23rd Street, across approximately 0.6 miles of coastline. The Manhattan Beach Dune Restoration Project, led by The Bay Foundation in partnership with Los Angeles County Department of Beaches and Harbors, the City of Manhattan Beach, and the California State Coastal Conservancy, is currently in the permitting stage (as of December 2021). The goal of this dune restoration living shoreline project is to increase the resiliency of the beach through the restoration of sandy beach and foredune habitat, implement nature-based protection measures against sea level rise and coastal storms, and increase engagement of the community through enhanced beach experiences.

Manhattan Beach has two active groundwater wells used for drinking water: Well 11A and Well 15. Well 11A is located on the southwest corner of Manhattan Beach Boulevard and Green Lane and Well 15 is located on the southwest corner of Manhattan Beach and Vail Avenue. As a result of pumping out large amounts of fresh groundwater along the coast, salt water from the ocean began to intrude into the spaces left by removal of the groundwater, moving salt water into the groundwater basin in the 1940s. In the early 1950s, the West Coast Basin Barrier Project (WCBBP) was constructed to prevent ocean water from intruding into the underlying aquifers of the West Coast Groundwater Basin, which spans from just south of Ballona Creek through Long Beach. The WCBBP injects mostly recycled water into the groundwater basin to push salt water back towards the ocean. In Manhattan Beach, the injection wells are located between Valley Drive and North Ardmore Avenue. The WCBBP is operated by the West Basin Municipal Water District.

⁹ https://www.santamonicabay.org/explore/beaches-dunes-bluffs/beach-restoration/manhattan-beach-dune-restorationproject/manhattan-beach-dune-restoration-project-fag/

The City of Manhattan Beach Sea Level Rise Adaptation Plan¹⁰ (Adaptation Plan) identifies a variety of additional adaptation measures that should be considered as options for responding to sea level rise related hazards. The Adaptation Plan provides a framework for the City to monitor effects of coastal erosion and flooding with sea level rise and prepare for identified vulnerabilities by choosing from a toolbox of adaptation measures. As a guidance document, the Adaptation Plan provides flexibility for the City to choose appropriate adaptation measures over time, as specified thresholds for action are reached.

III. COASTAL HAZARDS AND ADAPTATION POLICIES

A. NATURAL MANAGEMENT OF COASTAL HAZARDS

The Natural Management of Coastal Hazards policies call for non-structural adaptation strategies, such as a beach dune program, winter sand berms, establishment of off-shore reefs and kelp beds, and managed retreat (accepting a narrower beach).

Policy IV.A.1: Maximize natural shoreline values and processes; minimize the perpetuation of shoreline armoring.

Policy IV.A.2: Develop and implement a beach dune and living shoreline restoration program. The continued viability of dune and other coastal habitats shall be provided for by planning for inland migration and/or replacement

of habitats lost to sea level rise.

Policy IV.A.3: Stabilize dunes and back beach with the installation and maintenance of drought-tolerant native coastal vegetation capable of enhancing dune stability and the removal of non-native vegetation. Development shall be set back from dunes through buffers of sufficient width and design to protect native costal vegetation from impacts of adjacent uses, including a bike path set back of a minimum of three feet and a

beach grooming set back of a minimum of five feet.

Policy IV.A.4: The beneficial reuse and placement of sediments for sand nourishment projects should use beach-quality

sand to enhance the use, safety, and appearance of the City's beaches when adverse impacts to the beach, intertidal, offshore resources, and surf are minimized and avoid significant disruption to marine and wildlife habitats and water circulation. Any beach nourishment project shall protect water quality and minimize and mitigate potential adverse biological and recreational resource impacts by considering the

method, location, and timing of placement.

Policy IV.A.5: Participate in any Regional Sediment Management (RSM) programs for beach sand replenishment and

retention. Participate in and encourage other long-term beach sand replenishment and retention programs

at the federal, state, and regional level.

Policy IV.A.6: Support giant kelp reforestation programs, including through minimization of dredging activities,

suspended sediment loads, and urban runoff.

Policy IV.A.7: Implement eelgrass restoration and enhancement programs to protect eelgrass meadows for their

important ecological function as a nursery and foraging habitat within the Manhattan Beach ecosystem.

B. SHORELINE PROTECTION DEVICES

The Shoreline Protection Devices policies relate to engineered structural protective devices, such as groins, seawalls, or rock revetments. As detailed in the Adaptation Plan, seawalls and revetments can contribute to erosion and accelerate beach loss.

¹⁰ ESA. 2021b. City of Manhattan Beach Sea Level Rise Adaptation Plan. Prepared for the City of Manhattan Beach. July 2021.

Therefore, the policies limit construction of new shoreline protection devices, while also minimizing the effects of any such approvable developments.

- Policy IV.B.1: Limit shoreline protection devices, including revetments, breakwaters, groins, seawalls, and other such construction that alters natural shoreline processes. When required to serve coastal-dependent uses or protect existing principal structures or public beaches in danger from erosion, site shoreline protection devices to avoid sensitive resources, if feasible, and mitigate adverse impacts on all coastal resources.
- Policy IV.B.2: Discourage shoreline protective devices on public land. Such protective devices shall only be permitted if no other less environmentally damaging alternative is available, including avoidance, restoration of the sand supply, beach nourishment, and planned retreat.
- Policy IV.B.3: When allowed, shoreline protection devices shall be designed to blend visually with the natural shoreline, provide for public recreational access. If impacts cannot be avoided, they shall be mitigated through options such as providing equivalent new public access or recreational facilities or undertaking restoration of nearby beach habitat. If such options are not feasible, proportional in-lieu fees that consider the full value of the beach including with respect to impacts on shoreline sandy supply, sandy beaches, public recreational access, public views, natural landforms, beach ecology, and water quality may be used as a vehicle for impact mitigation provided that such in-lieu fees are deposited in an interest bearing account managed by the City of Manhattan Beach and used only for acquisition or improvements of coastal public access, biological restoration, or other relevant mitigation in the vicinity of the project.
- Policy IV.B.4: Require modifications to existing shoreline protective devices to ensure that such devices are functioning in a way that has the least impact on coastal resources such as recreation, public access, and coastal resources as possible, including evaluation of possible removal and shoreline restoration. Any permittee of a protective device shall be responsible for removing all recoverable debris associated with the development from the beach or ocean and lawfully dispose of the material in an approved disposal site.

C. SHORELINE REDEVELOPMENT AND NEW DEVELOPMENT

The Shoreline Development policies address both redevelopment¹¹ of existing buildings/facilities along the coast and new coastal development. The policies are intended to guide future development in a manner that minimizes hazard risk and is

Local Coastal Program Update

¹¹ Redevelopment: A development proposal reaches the threshold of being a replacement structure or redevelopment if it meets criteria a) or b). Development meeting this definition must be brought into conformance with all coastal resource protection policies in this LCP.

a) Development that consists of alterations including (1) additions to an existing structure, (2) exterior and/or interior renovations, and/or (3) demolition or replacement of an existing home or other principal structure, or portions thereof, which result in either:

¹⁾ Replacement (including demolition, renovation or alteration) of 50% or more of major structural components including exterior walls, floor, roof structure or foundation, or a 50% increase in gross floor area. Alterations are not additive between individual major structural components; or

²⁾ Replacement (including demolition, renovation or alteration) of less than 50% of a major structural component where the proposed replacement would result in cumulative alterations exceeding 50% or more of that major structural component, taking into consideration previous replacement work undertaken on or after January 1, 1977; or an alteration that constitutes less than 50% increase in floor area where the proposed alteration would result in a cumulative addition of 50% or greater of the floor area, taking into consideration previous additions undertaken on or after January 1, 1977. OR

b) Development that consists of any alteration of a structure, the cost of which equals or exceeds 50 percent of the market value of the structure before the start of construction, based on the documented construction bid costs and either an appraisal by a professional property appraiser or County assessor data, if it is based on current market values.

capable of adapting to future shoreline conditions without the need for protection. Refer to Figures 1-1 through 1-4 for the mapped coastal hazard areas that are referenced in policies below.

Policy IV.C.1: Avoid coastal hazard risks and minimize resource impacts when making redevelopment decisions. New development shall do all of the following:

- Minimize risks to life and property in areas of high geologic, flood, and fire hazard.
- Assure stability and structural integrity, and neither create nor contribute significantly to
 erosion, geologic instability, or destruction of the site or surrounding area or in a way require
 the construction of protective devices that would substantially alter natural landforms along
 bluffs and cliffs.
- Where appropriate, protect special communities and neighborhoods that, because of their unique characteristics, are popular visitor destination points for recreational uses.
- Policy IV.C.2: Development should be sited to avoid coastal hazard areas including wave, flooding, and erosion zones as they move inland within the expected duration of the development (see the Sea Level Rise Vulnerability Assessment for additional information about the coastal hazard zones and sea level rise timing). A site-specific coastal hazards report prepared by a qualified geologist/engineer would be required to ensure that such development can be built in a manner consistent with applicable LCP coastal hazard policies for any new development and redevelopment within the mapped hazard areas in Figures 1-1 through 1-4. If avoidance of coastal hazard areas is infeasible, development should have a design resilient to flooding and erosion to minimize impacts to public safety and property without reliance on current or future shoreline protection features. The design of the development should also minimize unavoidable coastal resource impacts, including impacts to coastal access and recreation, environmental resources, and visual resources. For cases where resilient design may not be enough to address sea level rise impacts over the full life of the structure, the applicant shall develop a long-term plan that identifies future adaptation strategies (potentially up to and including relocation) to address sea level rise and coastal resource impacts.
- Policy IV.C.3: Site and design new structures to avoid the need for shoreline protective devices during the economic life of the structure. Applicants for new development and/or redevelopment are required to waive any rights that may exist under Section 30253 of the Coastal Act, which requires new development to assure stability and structural integrity without reliance on shoreline protective devices. Typical economic lifetimes of development include:
 - Ancillary development or amenity structures (e.g. trails, bike racks, playgrounds, parking lots, shoreline restrooms): 5-25 years
 - Manufactured or mobile homes: 30-55 years
 - Residential or commercial structures: 75-100 years
 - Critical infrastructure: 100-150 years

Permit applicants are required to record a deed restriction again the properties involved in the application acknowledging that the structure may be required to be removed or relocated and the site restored if it becomes unsafe. Removal would only be necessary if other adaptation strategies contemplated in the Adaptation Plan do not work.

Policy IV.C.4:

As a condition of approval of development on a beach or shoreline which is subject to wave action, erosion, flooding, or other hazards associated with development on a beach in which avoidance is infeasible, the property owner shall be required to execute and record a deed restriction which acknowledges 1) the development is located in a hazardous area or an area that may become hazardous in the future; 2) that sea level rise could render it difficult or impossible to provide services to the site; 3) that the boundary between public tidelands and private land may shift with rising seas and the development approval does not permit encroachment onto public trust land; 4) that additional adaptation strategies may be required in the future to address sea level rise consistent with the Coastal Act and certified LCP. Additionally, the deed shall acknowledge said risks and waives any future claims of damage or liability against the permitting agency and agrees to indemnify the permitting agency against any liability, claims, damages or expenses arising from any injury or damage due to such hazards.

Policy IV.C.5:

Monitor the frequency of maintenance required for storm drains to identify when further improvements and adaptation actions (including shortening the outfalls) are needed due to vulnerabilities from beach erosion and sand blockage with sea level rise. Refer to the Adaptation Plan for more information on the triggers that indicate the need for adaptation actions. Future projects, such as stormwater infiltration projects along the backshore, should consider sea level rise during feasibility assessments and include measures to minimize impacts from coastal hazards as well as avoid impacts to water quality, public access, scenic and visual resources, and other coastal resources.

Policy IV.C.6:

New public beach facilities shall be limited to only those structures which provide or enhance public recreation activities and only when alternative sites upland of the beach are not feasible.

D. PUBLIC ACCESS, RECREATION, AND SENSITIVE COASTAL RESOURCES

The Public Access, Recreation, and Sensitive Coastal Resources policies aim to protect public access, recreation, and sensitive coastal resources, which are identified by the California Coastal Commission (CCC) as necessary considerations in plans addressing sea level rise in the coastal zone.

- Policy IV.D.1: Avoid impacts to beach dune habitat when designing and siting recreation areas, and direct public access to use well-defined footpaths and the Strand rather than over dune habitat areas through symbolic/protective fencing, signage, and similar methods.
- Policy IV.D.2: Consider options to retrofit or relocate recreation and visitor serving facilities to avoid sea level rise impacts and maximum opportunities for coastal access and recreation.
- Policy IV.D.3: New development and redevelopment shall maximize public coastal access to the maximum extent feasible (unless public access would pose a safety risk or threat to fragile resources, or where adequate access exists nearby, consistent with the Coastal Act), including with consideration for future sea level rise, by ensuring that public access and recreational opportunities account for the social, physical, and economic needs of all people.
- Policy IV.D.4: Public recreational access facilities (e.g., public parks, restroom facilities, parking, bicycle facilities, trails, and paths) shall be sited and designed in such a way as to limit potential impacts to coastal resources over the structure's lifetime. As appropriate, such development may be allowed within the immediate shoreline area only if it is sited in an area that avoids current and future hazards, will not require new or expanded shoreline protective devices, and will not cause or accelerate beach erosion. Public recreational access

facilities shall be sited and designed to be adaptable and/or non-permanent, in anticipation of potential loss due to coastal hazards and sea level rise.

E. DECISION-MAKING, COORDINATION, AND PARTICIPATION

The Decision-making, Coordination, and Participation policies relate to decision making, coordination, and participation in planning for sea level rise, which are identified by the CCC as key principles for addressing sea level rise in the coastal zone.

- Policy IV.E.1: Use the best available science to determine locally relevant and context-specific sea level rise projections for all stages of planning, design, and reviews.
- Policy IV.E.2: Coordinate planning and regulatory decision making with other appropriate local, State, and federal agencies.
- Policy IV.E.3: Provide for maximum public participation in planning and regulatory processes.
- Policy IV.E.4: Update the City's existing Sea Level Rise Adaptation Plan as substantive new information is available, or as major updates occur to the State of California Sea Level Rise Guidance. In addition, the LCP shall be updated if warranted by an Adaptation Plan update.
- Policy IV.E.5: Educate the public about the effects of sea level rise and shoreline hazards. Pursue various methods to notify and educate owners, residents, tenants, and potential future owners of property located in areas potentially subject to shoreline hazards and the effects of sea level rise. Support legislation to include the risks of sea level rise and shoreline hazards on real estate disclosures included in the sales of property.
- Policy IV.E.6: Create a Shoreline Monitoring Program, in consultation with other regional, state, and federal agencies as well as regional experts, as detailed in the City's Sea Level Rise Adaptation Plan. Monitor, assess, and inform the public and City decision-makers about the effects of sea level rise on coastal resources, coastal access, public infrastructure and facilities, and existing development in order to identify when Adaptation Plan triggers have occurred to make informed recommendations on adaptation and revise plans and policies as needed. This includes, but is not limited to, activities such as:
 - Policy IV.E.6.a: Tracking the following resources for science updates: California Coastal Commission Sea Level Rise Policy Guidance; OPC Sea Level Rise Guidance; California Climate Change Assessment; U.S. Geological Survey Coastal Change Hazards Program; National Oceanic and Atmospheric Administration Tides and Currents, Santa Monica Bay station; and coordinate with academic institutions to follow scientific reports they produce on sea level rise in Southern California.
 - Policy IV.E.6.b: Record coastal flooding and storm damage events and information (photos, videos, reports of events or damage, date, type, location, and severity of flooding) where the Manhattan Beach Sea Level Rise Risks, Hazards, and Vulnerability Assessment (May 2021) found that flooding may occur, including but not limited to the Marvin Braude Bike Trail, buildings along the beach, the lower pier parking lot, the municipal pier, storm drain outfalls, and the South Bay Cities' main sewer trunk line.
 - Policy IV.E.6.c.: Topographic surveys of the beach (e.g., beach elevation transects) to measure beach width over time.